

# ÉIRE

LE hAGHAIDH NA SEIRBHISE PUIBLI

## CUNNTAS SEACHTMHAINÉAMHAIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

*By Authority of the Registrar-General.*

To be purchased through any Bookseller or directly from  
THE GOVERNMENT PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN.

No. 1. Vol. LXXX.]

WEEK ENDING SATURDAY, 9th January, 1943.

PRICE 1½d. NET.

*Oifig an Árd-Chláradóra,*

*Baile Átha Cliath.*

### PRINCIPAL TOWNS

Particulars of the Births and Deaths recorded for the **Principal Towns** are given in Table I. Deaths have been assigned so far as possible to the area of residence and those of non-residents of Éire have been excluded.

The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were represented by the following annual rates per 1,000 of the population :—

Principal Towns 19.7 and 15.9; City of Dublin 19.2 and 16.2; Borough of Dun Laoghaire 21.0 and 16.4; Cork 24.4 and 16.1; Limerick 22.1 and 12.9; and Waterford 14.6 and 12.3.

The deaths from the principal epidemic diseases\* recorded for the thirteen principal towns last week were represented by an annual rate of 1.2 per 1,000. The 18 deaths from all causes for Limerick include 2 from diphtheria.

**City of Dublin.**—The number of births registered during the week was 266—138 boys and 128 girls. Exclusive of those, numbering 35, occurring in institutions, of infants whose mothers were admitted from other localities, the number was 231, representing a rate of 24.1 per 1,000.

The number of deaths registered was 208—100 males and 108 females. Of the total, 24 related to persons belonging to other localities, so that the actual number of deaths for the City was 184, representing a rate of 19.2 per 1,000.

There was one death from whooping cough, 3 from diphtheria, one from measles and 9 from diarrhoea and enteritis (under 2 years). In the three preceding weeks deaths from whooping cough numbered 5, one and 0; from diphtheria one, 0 and 3; and from diarrhoea and enteritis (under 2 years) 13, 10 and 18. There were no deaths from measles in the three preceding weeks.

Tuberculosis caused 18 deaths (16 of which were from pulmonary tuberculosis, and 2 from other forms of the disease), as against 24, 7 and 21 from all forms of tuberculosis in the three preceding weeks.

Fourteen deaths were caused by cancer, and 41 by diseases of the heart.

There were 23 deaths from pneumonia, comprising 12 from broncho-pneumonia, 4 from lobar pneumonia, and 7 from pneumonia (unspecified). Bronchitis caused 10 deaths.

There were 5 accidental deaths.

Among the deaths of infants under one year of age, one was due to whooping-cough, 2 to diphtheria, one to measles, one to convulsions, 4 to bronchitis, 9 to broncho-pneumonia, 9 to diarrhoea and enteritis, one to congenital malformation, 2 to congenital debility, and 2 to premature birth.

Forty-seven of the deaths recorded during the week for the City were those of children under five years of age, 36 being infants under one year, 8 of whom were under one month old, and 67 were those of persons aged 65 years and upwards, of whom 47 were aged 70 years or over.

**CASES OF INFECTIOUS DISEASES.**—Table III shows the numbers notified in the City of Dublin and in the Boroughs; and Table IV the number of cases of certain diseases treated in Dublin Hospitals.

\* Typhoid fever, typhus, smallpox, dysentery, scarlet fever, whooping cough, diphtheria, measles, and diarrhoea and enteritis (under 2 years of age).





TABLE I.—BIRTHS and DEATHS registered during the week ended Saturday, 9th January, 1943, for the Principal Towns of Eire, with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION (a)	Annual Rate (b) per 1,000 persons		DEATHS		BIRTHS	DEATHS	BIRTHS	CAUSED BY																In public institutions	Inquest Cases	Number uncertified				
				DEATHS					CAUSED BY																						
		BIRTHS	DEATHS		(2)	(3)	(4)	(5)	(6)	(7)	(8)	Principal epidemic diseases								Tuber- culosis		Influenza	Cancer	Diseases respiratory system			Violence	Other Causes	(23)	(24)	(25)
			From all Causes	From Principal epidemic diseases								Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Pulmonary	Other forms	(15)	(16)			(17)	(18)	(19)					
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)							
TOTAL 13 TOWNS	793,217	23.6	19.7	1.2	359	300	48	117	.	.	1	5	1	11	25	4	1	20	27	20	8	177	12	149	4	.	.	.			
CITY OF DUBLIN (c)	500,300	24.1	19.2	1.5	231	184	36	67	.	.	3	1	9	16	2	.	14	23	13	5	97	5	103	3	.	.	.				
BOROUGH OF DUN LAOGHAIRE	42,200	18.5	21.0	.	15	17	1	9	.	.	.	.	.	.	1	.	.	.	1	1	.	14	.	5	.	.	.	.			
CORK COUNTY BOROUGH	76,800	17.7	24.4	0.7	26	36	3	19	.	.	.	.	1	5	.	.	3	.	.	3	1	23	1	19	.	.	.	.			
LIMERICK COUNTY BOROUGH	42,500	34.4	22.1	2.5	28	18	1	8	.	.	2	.	.	1	1	1	.	.	.	.	14	2	12	.	.	.	.	.			
WATERFORD COUNTY BOROUGH	28,500	3.7	14.6	.	2	8	1	2	.	.	.	.	.	.	.	1	.	.	.	.	7	.	4	.	.	.	.	.			
GALWAY URBAN DISTRICT	18,294	—	—	—	5	5	1	4	.	.	.	.	.	.	.	.	.	.	.	.	5	1	.	.	.	.	.	.			
DUNDALK URBAN DISTRICT	14,684	—	—	—	5	1	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.			
DROGHEDA URBAN DISTRICT	14,494	—	—	—	15	4	1	1	.	.	.	.	.	.	.	.	.	1	1	.	3	1	.	.	.	.	.	.			
SLIGO URBAN DISTRICT	12,565	—	—	—	11	11	3	1	.	.	.	.	1	1	1	1	.	1	1	.	6	.	2	.	.	.	.	.			
WEXFORD URBAN DISTRICT	12,247	—	—	—	3	2	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	1	.	.	.	.	.			
TRALEE URBAN DISTRICT	10,285	—	—	—	4	3	.	1	.	.	.	.	.	1	.	.	.	.	.	.	2	.	1	.	.	.	.	.			
KILKENNY URBAN DISTRICT	10,237	—	—	—	9	4	.	2	.	.	.	.	.	.	.	.	.	1	1	1	2	.	1	.	.	.	.	.			
BRAY URBAN DISTRICT	10,111	—	—	—	5	7	.	3	.	.	.	.	.	.	.	.	.	.	2	2	3	2	2	.	.	.	.	.			
BELFAST COUNTY BOROUGH	444,500	—	—	—	224	106	29	35	.	.	.	.	5	4	3	.	10	4	8	—	—	—	—	—	—	—	—	—			
DERRY COUNTY BOROUGH	47,813	—	—	—	22	12	1	5	.	.	1	.	.	1	.	.	1	1	1	—	—	—	—	—	—	—	—	—			

(a) According to the Census of 1936, but in the case of the Cities of Cork, Limerick, and Watford, the populations given are those according to the Register of Population, 1941. The population given for the City of Dublin and for the Borough of Dun Laoghaire is that estimated to the middle of 1943. The population for Belfast is that estimated to the 1st January, 1940, and that for Derry is according to the Census of 1937. (b) The annual rates for the urban districts will be shown in the quarterly return. (c) The figures for the City of Dublin include those for the former urban district of Howth.



TABLE II.—Deaths registered during the week ended Saturday, 9th January, 1943, for the City of Dublin and the County Borough of Cork  
by Registrars' Districts.

REGISTRARS' DISTRICTS, &c.		AGES AT DEATH										DEATHS FROM										Inquest cases	In public institutions	Number uncertified			
		Under 1 year	1—2	2—5	5—15	15—25	25—45	45—65	65 years and upwards	Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Pulmonary	Other forms	Influenza	Cancer	Pneumonia	Other				Violence	Other causes	
TOTAL DEATHS		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
DUBLIN.		COLS.																									
NORTH CITY	No. 1 EAST	14	5	1	1	1	1	1	1	5	.	.	.	.	.	1	1	1	1	.	4	1	1	5	1	8	1
"	No. 1 WEST	13	3	1	1	1	1	2	2	4	.	.	.	.	.	1	2	.	.	1	1	1	1	6	1	8	1
"	No. 2	12	2	1	1	1	1	2	2	2	.	.	.	.	1	.	2	1	.	2	2	4	1	5	1	2	1
"	No. 3	6	1	1	1	1	1	1	2	2	.	.	.	.	.	.	1	1	.	1	2	4	1	3	1	2	1
"	No. 4	5	1	1	1	1	1	2	2	2	.	.	.	.	.	.	1	1	.	2	2	.	3	1	2	1	1
BLANCHARDSTOWN AND CASTLEKNOCK, PT. OF		1	2	.	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	2	.	.	1	4	2	1
CLONTARF AND HOWTH, NOS. 1 & 2, PT. OF		13	3	1	1	1	1	1	1	1	.	.	.	1	.	1	2	.	.	2	1	1	1	5	1	2	1
COOLOCK & DRUMCONDRA, NOS. 1 & 2, PT. OF		8	3	.	.	.	.	.	.	4	.	.	.	1	.	.	2	.	.	2	2	.	.	4	1	3	1
FINGLAS AND GLASNEVIN, NOS. 1 & 2, PT. OF																											
SOUTH CITY	No. 1	8	1	1	1	1	1	2	2	2	.	.	.	.	.	.	1	.	.	2	.	.	.	5	1	6	1
"	No. 2	6	3	1	1	1	1	3	3	3	.	.	.	.	.	2	1	.	.	1	1	3	1	8	1	9	1
"	No. 3	13	4	1	1	1	1	1	1	6	.	.	.	1	.	2	1	.	.	1	2	1	1	5	1	6	1
"	No. 4	18	4	1	1	1	1	1	1	3	.	.	.	.	.	2	1	.	.	1	2	3	1	9	1	13	1
"	No. 5	15	2	1	1	1	1	2	2	5	.	.	.	.	.	.	2	.	.	2	1	1	.	9	1	6	1
"	No. 6	5	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	2	1	1	.	2	1	3	1
CLONDALKIN, PART OF		1	2	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	2	1
CRUMLIN, PART OF		2	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	1	1	.	1	1	2	1
DUNYBROOK, NOS. 1 AND 2		15	1	.	.	.	.	4	4	10	.	.	.	.	.	.	.	.	.	2	1	1	.	11	4	4	1
RATHFARNHAM, PART OF		21	3	.	.	.	.	.	3	13	.	.	.	.	.	1	.	.	.	1	2	1	.	13	10	10	1
RATHMINES, NOS. 1 AND 2		1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	1	1	1	.	1	1	1	1
TERENURE, PART OF																											
TOTAL		184	36	6	5	7	20	38	67			1	3	1	9	16	2			14	23	13	5	97	5	103	3
CORK.		8	1	1	1	1	1	2	2	5	.	.	.	.	.	1	1	.	.	1	.	.	1	5	1	4	1
CORK URBAN, No. 1	1	8	2	.	.	.	.	1	1	4	.	.	.	.	.	1	1	.	.	1	.	2	.	5	1	4	1
"	2	8	1	1	1	1	1	2	2	4	.	.	.	.	.	1	1	.	.	1	.	.	1	5	1	4	1
"	3	3	.	.	.	.	.	1	1	1	.	.	.	.	.	1	1	.	.	1	.	1	.	1	1	2	1
"	4	3	.	.	.	.	.	1	1	1	.	.	.	.	.	1	1	.	.	2	.	.	1	1	1	1	1
"	5	1	.	.	.	.	.	1	1	2	.	.	.	.	.	1	1	.	.	2	.	.	1	1	1	2	1
"	6	5	.	.	.	.	.	1	1	2	.	.	.	.	.	1	1	.	.	2	.	.	1	1	1	2	1
"	7	8	.	.	.	.	.	1	1	4	.	.	.	.	.	1	1	.	.	1	.	.	1	5	1	4	1
TOTAL		36	8	4	5	7	20	38	67	19	.	.	.	.	.	1	5	.	.	3	.	8	1	23	1	19	1



TABLE III.—Cases of infectious diseases notified in the undermentioned urban areas during the week ended Saturday, 9th January, 1943, and during each of the three preceding weeks.

AREAS	Week ended		Typhoid fever	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis	Smallpox	Measles	Typhus	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Other diseases*	TOTAL
Dublin City	Dec.	19	.	14	20	14	17	.	4	.	12	5C, 2H, 24M	112
	Dec.	26	.	10	25	15	5	.	2	.	4	1C, 25M	87
	Jan.	2	1	17	20	27	5	.	.	.	13	1B, 6C, 1D, 1H, 37M, 1N	130
	Jan.	9	.	8	21	26	10	.	.	.	9	2B, 3C, 13M	92
Dun Laoghaire Borough	Dec.	19	.	4	1	4	.	.	1	.	.	1C	11
	Dec.	26	.	5	1	5	.	.	.	.	.		11
	Jan.	2	.	6	.	5	.	.	.	.	.		11
	Jan.	9	.	2	4	6	.	.	.	.	.		12
Cork C. B.	Dec.	19	.	.	.	7	2	.	.	.	2	2M	13
	Dec.	26	.	1	.	6	.	.	.	.	.	1K	8
	Jan.	2	.	.	.	18	1	.	.	.	.	1C	20
	Jan.	9	.	.	.	10	1	.	.	.	.	1C, 2K	14
Limerick C. B.	Dec.	19	.	4	.	2	.	.	.	.	.		6
	Dec.	26	1	.	.	4	.	.	.	.	.	1C	6
	Jan.	2	3	.	.	5	.	.	.	.	.	1C	9
	Jan.	9	.	.	.	1	.	.	.	.	.		1
Waterford C. B.	Dec.	19	.	34	5	1	2	.	.	.	.		42
	Dec.	26	.	3	.	.	2	.	.	.	.		5
	Jan.	2	.	5	3	.	.	.	.	.	.		8
	Jan.	9	.	6	.	.	2	.	.	.	2		10

\*The letters in this column denote the following diseases:— (A) Undulant fever, (B) Cerebro-spinal fever, (C) Erysipelas, (D) Ophthalmia neonatorum, (E) Dysentery, (F) Malaria, (G) Relapsing fever, (H) Acute poliomyelitis, (J) Encephalitis lethargica, (K) Varicella, (L) Trachoma, (M) Diarrhoeal diseases, (N) Puerperal fever, (O) Puerperal pyrexia, (P) Pemphigus neonatorum, (Q) Pyrexia.

TABLE IV.—Cases of the undermentioned diseases treated in Dublin hospitals during the week ended Saturday, 9th January, 1943, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of cases in hospital at close of week ended			Week ended 9th January, 1943.			
	Dec. 19	Dec. 26	Jan. 2	No. admitted	Discharged	Died	No. under treatment at close of week
Typhoid fever	5	5	5	.	.	.	5
Typhus	.	.	.	.	.	.	.
Smallpox	.	.	.	.	.	.	.
Measles	.	.	.	.	.	.	.
Scarlet fever	164	133	96	11	17	.	90
Diphtheria	235	229	253	41	34	3	257
Pneumonia	64	68	79	1	8	1	71
Diarrhoea and Enteritis	86	80	90	4	16	7	71



# ÉIRE

LE hAGHAIDH NA SEIRBHISE PUIBLI

## CUNNTAS SEACHTMHAINÉAMHAIL na mBREITH agus na mBÁS

### WEEKLY RETURNS OF BIRTHS AND DEATHS

#### FOR THE PRINCIPAL TOWNS

*By Authority of the Registrar-General.*

To be purchased through any Bookseller or directly from  
THE GOVERNMENT PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN.

No. 2. Vol. LXXX.]

WEEK ENDING SATURDAY, 16th January, 1943.

PRICE 1½d. NET.

*Oifig an Árd-Chláradóra,*

*Baile Átha Cliath.*

### PRINCIPAL TOWNS

Particulars of the Births and Deaths recorded for the Principal Towns are given in Table I. Deaths have been assigned so far as possible to the area of residence and those of non-residents of Eire have been excluded.

The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were represented by the following annual rates per 1,000 of the population :—

Principal Towns 17.2 and 16.2; City of Dublin 18.9 and 16.8; Borough of Dun Laoghaire 16.1 and 16.3; Cork 17.0 and 16.6; Limerick 13.5 and 13.8; and Waterford 9.1 and 10.5.

The deaths from the principal epidemic diseases\* recorded for the thirteen principal towns last week were represented by an annual rate of 1.7 per 1,000. The 25 deaths from all causes recorded for Cork include 2 from diphtheria and one from diarrhoea and enteritis of a child under 2 years of age. The 11 deaths from all causes for Limerick include 2 from diarrhoea and enteritis (under 2 years) and one of the 7 deaths for Sligo was due to whooping cough.

**City of Dublin.**—The number of births registered during the week was 300—164 boys and 136 girls. Exclusive of those, numbering 44, occurring in institutions, of infants whose mothers were admitted from other localities, the number was 256, representing a rate of 26.7 per 1,000.

The number of deaths registered was 202—92 males and 110 females. Of the total, 21 related to persons belonging to other localities, so that the actual number of deaths for the City was 181, representing a rate of 18.9 per 1,000.

There were 2 deaths from whooping cough, 4 from diphtheria, and 12 from diarrhoea and enteritis (under 2 years). In the three preceding weeks deaths from whooping cough numbered one, 0 and one; from diphtheria 0, 3 and 3; and from diarrhoea and enteritis (under 2 years) 10, 18 and 9.

Tuberculosis caused 17 deaths (15 of which were from pulmonary tuberculosis, and 2 from other forms of the disease), as against 7, 21 and 18 from all forms of tuberculosis in the three preceding weeks.

Eleven deaths were caused by cancer, and 37 by diseases of the heart.

There were 10 deaths from pneumonia, comprising 6 from broncho-pneumonia, 2 from lobar pneumonia, and 2 from pneumonia (unspecified). Bronchitis caused 8 deaths.

There were 3 accidental deaths including one by drowning.

Among the deaths of infants under one year of age, 2 were due to convulsions, 3 to bronchitis, 5 to broncho-pneumonia, one to pneumonia, 11 to diarrhoea and enteritis, 2 to congenital malformation, 5 to congenital debility, and 5 to premature birth.

Forty-six of the deaths recorded during the week for the City were those of children under five years of age, 35 being infants under one year, 15 of whom were under one month old, and 64 were those of persons aged 65 years and upwards, of whom 40 were aged 70 years or over.

**CASES OF INFECTIOUS DISEASES.**—Table III shows the numbers notified in the City of Dublin and in the Boroughs; and Table IV the number of cases of certain diseases treated in Dublin Hospitals.

\* Typhoid fever, typhus, smallpox, dysentery, scarlet fever, whooping cough, diphtheria.






TABLE I.—BIRTHS and DEATHS registered during the week ended Saturday, 16th January, 1943, for the Principal Towns of Eire, with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION (a)	Annual Rate (b) per 1,000 persons		DEATHS		BIRTHS	DEATHS		Under 1 year of age	65 years and upwards	Principal epidemic diseases												Inquest Cases	In public institutions	Number uncertified
				DEATHS							CAUSED BY														
		BIRTHS		From all Causes		From Principal epidemic diseases		Principal epidemic diseases												Diseases respiratory system		Cancer	Influenza	Other Causes	
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Pulmonary	Other forms	(17)	(18)	(19)	(20)				(21)
TOTAL 13 TOWNS	793,217	25.8	17.2	1.7	393	261	50	97	.	.	3	6	.	17	23	3	1	16	12	19	3	158	3	124	2
CITY OF DUBLIN (c)	500,300	26.7	18.9	1.9	256	181	35	64	.	.	2	4	.	12	15	2	1	11	10	14	3	107	2	98	2
BOROUGH OF DUN LAOGHAIRE	42,200	19.8	16.1	1.2	16	13	1	8	.	.	.	.	.	1	.	1	.	.	.	1	.	10	.	7	.
CORK COUNTY BOROUGH	76,800	12.9	17.0	2.0	19	25	3	11	.	.	.	2	.	1	2	.	.	3	1	1	.	15	.	13	.
LIMERICK COUNTY BOROUGH	42,500	22.1	13.5	2.5	18	11	3	5	.	.	.	.	.	2	2	.	.	.	.	.	.	7	1	1	.
WATERFORD COUNTY BOROUGH	28,500	40.3	9.1	.	22	5	1	4	.	.	.	.	.	.	.	.	.	1	.	.	.	4	.	2	.
GALWAY URBAN DISTRICT	18,294	—	—	—	16	3	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	1	.
DUNDALK URBAN DISTRICT	14,684	—	—	—	8	4	.	1	.	.	.	.	.	.	2	.	.	.	.	.	.	2	.	.	.
DROGHEDA URBAN DISTRICT	14,494	—	—	—	6	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
SLIGO URBAN DISTRICT	12,565	—	—	—	6	7	4	2	.	.	1	.	.	.	.	.	.	.	1	.	.	4	.	.	.
WEXFORD URBAN DISTRICT	12,247	—	—	—	15	4	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	2	.	.	.
TRALEE URBAN DISTRICT	10,285	—	—	—	2	1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.
KILKENNY URBAN DISTRICT	10,237	—	—	—	8	4	.	2	.	.	.	.	.	.	.	1	.	.	.	.	.	3	.	1	.
BRAY URBAN DISTRICT	10,111	—	—	—	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.
BELFAST COUNTY BOROUGH	444,500	—	—	—	205	111	14	50	1(d)	.	.	.	1	3	3	3	.	17	7	9	—	—	—	—	—
DERRY COUNTY BOROUGH	47,813	—	—	—	35	11	3	3	.	.	1	.	.	1	1	1	1	.	.	.	—	—	—	—	—

(a) According to the Census of 1936, but in the case of the Cities of Cork, Limerick, and Waterford, the populations given are those according to the Register of Population, 1941. The population given for the City of Dublin and for the Borough of Dun Laoghaire is that estimated to the middle of 1943. The population for Belfast is that estimated to the 1st January, 1940, and that for Derry is according to the Census of 1937. (b) The annual rates for the urban districts will be shown in the quarterly return. (c) The figures for the City of Dublin include those for the former urban district of Howth. (d) Paratyphoid B fever.



TABLE II.—Deaths registered during the week ended Saturday, 16th January, 1943, for the City of Dublin and the County Borough of Cork by Registrars' Districts.

REGISTRARS' DISTRICTS, &c.		DEATHS																				Inquest cases		In public institutions		Number uncertified				
		AGES AT DEATH																DEATHS FROM												
		Principal epidemic diseases																Tuber- culosis		Influenza	Cancer						Diseases of respi- ratory system		Violence	Other causes
		Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Pulmonary	Other forms	Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Pneumonia	Other													
TOTAL DEATHS		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)			
DUBLIN.																														
NORTH CITY	NO. 1 EAST	11	2	1	1	1	1	3	6	65 years and upwards	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1			
"	NO. 1 WEST	11	2	1	1	1	1	3	6	65 years and upwards	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1			
"	NO. 2	14	5	1	1	1	1	4	3	65 years and upwards	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1			
"	NO. 3	14	5	1	1	1	1	4	3	65 years and upwards	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1			
"	NO. 4	6	1	1	1	1	1	2	3	65 years and upwards	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1			
BLANCHARDSTOWN AND CASTLEKNOCK, PT. OF																														
CLONTARF AND HOWTH, NOS. 1 & 2, PT. OF	9	1	5	1	1	1	1	1	3	65 years and upwards	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1			
COOLOCK & DRUMCONDRA, NOS. 1 & 2, PT. OF	10	3	1	1	1	1	1	1	4	65 years and upwards	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1			
FINGLAS AND GLASNEVIN, NOS. 1 & 2, PT. OF	10	3	1	1	1	1	1	1	4	65 years and upwards	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1			
SOUTH CITY																														
NO. 1	10	2	1	1	1	1	1	2	3	65 years and upwards	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1			
"	NO. 2	8	4	1	1	1	1	3	4	65 years and upwards	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1			
"	NO. 3	7	4	1	1	1	1	3	4	65 years and upwards	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1			
"	NO. 4	13	2	1	1	1	1	3	4	65 years and upwards	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1			
"	NO. 5	16	2	1	1	1	1	4	4	65 years and upwards	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1			
"	NO. 6	4	2	1	1	1	1	1	2	65 years and upwards	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1			
CLONDALKIN, PART OF																														
CRUMLIN, PART OF	8	1	5	1	1	1	1	2	4	65 years and upwards	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1			
DONNYBROOK, NOS. 1 AND 2	15	1	1	1	1	1	1	6	6	65 years and upwards	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1			
RATHFARNHAM, PART OF	16	2	1	1	1	1	1	1	10	65 years and upwards	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1			
RATHMINES, NOS. 1 AND 2	1	1	1	1	1	1	1	1	1	65 years and upwards	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1			
TERENURE, PART OF	1	1	1	1	1	1	1	1	1	65 years and upwards	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1			
TOTAL		181	35	4	7	2	7	23	39	64	1	2	2	4	2	12	15	2	1	11	10	14	3	107	2	98	2			
CORK.																														
CORK URBAN, No.	1	2	1	1	1	1	1	1	2	65 years and upwards	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1			
"	2	4	1	1	1	1	1	1	1	65 years and upwards	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1			
"	3	4	1	1	1	1	1	1	1	65 years and upwards	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1			
"	4	4	1	1	1	1	1	1	1	65 years and upwards	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1			
"	5	2	1	1	1	1	1	1	1	65 years and upwards	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1			
"	6	3	1	1	1	1	1	1	1	65 years and upwards	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1			
"	7	2	1	1	1	1	1	1	1	65 years and upwards	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1			
TOTAL		25	3	1	2	2	2	4	11	65 years and upwards	1	2	2	2	1	12	15	2	1	11	10	14	3	107	2	98	2			



TABLE III.—Cases of infectious diseases notified in the undermentioned urban areas during the week ended Saturday, 16th January, 1943, and during each of the three preceding weeks.

AREAS	Week ended	Typhoid fever	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis	Smallpox	Measles	Typhus	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Other diseases*	TOTAL
Dublin City	Dec. 26	.	10	25	15	5	.	2	.	4	1C, 25M	87
	Jan. 2	1	17	20	27	5	.	.	.	13	1B, 6C, 1D, 1H, 37M, 1N	130
	Jan. 9	.	8	21	26	10	.	.	.	9	2B, 3C, 13M	92
	Jan. 16	.	14	15	26	22	.	1	.	3	1B, 8C, 1H, 1L, 21M	113
Dun Laoghaire Borough	Dec. 26	.	5	1	5	.	.	.	.	.		11
	Jan. 2	.	6	.	5	.	.	.	.	.		11
	Jan. 9	.	2	4	6	.	.	.	.	.		12
	Jan. 16	.	2	.	4	.	.	.	.	.	2M	8
Cork C. B.	Dec. 26	.	1	.	6	.	.	.	.	.	1K	8
	Jan. 2	.	.	.	18	1	.	.	.	.	1C	20
	Jan. 9	.	.	.	10	1	.	.	.	.	1C, 2K	14
	Jan. 16	.	.	.	10	5	.	.	.	.	1C, 1M, 1O	18
Limerick C. B.	Dec. 26	1	.	.	4	.	.	.	.	.	1C	6
	Jan. 2	3	.	.	5	.	.	.	.	.	1C	9
	Jan. 9	.	.	.	1	.	.	.	.	.		1
	Jan. 16	.	.	.	2	.	.	.	.	.		2
Waterford C. B.	Dec. 26	.	3	.	.	2	.	.	.	.		5
	Jan. 2	.	5	3	.	.	.	.	.	.		8
	Jan. 9	.	6	.	.	2	.	.	.	2		10
	Jan. 16	.	4	15	.	.	.	.	.	.		19

\*The letters in this column denote the following diseases:— (A) Undulant fever, (B) Cerebro-spinal fever, (C) Erysipelas, (D) Ophthalmia neonatorum, (E) Dysentery, (F) Malaria, (G) Relapsing fever, (H) Acute poliomyelitis, (J) Encephalitis lethargica, (K) Varicella, (L) Trachoma, (M) Diarrhoeal diseases, (N) Puerperal fever, (O) Puerperal pyrexia, (P) Pemphigus neonatorum, (Q) Pyrexia.

TABLE IV.—Cases of the undermentioned diseases treated in Dublin hospitals during the week ended Saturday, 16th January, 1943, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of cases in hospital at close of week ended			Week ended 16th January, 1943.			
	Dec. 26	Jan. 2	Jan. 9	No. admitted	Discharged	Died	No. under treatment at close of week
Typhoid fever	5	5	5	1	.	.	6
Typhus	.	.	.	.	.	.	.
Smallpox	.	.	.	.	.	.	.
Measles	.	.	.	.	.	.	.
Scarlet fever	133	96	90	13	10	.	93
Diphtheria	229	253	257	46	19	6	278
Pneumonia	68	74	71	5	5	1	70
Diarrhoea and Enteritis	80	79	71	9	3	8	69



# ÉIRE


LE hAGHAIDH NA SEIRBHISE PUIBLI

## CUNNTAS SEACHTMHAINÉAMHAIL na mBREITH agus na mBÁS

### WEEKLY RETURNS OF BIRTHS AND DEATHS

#### FOR THE PRINCIPAL TOWNS

*By Authority of the Registrar-General.*



To be purchased through any Bookseller or directly from  
THE GOVERNMENT PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN.

No. 3. Vol. LXXX.]

WEEK ENDING SATURDAY, 23rd January, 1943.

PRICE 1½d. NET.

*Oifig an Árd-Chláradóra,*

*Baile Átha Cliath.*

### PRINCIPAL TOWNS

Particulars of the Births and Deaths recorded for the Principal Towns are given in Table I. Deaths have been assigned so far as possible to the area of residence and those of non-residents of Éire have been excluded.

The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were represented by the following annual rates per 1,000 of the population:—

Principal Towns 18.4 and 18.4; City of Dublin 15.5 and 18.2; Borough of Dun Laoghaire 25.9 and 22.1; Cork 22.4 and 20.0; Limerick 35.6 and 20.0; and Waterford 14.6 and 11.9.

The deaths from the principal epidemic diseases\* recorded for the thirteen principal towns last week were represented by an annual rate of 1.1 per 1,000. The 29 deaths from all causes recorded for Limerick include one from diphtheria and the 8 deaths for Waterford include one from whooping cough and one from diarrhoea and enteritis (under 2 years).

**City of Dublin.**—The number of births registered during the week was 299—152 boys and 147 girls. Exclusive of those, numbering 55, occurring in institutions, of infants whose mothers were admitted from other localities, the number was 244, representing a rate of 25.4 per 1,000.

The number of deaths registered was 179—91 males and 88 females. Of the total, 30 related to persons belonging to other localities, so that the actual number of deaths for the City was 149, representing a rate of 15.5 per 1,000.

There were 5 deaths from whooping cough, 3 from diphtheria, one from measles, and 3 from diarrhoea and enteritis (under 2 years). In the three preceding weeks deaths from whooping cough numbered 0, one and 2; from diphtheria 3, 3 and 4; and from diarrhoea and enteritis (under 2 years) 18, 9 and 12.

Tuberculosis caused 15 deaths (14 of which were from pulmonary tuberculosis, and one from tuberculous meningitis), as against 21, 18 and 17 from all forms of tuberculosis in the three preceding weeks.

Ten deaths were caused by cancer, and 38 by diseases of the heart.

There were 13 deaths from pneumonia, comprising 8 from broncho-pneumonia, one from lobar pneumonia, and 4 from pneumonia (unspecified). Bronchitis caused 7 deaths.

There were 2 accidental deaths.

Among the deaths of infants under one year of age, 5 were due to whooping cough, one to tuberculous meningitis, 2 to convulsions, one to bronchitis, 7 to broncho-pneumonia, 3 to pneumonia, 3 to diarrhoea and enteritis, 4 to congenital malformations, 6 to congenital debility, and 5 to premature birth.

Forty-five of the deaths recorded during the week for the City were those of children under five years of age, 38 being infants under one year, 15 of whom were under one month old, and 50 were those of persons aged 65 years and upwards, of whom 36 were aged 70 years or over.

**CASES OF INFECTIOUS DISEASES.**—Table III shows the numbers notified in the City of Dublin and in the Boroughs; and Table IV the number of cases of certain diseases treated in Dublin Hospitals.

\* Typhoid fever, typhus, smallpox, dysentery, scarlet fever, whooping cough, diphtheria, cholera, and diarrhoea and enteritis (under 2 years of age).



TABLE I.—BIRTHS and DEATHS registered during the week ended Saturday, 23rd January, 1943, for the Principal Towns of Éire, with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION (a)	Annual Rate (b) per 1,000 persons		DEATHS		BIRTHS	DEATHS	Under 1 year of age	65 years and upwards	Principal epidemic diseases										CAUSED BY				Inquest Cases	In public institutions	Number uncertified
		BIRTHS	From all Causes	From Principal epidemic diseases	Typhoid fever, Typhus, Smallpox, Dysentery					Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Tuber- culosis		Influenza	Cancer	Diseases respiratory system			Violence	Other Causes			
															Pulmonary	Other forms			Pneumonia	Other						
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)		
TOTAL 13 TOWNS	793,217	25.2	18.4	1.1	383	280	66	95	.	.	6	4	1	6	26	4	2	18	23	19	3	168	7	143	8	
CITY OF DUBLIN (c)	500,300	25.4	15.5	1.3	244	149	38	50	.	.	3	1	1	3	14	1	.	10	13	9	2	88	3	84	4	
BOROUGH OF DUN LAOGHAIRE	42,200	14.8	25.9	.	12	21	1	11	.	.	.	.	.	.	1	.	.	1	2	3	.	14	2	11	.	
CORK COUNTY BOROUGH	76,800	30.5	22.4	.	45	33	7	10	.	.	.	.	.	.	2	1	.	3	1	2	1	23	.	15	1	
LIMERICK COUNTY BOROUGH	42,500	22.1	35.6	1.2	18	29	5	10	.	.	.	1	.	.	3	.	1	1	3	3	.	17	2	14	.	
WATERFORD COUNTY BOROUGH	28,500	22.0	14.6	3.7	12	8	2	2	.	1	.	.	.	1	2	.	.	1	.	.	.	3	.	3	.	
GALWAY URBAN DISTRICT	18,294	—	—	—	7	5	.	3	.	.	.	.	.	.	1	.	.	.	.	1	.	3	.	1	.	
DUNDALK URBAN DISTRICT	14,684	—	—	—	4	6	2	3	.	.	.	.	.	1	1	.	.	1	.	.	.	3	.	5	.	
DROGHEDA URBAN DISTRICT	14,494	—	—	—	15	4	2	1	.	.	.	.	.	.	.	.	.	1	1	.	.	2	.	6	.	
SLIGO URBAN DISTRICT	12,565	—	—	—	4	9	3	3	.	.	.	.	.	1	.	1	.	.	1	.	.	6	.	1	.	
WEXFORD URBAN DISTRICT	12,247	—	—	—	10	4	1	1	.	.	.	.	.	.	2	.	.	.	1	.	.	1	.	1	.	
TRALEE URBAN DISTRICT	10,285	—	—	—	6	3	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	.	2	3	
KILKENNY URBAN DISTRICT	10,237	—	—	—	5	6	3	.	.	.	.	.	.	.	.	1	1	.	.	.	.	4	.	1	.	
BRAY URBAN DISTRICT	10,111	—	—	—	1	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	1	.	
BELFAST COUNTY BOROUGH	444,500	—	—	—	204	115	21	34	.	.	2	1	.	2	13	2	.	10	11	16	—	—	—	—	—	
DERRY COUNTY BOROUGH	47,813	—	—	—	29	13	4	5	.	.	.	.	.	.	.	.	.	1	.	1	—	—	—	—	—	

(a) According to the Census of 1936, but in the case of the Cities of Cork, Limerick, and Waterford, the populations given are those according to the Register of Population, 1941. The population given for the City of Dublin and for the Borough of Dun Laoghaire is that estimated to the middle of 1943. The population for Belfast is that estimated to the 1st January, 1940, and that for Derry is according to the Census of 1937. (b) The annual rates for the urban districts will be shown in the quarterly return. (c) The figures for the City of Dublin include those for the former urban district of Howth.



TABLE II.—Deaths registered during the week ended Saturday, 23rd January, 1943, for the City of Dublin and the County Borough of Cork by Registrars' Districts.

REGISTRARS' DISTRICTS, &c.		AGES AT DEATH										DEATHS FROM										Inquest cases		In public institutions	Number uncertified		
		Principal epidemic diseases							Tuber- culosis			Cancer	Influenza	Diseases of respi- ratory system		Violence	Other causes										
		Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Pulmonary	Other forms	(20)	(21)																
TOTAL DEATHS		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
DUBLIN.		COLS.																									
NORTH CITY No. 1 EAST	...	3	7	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	4	2	1	1	1	1	2	1
" No. 1 WEST	...	14	8	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1
" No. 2	...	7	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
" No. 3	...	10	3	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1
" No. 4	...	6	3	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1
BLANCHARDSTOWN AND CASTLEKNOCK, PT. OF		8	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
CLONTARF AND HOWTH, NOS. 1 & 2, PT. OF	...	16	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
COOLOCK & DRUMCONDRA, NOS. 1 & 2, PT. OF	...	8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
FINGLAS AND GLASNEVIN, NOS. 1 & 2, PT. OF	...	11	2	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1
SOUTH CITY No. 1	...	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
" No. 2	...	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
" No. 3	...	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
" No. 4	...	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
" No. 5	...	12	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
" No. 6	...	10	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
CLONDALKIN, PART OF		7	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
CRUMLIN, PART OF	...	9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1
DONNYBROOK, NOS. 1 AND 2	...	10	4	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1
RATHFARNHAM, PART OF	...	10	4	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1
RATHMINES, NOS. 1 AND 2	...	10	4	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1
TERENURE, PART OF	...	10	4	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1
TOTAL		149	38	2	5	3	4	16	31	50	1	5	3	3	1	3	14	1	10	13	9	2	88	3	84	1	1
CORK.		COLS.																									
CORK URBAN, No. 1	...	5	1	1	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1
" No. 2	...	5	1	1	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
" No. 3	...	6	1	1	1	1	1	1	1	3	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1
" No. 4	...	6	1	1	1	1	1	1	1	3	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1
" No. 5	...	4	1	1	1	1	1	1	1	3	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1
" No. 6	...	4	1	1	1	1	1	1	1	3	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1
" No. 7	...	3	1	1	1	1	1	1	1	3	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1
TOTAL		33	7	1	1	1	1	4	9	10	1	1	1	1	1	1	2	1	3	1	2	1	23	1	15	1	1



TABLE III.—Cases of infectious diseases notified in the undermentioned urban areas during the week ended Saturday, 23rd January, 1943, and during each of the three preceding weeks.

AREAS	Week ended	Typhoid fever	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis	Smallpox	Measles	Typhus	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Other diseases*	TOTAL
Dublin City	Jan. 2	1	17	20	27	5	.	.	.	13	1B, 6C, 1D, 1H, 37M, 1N	130
	Jan. 9	.	8	21	26	10	.	.	.	9	2B, 3C, 13M	92
	Jan. 16	.	14	15	26	22	.	1	.	3	1B, 8C, 1H, 1L, 21M	113
	Jan. 23	.	14	99	26	14	.	.	.	9	4C, 1L, 17M	184
Dun Laoghaire Borough	Jan. 2	.	6	.	5	.	.	.	.	.		11
	Jan. 9	.	2	4	6	.	.	.	.	.		12
	Jan. 16	.	2	.	4	.	.	.	.	.	2M	8
	Jan. 23	.	1	1	5	.	.	.	.	.	2C, 1F	10
Cork C. B.	Jan. 2	.	.	.	18	1	.	.	.	.	1C	20
	Jan. 9	.	.	.	10	1	.	.	.	.	1C, 2K	14
	Jan. 16	.	.	.	10	5	.	.	.	.	1C, 1M, 1O	18
	Jan. 23	.	2	.	12	3	.	.	.	1	3C, 2K	23
Limerick C. B.	Jan. 2	3	.	.	5	.	.	.	.	.	1C	9
	Jan. 9	.	.	.	1	.	.	.	.	.		1
	Jan. 16	.	.	.	2	.	.	.	.	.		2
	Jan. 23	1	.	.	4	.	.	.	.	.		6
Waterford C. B.	Jan. 2	.	5	3	.	.	.	.	.	.		8
	Jan. 9	.	6	.	.	2	.	.	.	2		10
	Jan. 16	.	4	15	.	.	.	.	.	.		19
	Jan. 23	.	7	9	.	4	.	.	.	1		21

\*The letters in this column denote the following diseases:— (A) Undulant fever, (B) Cerebro-spinal fever, (C) Erysipelas, (D) Ophthalmia neonatorum, (E) Dysentery, (F) Malaria, (G) Relapsing fever, (H) Acute poliomyelitis, (J) Encephalitis lethargica, (K) Varicella, (L) Trachoma, (M) Diarrhoeal diseases, (N) Puerperal fever, (O) Puerperal pyrexia, (P) Pemphigus neonatorum, (Q) Pyrexia.

TABLE IV.—Cases of the undermentioned diseases treated in Dublin hospitals during the week ended Saturday, 23rd January, 1943, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of cases in hospital at close of week ended			Week ended 23rd January, 1943.			
	Jan. 2	Jan. 9	Jan. 16	No. admitted	Discharged	Died	No. under treatment at close of week
Typhoid fever	5	5	6	1	2	.	5
Typhus	.	.	.	.	.	.	.
Smallpox	.	.	.	.	.	.	.
Measles	.	.	.	.	.	.	.
Scarlet fever	96	90	93	15	25	.	83
Diphtheria	253	257	278	39	31	3	283
Pneumonia	74	71	70	8	30	2	46
Diarrhoea and Enteritis	79	71	69	10	10	6	63



# CUNNTAS SEACHTMHAINÉAMHAIL na mBREITH agus na mBÁS

## WEEKLY RETURNS OF BIRTHS AND DEATHS

### FOR THE PRINCIPAL TOWNS

*By Authority of the Registrar-General.*

To be purchased through any Bookseller or directly from  
THE GOVERNMENT PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN.



No. 4. Vol. LXXX.]

WEEK ENDING SATURDAY, 30th January, 1943.

PRICE 1½d. NET.

*Oifig an Árd-Chláradóra,*

*Baile Átha Cliath.*

## PRINCIPAL TOWNS

Particulars of the Births and Deaths recorded for the **Principal Towns** are given in Table I. Deaths have been assigned so far as possible to the area of residence and those of non-residents of Eire have been excluded.

The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were represented by the following annual rates per 1,000 of the population :—

Principal Towns 15.3 and 17.7; City of Dublin 13.4 and 16.8; Borough of Dun Laoghaire 14.8 and 19.5; Cork 23.8 and 21.9; Limerick 20.9 and 23.0; and Waterford 14.6 and 13.2.

The deaths from the principal epidemic diseases\* recorded for the thirteen principal towns last week were represented by an annual rate of 1.0 per 1,000. Among the 17 deaths from all causes for Limerick were 2 from diphtheria and one from diarrhoea and enteritis (under 2 years); the 5 deaths for Sligo include one from whooping cough, and one of the 4 deaths for Bray was from diphtheria.

**City of Dublin.**—The number of births registered during the week was 302—155 boys and 147 girls. Exclusive of those, numbering 40, occurring in institutions, of infants whose mothers were admitted from other localities, the number was 262, representing a rate of 27.3 per 1,000.

The number of deaths registered was 154—82 males and 72 females. Of the total, 25 related to persons belonging to other localities, so that the actual number of deaths for the City was 129, representing a rate of 13.4 per 1,000.

There were 2 deaths from whooping cough, 2 from diphtheria, and 3 from diarrhoea and enteritis (under 2 years). In the three preceding weeks deaths from whooping cough numbered one, 2 and 5; from diphtheria 3, 4 and 3; and from diarrhoea and enteritis (under 2 years) 9, 12 and 3.

Tuberculosis caused 16 deaths (13 of which were from pulmonary tuberculosis, one from tuberculous meningitis and 2 from other forms of the disease), as against 18, 17 and 15 from all forms of tuberculosis in the three preceding weeks.

Eight deaths were caused by cancer, and 23 by diseases of the heart.

There were 9 deaths from pneumonia, comprising 7 from broncho-pneumonia, one from lobar pneumonia, and one from pneumonia (unspecified). Bronchitis caused 8 deaths.

There were 4 accidental deaths including one by drowning.

Among the deaths of infants under one year of age, one was due to whooping cough, one to diphtheria, 2 to bronchitis, 2 to broncho-pneumonia, one to lobar pneumonia, one to pneumonia, 3 to diarrhoea and enteritis, 4 to congenital malformations, 3 to congenital debility, and 7 to premature birth.

Thirty-five of the deaths recorded during the week for the City were those of children under five years of age, 28 being infants under one year, 15 of whom were under one month old, and 45 were those of persons aged 65 years and upwards, of whom 32 were aged 70 years or over.

**CASES OF INFECTIOUS DISEASES.**—Table III shows the numbers notified in the City of Dublin and in the Boroughs; and Table IV the number of cases of certain diseases treated in Dublin Hospitals.

\* Typhoid fever, typhus, smallpox, dysentery, scarlet fever, whooping cough, diphtheria, measles, and diarrhoea and enteritis (under 2 years of age).



TABLE I.—BIRTHS and DEATHS registered during the week ended Saturday, 30th January, 1943, for the Principal Towns of Éire, with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULA- TION (a)	Annual Rate (b) per 1,000 persons		DEATHS		BIRTHS	DEATHS	CAUSED BY														In public institutions	Number uncertified		
				BIRTHS	DEATHS			Principal epidemic diseases																	
		From all Causes	From Principal epidemic diseases		Under 1 year of age			65 years and upwards	Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Tuber- culosis		Influenza	Cancer	Diseases respiratory system		Violence			Other Causes	Inquest Cases
															Pulmonary	Other forms			Pneumonia	Other					
(1)	(2)	(3)	(4)	(5)		(6)	(7)								(8)	(9)			(10)	(11)		(12)	(13)		
TOTAL 13 TOWNS	793,217	26.4	15.3	1.0	232	43	84	.	.	3	5	.	.	7	26	3	.	14	17	21	5	131	9	109	4
CITY OF DUBLIN (c)	500,300	27.3	13.4	0.7	262	28	45	.	.	2	2	.	.	3	13	3	.	8	9	12	4	73	4	63	2
BOROUGH OF DUN LAOGHAIRE	42,200	19.8	14.8	.	16	.	6	.	.	.	.	.	.	.	1	.	.	1	1	1	.	8	.	5	.
CORK COUNTY BOROUGH	76,800	20.4	23.8	.	30	2	17	.	.	.	.	.	.	.	5	.	.	3	2	4	1	20	2	21	1
LIMERICK COUNTY BOROUGH	42,500	28.2	20.9	3.7	23	1	6	.	.	.	2	.	.	1	5	.	.	.	.	1	8	5	1	5	1
WATERFORD COUNTY BOROUGH	28,500	23.8	14.6	3.7	13	3	2	.	.	.	.	.	.	2	.	.	.	1	.	.	.	2	.	2	.
GALWAY URBAN DISTRICT	18,294	—	—	—	5	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	2	.
DUNDALK URBAN DISTRICT	14,684	—	—	—	7	2	2	.	.	.	.	.	.	.	1	.	.	.	.	1	5	2	1	1	.
DROGHEDA URBAN DISTRICT	14,494	—	—	—	10	2	1	.	.	.	.	.	.	.	.	.	1	1	2	.	2	2	5	2	.
SLIGO URBAN DISTRICT	12,565	—	—	—	7	2	1	.	.	1	.	.	.	.	.	.	.	.	2	.	2	2	2	2	.
WEXFORD URBAN DISTRICT	12,247	—	—	—	5	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	1	.
TRALEE URBAN DISTRICT	10,285	—	—	—	7	1	2	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	1	.
KILKENNY URBAN DISTRICT	10,237	—	—	—	9	1	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	3	2	.	.
BRAY URBAN DISTRICT	10,111	—	—	—	7	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	2	.	1	.	.
BELFAST COUNTY BOROUGH	444,500	—	—	—	181	21	42	.	.	1	.	.	.	3	13	.	.	7	11	11	—	—	—	—	—
DERRY COUNTY BOROUGH	47,813	—	—	—	34	1	6	.	.	.	.	.	.	.	1	.	.	.	1	1	—	—	—	—	—

(a) According to the Census of 1936, but in the case of the Cities of Cork, Limerick, and Waterford, the populations given are those according to the Register of Population, 1941. The population given for the City of Dublin and for the Borough of Dun Laoghaire is that estimated to the middle of 1943. The population for Belfast is that estimated to the 1st January, 1940, and that for Derry is according to the Census of 1937. (b) The annual rates for the urban districts will be shown in the quarterly return. (c) The figures for the City of Dublin include those for the former urban district of Howth.



TABLE II.—Deaths registered during the week ended Saturday, 30th January, 1943, for the City of Dublin and the County Borough of Cork by Registrars' Districts.

REGISTRARS' DISTRICTS, &c.		AGES AT DEATH										DEATHS FROM										Inquest cases		In public institutions		Number uncertified	
		Principal epidemic diseases							Tuber- culosis			Diseases of respi- ratory system		Violence	Other causes												
		Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Pulmonary	Other forms	Pneumonia	Other																
TOTAL DEATHS		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
DUBLIN.		COIS.																									
NORTH CITY	No. 1	9	2	1	1	1	2	2	2	2	1	1	1	1	1	2	1	1	1	3	3	1	3	4	3	7	1
"	No. 2	9	2	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	2	1	4	4	1
"	No. 3	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	2	5	2	2	1
"	No. 4	11	3	1	1	1	3	1	3	1	1	1	1	1	1	2	1	1	1	2	1	1	3	4	4	4	1
BLANCHARDSTOWN AND CASTLEKNOCK, PT. OF		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
CLONTARF AND HOWTH, NOS. 1 & 2, PT. OF		5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
COOLOCK & DRUMCONDRA, NOS. 1 & 2, PT. OF		9	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
FINGLAS AND GLANBEVIN, NOS. 1 & 2, PT. OF		12	1	1	1	2	1	4	3	3	1	1	1	1	1	2	1	1	1	1	2	1	1	7	2	2	1
SOUTH CITY		5	2	1	1	2	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
"	No. 1	5	2	1	1	2	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
"	No. 2	5	2	1	1	2	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
"	No. 3	7	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
"	No. 4	7	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
"	No. 5	8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
"	No. 6	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
CLONDALKIN, PART OF		8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
CRUMLIN, PART OF		8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
DONNYBROOK, NOS. 1 AND 2		5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
RATHFARNHAM, PART OF		16	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
RATHMINES, NOS. 1 AND 2		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
TERENURE, PART OF		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
TOTAL		129	28	6	1	7	16	23	45	45	1	2	2	2	1	3	13	3	1	8	9	12	4	73	4	63	2
CORK.		10	1	1	1	1	1	1	7	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
CORK URBAN, No. 1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
"	2	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
"	3	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
"	4	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
"	5	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
"	6	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
"	7	8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
TOTAL		35	2	1	1	2	6	7	17	17	1	1	1	1	1	1	5	1	3	2	2	4	1	20	2	21	1



TABLE III.—Cases of infectious diseases notified in the undermentioned urban areas during the week ended Saturday, 30th January, 1943, and during each of the three preceding weeks.

AREAS	Week ended	Typhoid fever	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis	Smallpox	Measles	Typhus	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Other diseases*	TOTAL
Dublin City	Jan. 9	.	8	21	26	10	.	.	.	9	2B, 3C, 13M	92
	Jan. 16	.	14	15	26	22	.	1	.	3	1B, 8C, 1H, 1L, 21M	113
	Jan. 23	.	14	99	26	14	.	.	.	9	4C, 1L, 17M	184
	Jan. 30	.	8	15	27	17	.	.	.	5	4C, 22M, 1N	99
Dun Laoghaire Borough	Jan. 9	.	2	4	6	.	.	.	.	.		12
	Jan. 16	.	2	.	4	.	.	.	.	.	2M	8
	Jan. 23	.	1	1	5	.	.	.	.	.	2C, 1F	10
	Jan. 30	.	4	8	3	.	.	.	.	1		16
Cork C. B.	Jan. 9	.	.	.	10	1	.	.	.	.	1C, 2K	14
	Jan. 16	.	.	.	10	5	.	.	.	.	1C, 1M, 1O	18
	Jan. 23	.	2	.	12	3	.	.	.	1	3C, 2K	23
	Jan. 30	.	1	.	11	4	.	.	.	1	5C, 1K, 1M	24
Limerick C. B.	Jan. 9	.	.	.	1	.	.	.	.	.		1
	Jan. 16	.	.	.	2	.	.	.	.	.		2
	Jan. 23	1	.	.	4	.	.	.	.	.		5
	Jan. 30	.	.	.	7	.	.	.	.	.	1H	8
Waterford C. B.	Jan. 9	.	6	.	.	2	.	.	.	2		10
	Jan. 16	.	4	15	.	.	.	.	.	.		19
	Jan. 23	.	7	9	.	4	.	.	.	1		21
	Jan. 30	.	5	9	1	2	.	.	.	.		17

\*The letters in this column denote the following diseases :— (A) Undulant fever, (B) Cerebro-spinal fever, (C) Erysipelas, (D) Ophthalmia neonatorum, (E) Dysentery, (F) Malaria, (G) Relapsing fever, (H) Acute poliomyelitis, (J) Encephalitis lethargica, (K) Varicella, (L) Trachoma, (M) Diarrhoeal diseases, (N) Puerperal fever, (O) Puerperal pyrexia, (P) Pemphigus neonatorum, (Q) Pyrexia.

TABLE IV.—Cases of the undermentioned diseases treated in Dublin hospitals during the week ended Saturday, 30th January, 1943, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of cases in hospital at close of week ended			Week ended 30th January, 1943.			
	Jan. 9	Jan. 16	Jan. 23	No. admitted	Discharged	Died	No. under treatment at close of week
Typhoid fever	5	6	5	1	1	.	5
Typhus	.	.	.	.	.	.	.
Smallpox	.	.	.	.	.	.	.
Measles	.	.	.	.	.	.	.
Scarlet fever	90	93	83	10	8	1	84
Diphtheria	257	278	283	51	18	3	313
Pneumonia	71	70	46	2	9	1	38
Diarrhoea and Enteritis	71	69	63	13	10	4	62



# ÉIRE

LE hAGHAIDH NA SEIRBHISE PUIBLI

## CUNNTAS SEACHTMHAINÉAMHAIL na mBREITH agus na mBÁS

### WEEKLY RETURNS OF BIRTHS AND DEATHS FOR THE PRINCIPAL TOWNS

*By Authority of the Registrar-General.*

To be purchased through any Bookseller or directly from  
THE GOVERNMENT PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN.



No. 5. Vol. LXXX.]

WEEK ENDING SATURDAY, 6th February, 1943.

PRICE 1½d. NET.

*Oifig an Árd-Chláradóra,*

*Baile Átha Cliath.*

### PRINCIPAL TOWNS

Particulars of the Births and Deaths recorded for the **Principal Towns** are given in Table I. Deaths have been assigned so far as possible to the area of residence and those of non-residents of Eire have been excluded.

The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were represented by the following annual rates per 1,000 of the population :—

Principal Towns 14.5 and 16.4; City of Dublin 14.8 and 15.7; Borough of Dun Laoghaire 16.1 and 18.2; Cork 19.7 and 20.7; Limerick 8.6 and 19.7; and Waterford 18.3 and 14.2.

The deaths from the principal epidemic diseases\* recorded for the thirteen principal towns last week were represented by an annual rate of 1.4 per 1,000. Among the 13 deaths from all causes for Dun Laoghaire were one from scarlet fever and one from diarrhoea and enteritis of a child under 2 years of age. The 29 deaths for Cork and the 7 deaths for Limerick included one from diphtheria.

**City of Dublin.**—The number of births registered during the week was 322—169 boys and 153 girls. Exclusive of those, numbering 36, occurring in institutions, of infants whose mothers were admitted from other localities, the number was 286, representing a rate of 29.8 per 1,000.

The number of deaths registered was 163—76 males and 87 females. Of the total, 21 related to persons belonging to other localities, so that the actual number of deaths for the City was 142, representing a rate of 14.8 per 1,000.

There was one death from whooping cough, 4 from diphtheria, and 12 from diarrhoea and enteritis (under 2 years). In the three preceding weeks deaths from whooping cough numbered 2, 5 and 2; from diphtheria 4, 3 and 2; and from diarrhoea and enteritis (under 2 years) 12, 3 and 3.

Tuberculosis caused 11 deaths (9 of which were from pulmonary tuberculosis, one from tuberculous meningitis and one from miliary tuberculosis) as against 17, 15 and 16 from all forms of tuberculosis in the three preceding weeks.

Eight deaths were caused by cancer, and 38 by diseases of the heart.

There were 6 deaths from pneumonia, comprising 5 from broncho-pneumonia and one from lobar pneumonia. Bronchitis caused 11 deaths.

There were 4 accidental deaths, including one by drowning, one caused by a bus, one by a fall from a cycle and one by suffocation.

Among the deaths of infants under one year of age, one was due to whooping cough, one to tuberculous meningitis, 3 to bronchitis, 4 to broncho-pneumonia, 12 to diarrhoea and enteritis, 2 to congenital malformations, 2 to congenital debility, 3 to premature birth and one to injury at birth.

Thirty-seven of the deaths recorded during the week for the City were those of children under five years of age, 33 being infants under one year, 9 of whom were under one month old, and 48 were those of persons aged 65 years and upwards, of whom 38 were aged 70 years or over.

**CASES OF INFECTIOUS DISEASES.**—Table III shows the numbers notified in the City of Dublin and in the Boroughs; and Table IV the number of cases of certain diseases treated in Dublin Hospitals.

\* Typhoid fever, typhus, smallpox, dysentery, scarlet fever, whooping cough, diphtheria, measles, and diarrhoea and enteritis (under 2 years of age).







TABLE II.—Deaths registered during the week ended Saturday, 6th February, 1943, for the City of Dublin and the County Borough of Cork by Registrars' Districts.

REGISTRARS' DISTRICTS, &c.		DEATHS																									
		AGES AT DEATH						DEATHS FROM										Inquest cases		In public institutions		Number uncertified					
								Principal epidemic diseases															Tuber- culosis		Diseases of respi- ratory system		
		Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Pulmonary	Other forms	Influenza	Cancer	Pneumonia	Other	Violence	Other causes	(24)	(25)	(26)									
TOTAL DEATHS		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
DUBLIN.		COLS.																									
NORTH CITY	No. 1	9	3	1	.	.	.	2	2	1	1	1	.	.	.	1	2	.	.	.	1	2	1	2	.	7	.
"	No. 1 EAST	15	5	.	.	.	.	.	4	1	3	1	.	.	.	1	.	.	.	2	1	1	1	12	1	1	12
"	No. 2 WEST	7	1	.	.	.	.	.	1	1	1	1	.	.	.	1	1	2	.	.	.	1	1	4	1	1	6
"	No. 3	10	4	.	.	.	.	.	2	3	3	3	.	.	.	1	2	.	.	1	2	4	4	.	7	.	.
"	No. 4	11	4	.	.	.	.	.	3	2	2	1	.	.	.	1	.	.	.	1	2	6	6	.	7	.	.
BLANCHARDSTOWN AND CASTLEKNOCK, PT. OF CLONTARF AND HOWTH, NOS. 1 & 2, PT. OF COOLOCK & DRUMCONDRA, NOS. 1 & 2, PT. OF FINGLAS AND GLASNEVIN, NOS. 1 & 2, PT. OF		4	2	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	3	.
SOUTH CITY	No. 1	10	1	.	.	.	.	2	3	4	4	1	.	.	.	1	.	.	1	1	.	3	1	.	8	.	.
"	No. 2	5	1	.	.	.	.	.	.	4	4	1	.	.	.	1	.	.	1	.	.	3	1	.	5	.	.
"	No. 3	10	1	1	.	1	1	1	1	5	2	1	1	1	.	1	.	1	1	1	.	1	1	1	5	4	.
"	No. 4	7	1	.	.	1	1	2	1	2	1	.	.	.	.	1	.	.	1	.	.	.	.	1	1	4	.
"	No. 5	6	1	.	.	.	.	.	1	1	1	.	.	.	.	.	.	.	1	.	.	.	.	4	2	.	3
"	No. 6	3	1	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.
CLONDALKIN, PART OF CRUMLIN, PART OF DUNYBROOK, NOS. 1 AND 2 RATHFARNHAM, PART OF RATHMINES, NOS. 1 AND 2 TERENURE, PART OF		1	2	.	1	.	1	1	1	2	.	.	.	1	.	1	.	.	.	.	.	1	1	1	4	.	5
"	No. 1	8	2	.	.	.	.	.	1	1	6	.	.	.	.	1	.	.	.	.	.	1	1	1	8	.	4
"	No. 2	11	2	.	.	.	.	.	3	3	7	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.
"	No. 3	10	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
"	No. 4	10	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
"	No. 5	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
"	No. 6	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TOTAL		142	33	3	1	4	6	16	31	48	.	1	4	.	.	12	9	2	.	8	6	15	4	81	4	89	.
CORK.		2	.	.	.	.	.	.	3	2	2	4	.	.	.	.	.	.	1	.	.	1	.	1	.	1	.
CORK URBAN, No. 1	1	6	.	.	.	.	.	.	1	2	2	4	.	.	.	.	.	.	.	1	.	1	.	4	.	2	.
"	2	5	.	.	.	.	.	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
"	3	5	1	.	.	.	.	.	1	2	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
"	4	5	.	.	.	.	.	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
"	5	3	.	.	.	.	.	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
"	6	3	.	.	.	.	.	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
"	7	5	1	.	.	.	.	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.
"	8	5	.	.	.	.	.	.	1	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.
TOTAL		29	2	.	2	1	.	.	7	17	.	1	.	1	.	.	1	.	.	3	1	2	.	21	.	16	.



TABLE III.—Cases of infectious diseases notified in the undermentioned urban areas during the week ended Saturday, 6th February, 1943, and during each of the three preceding weeks.

AREAS	Week ended	Typhoid fever	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis	Smallpox	Measles	Typhus	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Other diseases*	TOTAL
Dublin City	Jan. 16	.	14	15	26	22	.	1	.	3	1B, 8C, 1H, 1L, 21M	113
	Jan. 23	.	14	99	26	14	.	.	.	9	4C, 1L, 17M	184
	Jan. 30	.	8	15	27	17	.	.	.	5	4C, 22M, 1N	99
	Feb. 6	1	17	19	46	16	.	1	.	4	1B, 2C, 1H, 20M	128
Dun Laoghaire Borough	Jan. 16	.	2	.	4	.	.	.	.	.	2M	8
	Jan. 23	.	1	1	5	.	.	.	.	.	2C, 1F	10
	Jan. 30	.	4	8	3	.	.	.	.	1		16
	Feb. 6	.	3	2	8	.	.	.	.	.		13
Cork C. B.	Jan. 16	.	.	.	10	5	.	.	.	.	1C, 1M, 1O	18
	Jan. 23	.	2	.	12	3	.	.	.	1	3C, 2K	23
	Jan. 30	.	1	.	11	4	.	.	.	1	5C, 1K, 1M	24
	Feb. 6	.	3	.	17	5	.	1	.	.	2C, 1K, 2M	31
Limerick C. B.	Jan. 16	.	.	.	2	.	.	.	.	.		2
	Jan. 23	1	.	.	4	.	.	.	.	.		5
	Jan. 30	.	.	.	7	.	.	.	.	.	1H	8
	Feb. 6	.	3	.	3	.	.	.	.	.	1C	7
Waterford C. B.	Jan. 16	.	4	15	.	.	.	.	.	.		19
	Jan. 23	.	7	9	.	4	.	.	.	1		21
	Jan. 30	.	5	9	1	2	.	.	.	.		17
	Feb. 6	.	1	15	.	6	.	.	.	.	1A,	23

\*The letters in this column denote the following diseases :— (A) Undulant fever, (B) Cerebro-spinal fever, (C) Erysipelas, (D) Ophthalmia neonatorum, (E) Dysentery, (F) Malaria, (G) Relapsing fever, (H) Acute poliomyelitis, (J) Encephalitis lethargica, (K) Varicella, (L) Trachoma, (M) Diarrhoeal diseases, (N) Puerperal fever, (O) Puerperal pyrexia, (P) Pemphigus neonatorum, (Q) Pyrexia.

TABLE IV.—Cases of the undermentioned diseases treated in Dublin hospitals during the week ended Saturday, 6th February, 1943, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of cases in hospital at close of week ended			Week ended 6th February, 1943.			
	Jan. 16	Jan. 23	Jan. 30	No. admitted	Discharged	Died	No. under treatment at close of week
Typhoid fever	6	5	5	.	1	.	4
Typhus	.	.	.	.	.	.	.
Smallpox	.	.	.	.	.	.	.
Measles	.	.	.	1	.	.	1
Scarlet fever	93	83	84	16	19	.	81
Diphtheria	278	283	313	62	39	6	330
Pneumonia	70	46	38	11	8	1	40
Diarrhoea and Enteritis	69	63	62	14	5	10	61



## CUNNTAS SEACHTMHAINÉAMHAIL na mBREITH agus na mBÁS

## WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE  
PRINCIPAL TOWNS*By Authority of the Registrar-General.*To be purchased through any Bookseller or directly from  
THE GOVERNMENT PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN.

No. 6. Vol. LXXX.]

WEEK ENDING SATURDAY, 13th February, 1943.

PRICE 1½d. NET.

*Oifig an Árd-Chláradóra,**Baile Átha Cliath.*

## PRINCIPAL TOWNS

Particulars of the Births and Deaths recorded for the Principal Towns are given in Table I. Deaths have been assigned so far as possible to the area of residence and those of non-residents of Éire have been excluded.

The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were represented by the following annual rates per 1,000 of the population :—

Principal Towns 17.4 and 16.4; City of Dublin 15.9 and 14.9; Borough of Dun Laoghaire 24.7 and 20.4; Cork 17.0 and 20.7; Limerick 23.3 and 22.1; and Waterford 23.8 and 17.8.

The deaths from the principal epidemic diseases\* recorded for the thirteen principal towns last week were represented by an annual rate of 1.4 per 1,000. Among the 19 deaths from all causes for Limerick were one from diphtheria and 3 from diarrhoea and enteritis (under 2 years). The 13 deaths for Waterford include 2 from diarrhoea and enteritis (under 2 years) and the 6 deaths from all causes for Drogheda include one from whooping-cough.

**City of Dublin.**—The number of births registered during the week was 293—142 boys and 151 girls. Exclusive of those, numbering 34, occurring in institutions, of infants whose mothers were admitted from other localities, the number was 259, representing a rate of 27.0 per 1,000.

The number of deaths registered was 180—91 males and 89 females. Of the total, 27 related to persons belonging to other localities, so that the actual number of deaths for the City was 153, representing a rate of 15.9 per 1,000.

There was one death from each of enteric fever and cerebro-spinal meningitis, 2 from diphtheria, and 9 from diarrhoea and enteritis (under 2 years). In the three preceding weeks deaths from diphtheria numbered 3, 2 and 4; and from diarrhoea and enteritis (under 2 years) 3, 3 and 12.

Tuberculosis caused 18 deaths (16 of which were from pulmonary tuberculosis, and 2 from tuberculous meningitis) as against 15, 16 and 11 from all forms of tuberculosis in the three preceding weeks.

Thirteen deaths were caused by cancer, and 27 by diseases of the heart.

There were 7 deaths from pneumonia, comprising 4 from broncho-pneumonia, one from lobar pneumonia and 2 from pneumonia (unspecified). Bronchitis caused 5 deaths.

There were 3 accidental deaths, including 2 by falls. There was also one death by suicide.

Among the deaths of infants under one year of age, one was due to cerebro-spinal meningitis, one to convulsions, 3 to pneumonia, 9 to diarrhoea and enteritis, 3 to congenital malformations, 7 to congenital debility, and 11 to premature birth.

Forty-four of the deaths recorded during the week for the City were those of children under five years of age, 39 being infants under one year, 22 of whom were under one month old, and 49 were those of persons aged 65 years and upwards, of whom 37 were aged 70 years or over.

**CASES OF INFECTIOUS DISEASES.**—Table III shows the numbers notified in the City of Dublin and in the Boroughs; and Table IV the number of cases of certain diseases treated in Dublin Hospitals.

\* Typhoid fever, typhus, smallpox, dysentery, scarlet fever, whooping cough, diphtheria, measles, and diarrhoea and enteritis (under 2 years of age).







TABLE II.—Deaths registered during the week ended Saturday, 13th February, 1943, for the City of Dublin and the County Borough of Cork by Registrars' Districts.

REGISTRARS' DISTRICTS, &c.		DEATHS													Inquest cases	In public institutions	Number uncertified																				
		AGES AT DEATH							DEATHS FROM																												
		Under 1 year	1—2	2—5	5—15	15—25	25—45	45—65	65 years and upwards	Principal epidemic diseases						Diseases of respiratory system		Cancer	Influenza	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)										
		(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Pulmonary	Other forms											(18)	(17)	(16)	(15)	(14)	(13)	(12)	(11)	(10)	(9)
DUBLIN.		COLS.																																			
NORTH CITY NO. 1 EAST		8	4	5	1	1	1	1	2	6	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
" NO. 1 WEST		17	5	1	1	1	1	1	4	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
" NO. 2		15	1	1	1	1	1	1	2	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
" NO. 3		7	2	1	1	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
" NO. 4		7	2	1	1	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
BLANCHARDSTOWN AND CASTLEKNOCK, PT. OF		3	1	1	1	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
CLONTARF AND HOWTH, NOS. 1 & 2, PT. OF		8	1	1	1	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
COOLOCK & DRUMCONDRA, NOS. 1 & 2, PT. OF		7	2	1	1	1	1	1	2	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
FINGLAS AND GLASNEVIN, NOS. 1 & 2, PT. OF		10	2	1	1	1	1	1	2	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
SOUTH CITY NO. 1		7	2	1	1	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
" NO. 2		4	1	1	1	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
" NO. 3		10	2	1	1	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
" NO. 4		7	1	1	1	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
" NO. 5		10	2	1	1	1	1	1	2	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
" NO. 6		12	2	1	1	1	1	1	2	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
CLONDALKIN, PART OF		8	3	1	1	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
CRUMLIN, PART OF		11	2	1	1	1	1	1	2	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
DUNNYBROOK, NOS. 1 AND 2		11	2	1	1	1	1	1	2	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
RATHFARNHAM, PART OF		12	1	1	1	1	1	1	2	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
RATHMINES, NOS. 1 AND 2		2	1	1	1	1	1	1	2	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
TERENURE, PART OF		2	1	1	1	1	1	1	2	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
TOTAL		153	39	1	4	7	19	32	49	1	2	9	16	2	13	7	4	92	5	105	3	105	3	105	3	105	3	105	3	105	3	105	3	105	3	105	3
CORK.		4	1	1	1	1	1	1	2	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
CORK URBAN, No. 1		4	1	1	1	1	1	1	2	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
" No. 2		3	1	1	1	1	1	1	2	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
" No. 3		3	1	1	1	1	1	1	2	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
" No. 4		3	1	1	1	1	1	1	2	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
" No. 5		3	1	1	1	1	1	1	2	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
" No. 6		3	1	1	1	1	1	1	2	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
" No. 7		3	1	1	1	1	1	1	2	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
TOTAL		25	2	1	1	1	5	4	12	1	2	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	



TABLE III.—Cases of infectious diseases notified in the undermentioned urban areas during the week ended Saturday, 13th February, 1943, and during each of the three preceding weeks.

AREAS	Week ended		Typhoid fever	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis	Smallpox	Measles	Typhus	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Other diseases*	TOTAL
Dublin City	Jan. 23	23	.	14	99	26	14	.	.	.	9	4C, 1L, 17M	184
	Jan. 30	30	.	8	15	27	17	.	.	.	5	4C, 22M, 1N	99
	Feb. 6	6	1	17	19	46	16	.	1	.	4	1B, 2C, 1H, 20M	128
	Feb. 13	13	1	13	7	38	17	.	2	.	2	1B, 4C, 41M	132
Dun Laoghaire Borough	Jan. 23	23	.	1	1	5	.	.	.	.	.	2C, 1F	10
	Jan. 30	30	.	4	8	3	.	.	.	.	1		16
	Feb. 6	6	.	3	2	8	.	.	.	.	.		13
	Feb. 13	13	.	3	2	1	.	.	.	.	.		6
Cork C. B.	Jan. 23	23	.	2	.	12	3	.	.	.	1	3C, 2K	23
	Jan. 30	30	.	1	.	11	4	.	.	.	1	5C, 1K, 1M	24
	Feb. 6	6	.	3	.	17	5	.	1	.	.	2C, 1K, 2M	31
	Feb. 13	13	.	.	.	10	1	.	.	.	1	1C	13
Limerick C. B.	Jan. 23	23	1	.	.	4	.	.	.	.	.	1H	5
	Jan. 30	30	.	.	.	7	.	.	.	.	.	1C	8
	Feb. 6	6	.	3	.	3	.	.	.	.	.	1C	7
	Feb. 13	13	1	.	.	9	.	.	.	.	3	1C	14
Waterford C. B.	Jan. 23	23	.	7	9	.	4	.	.	.	1		21
	Jan. 30	30	.	5	9	1	2	.	.	.	.		17
	Feb. 6	6	.	1	15	.	6	.	.	.	.	1A	23
	Feb. 13	13	.	1	21	.	1	.	.	.	.	1A	24

\*The letters in this column denote the following diseases :— (A) Undulant fever, (B) Cerebro-spinal fever, (C) Erysipelas, (D) Ophthalmia neonatorum, (E) Dysentery, (F) Malaria, (G) Relapsing fever, (H) Acute poliomyelitis, (J) Encephalitis lethargica, (K) Varicella, (L) Trachoma, (M) Diarrhoeal diseases, (N) Puerperal fever, (O) Puerperal pyrexia, (P) Pemphigus neonatorum, (Q) Pyrexia.

TABLE IV.—Cases of the undermentioned diseases treated in Dublin hospitals during the week ended Saturday, 13th February, 1943, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of cases in hospital at close of week ended			Week ended 13th February, 1943.			
	Jan. 23	Jan. 30	Feb. 6	No. admitted	Dis-charged	Died	No. under treatment at close of week
Typhoid fever	5	5	4	1	.	1	4
Typhus	.	.	.	.	.	.	.
Smallpox	.	.	.	.	.	.	.
Measles	.	.	1	.	.	.	1
Scarlet fever	83	84	81	13	10	.	84
Diphtheria	283	313	330	50	26	1	353
Pneumonia	46	38	40	13	6	1	46
Diarrhoea and Enteritis	63	62	61	10	20	8	43



## CUNNTAS SEACHTMHAINÉAMHAIL na mBREITH agus na mBÁS

## WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

## PRINCIPAL TOWNS

*By Authority of the Registrar-General.*

To be purchased through any Bookseller or directly from  
THE GOVERNMENT PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN.

No. 7. Vol. LXXX.]

WEEK ENDING SATURDAY, 20th February, 1943.

PRICE 1½d. NET.

*Oifig an Árd-Chláradóra,**Baile Átha Cliath.*

## PRINCIPAL TOWNS

Particulars of the Births and Deaths recorded for the **Principal Towns** are given in Table I. Deaths have been assigned so far as possible to the area of residence and those of non-residents of Eire have been excluded.

The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were represented by the following annual rates per 1,000 of the population :—

Principal Towns 17.4 and 16.2; City of Dublin 15.4 and 14.9; Borough of Dun Laoghaire 17.3 and 18.2; Cork 25.8 and 21.6; Limerick 20.9 and 18.4; and Waterford 27.4 and 21.0.

The deaths from the principal epidemic diseases\* recorded for the thirteen principal towns last week were represented by an annual rate of 1.4 per 1,000. Included in the 14 deaths for Dun Laoghaire is one from whooping-cough, and among the 38 deaths from all causes for Cork were 3 from diphtheria and one from diarrhoea and enteritis (under 2 years). Among the 17 deaths from all causes for Limerick were 2 from diphtheria and one from diarrhoea and enteritis (under 2 years). The 7 deaths for Tralee included one from diphtheria.

**City of Dublin.**—The number of births registered during the week was 247—110 boys and 137 girls. Exclusive of those, numbering 47, occurring in institutions, of infants whose mothers were admitted from other localities, the number was 200, representing a rate of 20.8 per 1,000.

The number of deaths registered was 165—75 males and 90 females. Of the total, 17 related to persons belonging to other localities, so that the actual number of deaths for the City was 148, representing a rate of 15.4 per 1,000.

There were 2 deaths from whooping cough, one from diphtheria, and 7 from diarrhoea and enteritis (under 2 years). In the three preceding weeks deaths from whooping cough numbered 2, 1 and 0; deaths from diphtheria 2, 4 and 2; and from diarrhoea and enteritis (under 2 years) 3, 12 and 9.

Tuberculosis caused 13 deaths (10 of which were from pulmonary tuberculosis, and 3 from tuberculous meningitis) as against 16, 11 and 18 from all forms of tuberculosis in the three preceding weeks.

Thirteen deaths were caused by cancer, and 29 by diseases of the heart.

There were 9 deaths from pneumonia, comprising 5 from broncho-pneumonia, one from lobar pneumonia and 3 from pneumonia (unspecified). Bronchitis caused 5 deaths.

There were 2 accidental deaths, including one by scalds.

Among the deaths of infants under one year of age, one was due to whooping-cough, 2 to convulsions, one to bronchitis, 4 to pneumonia, 7 to diarrhoea and enteritis, 3 to congenital malformations, 8 to congenital debility, 6 to premature birth, and 2 to injury at birth.

Forty-four of the deaths recorded during the week for the City were those of children under five years of age, 38 being infants under one year, 12 of whom were under one month old, and 47 were those of persons aged 65 years and upwards, of whom 30 were aged 70 years or over.

**CASES OF INFECTIOUS DISEASES.**—Table III shows the numbers notified in the City of Dublin and in the Boroughs; and Table IV the number of cases of certain diseases treated in Dublin Hospitals.

\* Typhoid fever, typhus, smallpox, dysentery, scarlet fever, whooping cough, diphtheria, measles, and diarrhoea and enteritis (under 2 years of age).



TABLE I.—BIRTHS and DEATHS registered during the week ended Saturday, 20th February, 1943, for the Principal Towns of Éire, with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULA- TION (a)	Annual Rate (b) per 1,000 persons		DEATHS		BIRTHS	DEATHS		BIRTHS	CAUSED BY														Inquest Cases	In public institutions	Number uncertified		
				Principal epidemic diseases																								
		From all Causes		From Principal epidemic diseases		Under 1 year of age	65 years and upwards	Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Tuber- culosis		Cancer	Diseases respiratory system		Violence	Other Causes								
		(2)	(3)	(4)	(5)									(6)	(7)		(8)	(9)			(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)		
CONS.																												
TOTAL 13 TOWNS	793,217	22.5	17.4	1.4	342	265	59	92	.	.	3	7	.	11	21	6	.	27	11	8	3	168	9	134	5	3	.	.
CITY OF DUBLIN (c)	500,300	20.8	15.4	1.0	200	148	38	47	.	.	2	1	.	7	10	3	.	13	9	6	2	95	2	90	3	2	1	2
BOROUGH OF DUN LAOGHAIRE	42,200	24.7	17.3	1.2	20	14	3	7	.	.	1	.	.	.	.	.	.	4	.	.	.	9	1	2	18	.	.	.
CORK COUNTY BOROUGH	76,800	12.9	25.8	2.7	19	38	8	11	.	.	.	3	.	1	6	.	.	1	1	.	.	26	2	18	.	.	.	.
LIMERICK COUNTY BOROUGH	42,500	27.0	20.9	3.7	22	17	2	8	.	.	.	2	.	1	1	1	.	2	.	.	.	10	.	9	1	.	.	.
WATERFORD COUNTY BOROUGH	28,500	22.0	27.4	1.8	12	15	2	7	.	.	.	.	.	1	.	1	.	2	.	.	.	11	.	6	.	.	.	.
GALWAY URBAN DISTRICT	18,294	—	—	—	11	4	2	2	.	.	.	.	.	1	.	.	.	.	.	.	.	3	1	.	.	.	.	.
DUNDALK URBAN DISTRICT	14,684	—	—	—	7	3	1	.	.	.	.	.	.	.	.	.	1	1	.	.	.	1	.	1	.	.	.	.
DROGHEDA URBAN DISTRICT	14,494	—	—	—	13	5	1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	4	2	1	.	.	.	.
SLIGO URBAN DISTRICT	12,565	—	—	—	13	4	1	1	.	.	.	.	.	.	1	1	.	1	.	.	.	1	.	2	1	.	.	.
WEXFORD URBAN DISTRICT	12,247	—	—	—	8	6	.	2	.	.	.	.	.	.	2	.	.	1	.	.	1	2	1	2	2	.	.	.
TRALEE URBAN DISTRICT	10,285	—	—	—	9	7	1	3	.	.	.	1	.	.	.	.	2	2	.	1	.	3	.	2	1	.	.	.
KILKENNY URBAN DISTRICT	10,237	—	—	—	5	3	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.	1	1	.	.	.
BRAY URBAN DISTRICT	10,111	—	—	—	3	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.
BELFAST COUNTY BOROUGH	444,500	—	—	—	220	127	15	58	.	1	.	1	.	4	8	4	6	12	11	9	—	—	—	—	—	—	—	—
DERRY COUNTY BOROUGH	47,813	—	—	—	24	16	4	6	.	.	.	.	.	.	1	.	.	1	.	2	—	—	—	—	—	—	—	—

(a) According to the Census of 1936, but in the case of the Cities of Cork, Limerick, and Waterford, the populations given are those according to the Register of Population, 1941. The population given for the City of Dublin and for the Borough of Dun Laoghaire is that estimated to the middle of 1943. The population for Belfast is that estimated to the 1st January, 1940, and that for Derry is according to the Census of 1937. (b) The annual rates for the urban districts will be shown in the quarterly return. (c) The figures for the City of Dublin include those for the former urban district of Howth.



TABLE II.—Deaths registered during the week ended Saturday, 20th February, 1943, for the City of Dublin and the County Borough of Cork by Registrars' Districts.

REGISTRARS' DISTRICTS, &c.		DEATHS																	Inquest cases								
		AGES AT DEATH							DEATHS FROM																		
		Under 1 year							Principal epidemic diseases						Tuber- culosis		Diseases of respi- ratory system										
TOTAL DEATHS		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
DUBLIN.		COLS.																									
NORTH CITY NO. 1 EAST		14	8	•	•	•	•	•	1	5	•	•	•	•	•	•	1	1	•	•	•	1	•	9	•	6	1
" NO. 2 WEST		13	10	•	•	•	•	•	1	2	•	•	•	•	•	•	3	1	•	•	•	•	•	9	•	10	1
" NO. 3		6	•	•	•	•	•	•	3	2	•	•	•	•	•	•	•	1	•	•	•	•	•	3	•	2	•
" NO. 4		11	3	•	1	•	•	2	•	5	•	•	•	•	•	•	•	1	•	2	•	1	•	2	•	4	•
BLANCHARDSTOWN AND CASTLEKNOCK, PT. OF		1	•	•	•	•	•	•	•	1	•	•	•	•	•	•	•	•	•	•	•	•	•	1	•	•	•
CLONTARF AND HOWTH, NOS. 1 & 2, PT. OF		3	•	•	•	•	•	•	•	2	•	•	•	•	•	•	•	•	•	•	•	•	•	2	•	•	•
COOLOCK & DRUMCONDRA, NOS. 1 & 2, PT. OF		11	1	•	•	•	•	1	4	5	•	•	•	1	•	•	1	•	•	1	•	•	10	•	8	•	
FINGLAS AND GLASNEVIN, NOS. 1 & 2, PT. OF		11	1	1	•	•	3	4	•	2	•	•	•	•	•	•	4	•	•	2	•	•	5	•	9	•	
SOUTH CITY NO. 1		12	•	•	•	1	1	1	7	2	•	•	•	•	•	•	•	2	1	•	2	•	1	•	10	•	
" NO. 2		2	•	•	•	•	•	•	2	•	•	•	•	•	•	•	•	•	•	•	•	•	•	2	•	1	•
" NO. 3		6	1	•	•	•	•	•	3	2	•	•	•	•	•	•	•	•	•	•	•	•	•	2	•	1	•
" NO. 4		13	2	•	•	•	•	1	7	3	•	•	•	•	•	•	1	•	1	•	•	•	•	6	•	4	•
" NO. 5		8	3	•	•	•	•	•	1	3	•	•	•	•	•	•	•	•	•	•	•	•	•	10	•	9	•
" NO. 6		5	1	•	•	•	•	•	1	1	•	•	1	•	•	•	•	•	•	2	•	•	•	5	•	2	•
CLONDALKIN, PART OF		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
CRUMLIN, PART OF		6	2	1	1	•	1	•	1	•	•	•	1	•	•	•	1	1	•	•	•	•	1	•	5	•	
DUNYBROOK, NOS. 1 AND 2		11	2	•	•	•	•	2	3	4	•	•	•	•	•	•	•	•	•	4	•	•	•	7	•	6	•
RATHFARNHAM, PART OF		1	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
RATHMINES, NOS. 1 AND 2		9	3	1	•	•	•	1	1	3	•	•	•	•	•	•	•	•	•	•	•	1	•	7	•	5	•
TERENURE, PART OF		1	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	1	•
TOTAL		148	38	3	3	2	5	14	36	47	•	•	2	1	•	7	10	3	•	13	9	6	2	95	2	90	3
CORK.		COLS.																									
CORK URBAN, No. 1		3	•	•	•	•	•	1	•	1	•	•	•	•	•	•	•	2	•	•	•	•	•	1	•	1	•
" 2		3	2	•	•	•	•	•	2	1	•	•	•	1	•	•	•	•	•	•	•	•	•	3	•	1	•
" 3		3	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	2	•	3	•
" 4		5	1	•	•	•	•	1	•	2	•	•	•	•	•	•	•	•	•	•	•	•	•	4	•	3	•
" 5		5	1	•	•	•	•	•	3	•	•	•	•	•	•	•	1	•	•	•	•	•	•	3	•	3	•
" 6		5	1	•	•	•	•	•	2	4	•	•	•	•	•	•	•	•	•	•	•	•	•	6	•	3	•
" 7		8	3	•	•	•	•	2	3	3	•	•	•	•	•	1	3	•	•	•	•	•	•	7	•	5	•
" "		11	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
TOTAL		38	8	•	3	1	•	5	10	11	•	•	•	3	•	1	6	•	•	1	1	•	•	26	2	18	•



TABLE III.—Cases of infectious diseases notified in the undermentioned urban areas during the week ended Saturday, 20th February, 1943, and during each of the three preceding weeks.

AREAS	Week ended	Typhoid fever	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis	Smallpox	Measles	Typhus	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Other diseases*	TOTAL
Dublin City	Jan. 30	.	8	15	27	17	.	.	.	5	4C, 22M, 1N	99
	Feb. 6	1	17	19	46	16	.	1	.	4	1B, 2C, 1H, 20M	128
	Feb. 13	1	13	7	38	17	.	2	.	2	1B, 4C, 41M	132
	Feb. 20	2	11	8	30	15	.	2	.	8	1C, 1D, 12M	90
Dun Laoghaire Borough	Jan. 30	.	4	8	3	.	.	.	.	1		16
	Feb. 6	.	3	2	8	.	.	.	.	.		13
	Feb. 13	.	3	2	1	.	.	.	.	.		6
	Feb. 20	.	.	3	2	.	.	.	.	1	2M	8
Cork C. B.	Jan. 30	.	1	.	11	4	.	.	.	1	5C, 1K, 1M	24
	Feb. 6	.	3	.	17	5	.	1	.	.	2C, 1K, 2M	31
	Feb. 13	.	.	.	10	1	.	.	.	1	1C	13
	Feb. 20	.	1	.	18	6	.	1	.	1	1C, 1K, 2M	31
Limerick C. B.	Jan. 30	.	.	.	7	.	.	.	.	.	1H	8
	Feb. 6	.	3	.	3	.	.	.	.	.	1C	7
	Feb. 13	1	.	.	9	.	.	.	.	3	1C	14
	Feb. 20	.	.	.	2	.	.	.	.	.		2
Waterford C. B.	Jan. 30	.	5	9	1	2	.	.	.	.		17
	Feb. 6	.	1	15	.	6	.	.	.	.	1A	23
	Feb. 13	.	1	21	.	1	.	.	.	.	1A	24
	Feb. 20	.	.	.	.	2	.	.	.	.	1N	3

\*The letters in this column denote the following diseases :— (A) Undulant fever, (B) Cerebro-spinal fever, (C) Erysipelas, (D) Ophthalmia neonatorum, (E) Dysentery, (F) Malaria, (G) Relapsing fever, (H) Acute poliomyelitis, (J) Encephalitis lethargica, (K) Varicella, (L) Trachoma, (M) Diarrhoeal diseases, (N) Puerperal fever, (O) Puerperal pyrexia, (P) Pemphigus neonatorum, (Q) Pyrexia.

TABLE IV.—Cases of the undermentioned diseases treated in Dublin hospitals during the week ended Saturday, 20th February, 1943, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of cases in hospital at close of week ended			Week ended 20th February, 1943.			
	Jan. 30	Feb. 6	Feb. 13	No. admitted	Discharged	Died	No. under treatment at close of week
Typhoid fever	5	4	4	2	1	.	5
Typhus	.	.	.	.	.	.	.
Smallpox	.	.	.	.	.	.	.
Measles	.	1	1	.	.	.	1
Scarlet fever	84	81	84	18	18	.	84
Diphtheria	313	330	353	55	29	2	377
Pneumonia	38	40	46	8	9	.	45
Diarrhoea and Enteritis	62	61	43	13	4	10	42



# ÉIRE

*LE hAGHAIDH NA SEIRBHISE PUIBLI*

## GUNNTAS SEACHTMHAINÉAMHAIL na mBREITH agus na mBÁS

### WEEKLY RETURNS OF BIRTHS AND DEATHS

#### FOR THE PRINCIPAL TOWNS

*By Authority of the Registrar-General.*

To be purchased through any Bookseller or directly from  
THE GOVERNMENT PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN.

No. 8. Vol. LXXX.]

WEEK ENDING SATURDAY, 27th February, 1943.

PRICE 1½d. NET.

*Oifig an Árd-Chláradóra,*

*Baile Átha Cliath.*

### PRINCIPAL TOWNS

Particulars of the Births and Deaths recorded for the Principal Towns are given in Table I. Deaths have been assigned so far as possible to the area of residence and those of non-residents of Éire have been excluded.

The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were represented by the following annual rates per 1,000 of the population:—

Principal Towns 19.3 and 17.2; City of Dublin 18.3 and 16.1; Borough of Dun Laoghaire 24.7 and 20.7; Cork 21.7 and 21.1; Limerick 19.6 and 18.1; and Waterford 32.9 and 25.6.

The deaths from the principal epidemic diseases\* recorded for the thirteen principal towns last week were represented by an annual rate of 1.5 per 1,000. Included in the 20 deaths for Dun Laoghaire were one from diphtheria and one from diarrhoea and enteritis (under 2 years), and among the 32 deaths from all causes for Cork were 2 from diphtheria. The 18 deaths from all causes for Waterford included 3 from diarrhoea and enteritis (under 2 years).

**City of Dublin.**—The number of births registered during the week was 272—149 boys and 123 girls. Exclusive of those, numbering 53, occurring in institutions, of infants whose mothers were admitted from other localities, the number was 219, representing a rate of 22.8 per 1,000.

The number of deaths registered was 199—91 males and 108 females. Of the total, 23 related to persons belonging to other localities, so that the actual number of deaths for the City was 176, representing a rate of 18.3 per 1,000.

There were 3 deaths from whooping cough, one from diphtheria, and 11 from diarrhoea and enteritis (under 2 years). In the three preceding weeks deaths from whooping cough numbered one, 0 and 2; deaths from diphtheria 4, 2 and one; and from diarrhoea and enteritis (under 2 years) 12, 9 and 7.

Tuberculosis caused 27 deaths (22 of which were from pulmonary tuberculosis, one from tuberculous meningitis, and 4 from other forms of the disease) as against 11, 18 and 13 from all forms of tuberculosis in the three preceding weeks.

Thirteen deaths were caused by cancer, and 28 by diseases of the heart.

There were 8 deaths from pneumonia, comprising 5 from broncho-pneumonia, and 3 from pneumonia (unspecified). Bronchitis caused 6 deaths.

There were 4 accidental deaths, and there was also one death by suicide.

Among the deaths of infants under one year of age, 3 were due to whooping-cough, one to meningitis, one to convulsions, 5 to pneumonia, 11 to diarrhoea and enteritis, 3 to congenital malformations, 4 to congenital debility, 9 to premature birth, and 2 to injury at birth.

Fifty-one of the deaths recorded during the week for the City were those of children under five years of age, 44 being infants under one year, 20 of whom were under one month old, and 62 were those of persons aged 65 years and upwards, of whom 46 were aged 70 years or over.

**CASES OF INFECTIOUS DISEASES.**—Table III shows the numbers notified in the City of Dublin and in the Boroughs; and Table IV the number of cases of certain diseases treated in Dublin Hospitals.

\* Typhoid fever, typhus, smallpox, dysentery, scarlet fever, whooping cough, diphtheria, measles, and diarrhoea and enteritis (under 2 years of age).



TABLE I.—BIRTHS and DEATHS registered during the week ended Saturday, 27th February, 1943, for the Principal Towns of Éire, with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULA- TION (a)	Annual Rate (b) per 1,000 persons		BIRTHS	DEATHS		Under 1 year of age	65 years and upwards	Principal epidemic diseases										CAUSED BY					Inquest Cases	In public institutions	Number uncertified
		From all Causes	From Principal epidemic diseases		BIRTHS	DEATHS			Principal epidemic diseases										CAUSED BY							
									Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Tuber- culosis		Influenza	Cancer	Diseases respiratory system			Violence	Other Causes			
															Pulmonary	Other forms			Pneumonia	Other						
																					(1)					
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
TOTAL 13 TOWNS		793,217	24.0	19.3	1.5	365	293	63	108	.	.	3	4	.	16	31	6	.	27	17	17	9	163	11	146	6
CITY OF DUBLIN (c)		500,300	22.8	18.3	1.6	219	176	44	62	.	.	3	1	.	11	22	5	.	13	8	10	5	98	5	103	6
BOROUGH OF DUN LAOGHAIRE		42,200	18.5	24.7	2.5	15	20	2	8	.	.	.	1	.	1	2	.	.	3	.	2	1	10	1	7	.
CORK COUNTY BOROUGH		76,800	27.2	21.7	1.4	40	32	6	11	.	.	.	2	.	.	.	.	.	3	4	2	1	20	2	16	.
LIMERICK COUNTY BOROUGH		42,500	15.9	19.6	1.2	13	16	1	8	.	.	.	.	.	1	1	.	.	5	1	1	1	6	.	7	.
WATERFORD COUNTY BOROUGH		28,500	31.1	32.9	5.5	17	18	5	7	.	.	.	.	.	3	2	.	.	1	1	1	.	10	2	5	.
GALWAY URBAN DISTRICT		18,294	—	—	—	9	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	2	.
DUNDALK URBAN DISTRICT		14,684	—	—	—	8	5	.	4	.	.	.	.	.	.	.	.	.	.	.	.	.	5	.	1	.
DROGHEDA URBAN DISTRICT		14,494	—	—	—	8	5	1	1	.	.	.	.	.	.	2	.	.	1	1	.	.	3	.	4	.
SLIGO URBAN DISTRICT		12,565	—	—	—	10	4	.	1	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.
WEXFORD URBAN DISTRICT		12,247	—	—	—	6	5	2	2	.	.	.	.	.	.	1	.	.	.	.	.	.	4	.	.	.
TRALEE URBAN DISTRICT		10,285	—	—	—	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
KILKENNY URBAN DISTRICT		10,237	—	—	—	7	3	2	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.	.	.
BRAY URBAN DISTRICT		10,111	—	—	—	9	6	.	4	.	.	.	.	.	.	.	.	.	.	.	1	1	4	1	1	.
BELFAST COUNTY BOROUGH		444,500	—	—	—	218	112	19	39	.	.	1	2	.	4	4	1	1	9	18	9	—	—	—	—	—
DERRY COUNTY BOROUGH		47,813	—	—	—	26	10	2	5	.	.	.	.	.	.	.	2	.	1	.	.	—	—	—	—	—

(a) According to the Census of 1936, but in the case of the Cities of Cork, Limerick, and Waterford, the populations given are those according to the Register of Population, 1941. The population given for the City of Dublin and for the Borough of Dun Laoghaire is that estimated to the middle of 1943. The population for Belfast is that estimated to the 1st January, 1940, and that for Derry is according to the Census of 1937. (b) The annual rates for the urban districts will be shown in the quarterly return. (c) The figures for the City of Dublin include those for the former urban district of Howth.



TABLE II.—Deaths registered during the week ended Saturday, 27th February, 1943, for the City of Dublin and the County Borough of Cork by Registrars' Districts.

[illegible]



TABLE III.—Cases of infectious diseases notified in the undermentioned urban areas during the week ended Saturday, 27th February, 1943, and during each of the three preceding weeks.

AREAS	Week ended	Typhoid fever	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis	Smallpox	Measles	Typhus	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Other diseases*	TOTAL
Dublin City	Feb. 6	1	17	19	46	16	.	1	.	4	1B, 2C, 1H, 20M	128
	Feb. 13	1	13	7	38	17	.	2	.	2	1B, 4C, 41M	132
	Feb. 20	2	11	8	30	15	.	2	.	8	1C, 1D, 12M	90
	Feb. 27	1	19	18	55	18	.	3	.	7	1B, 1D, 1J, 3L, 10M, 1N	138
Dun Laoghaire Borough	Feb. 6	.	3	2	8	.	.	.	.	.		13
	Feb. 13	.	3	2	1	.	.	.	.	.		6
	Feb. 20	.	.	3	2	.	.	.	.	1	2M	8
	Feb. 27	.	2	.	3	.	.	.	.	.		5
Cork C. B.	Feb. 6	.	3	.	17	5	.	1	.	.	2C, 1K, 2M	31
	Feb. 13	.	.	.	10	1	.	.	.	1	1C	13
	Feb. 20	.	1	.	18	6	.	1	.	1	1C, 1K, 2M	31
	Feb. 27	.	1	.	8	2	.	.	.	.	1K	12
Limerick C. B.	Feb. 6	.	3	.	3	.	.	.	.	.	1C	7
	Feb. 13	1	.	.	9	.	.	.	.	3	1C	14
	Feb. 20	.	.	.	2	.	.	.	.	.		2
	Feb. 27	.	.	.	4	.	.	.	.	.	1B, 1H	6
Waterford C. B.	Feb. 6	.	1	15	.	6	.	.	.	.	1A	23
	Feb. 13	.	1	21	.	1	.	.	.	.	1A	24
	Feb. 20	.	.	.	.	2	.	.	.	.	1N	3
	Feb. 27	.	2	2	2	3	.	.	.	2		11

\*The letters in this column denote the following diseases :— (A) Undulant fever, (B) Cerebro-spinal fever, (C) Erysipelas, (D) Ophthalmia neonatorum, (E) Dysentery, (F) Malaria, (G) Relapsing fever, (H) Acute poliomyelitis, (J) Encephalitis lethargica, (K) Varicella, (L) Trachoma, (M) Diarrhoeal diseases, (N) Puerperal fever, (O) Puerperal pyrexia, (P) Pemphigus neonatorum, (Q) Pyrexia.

TABLE IV.—Cases of the undermentioned diseases treated in Dublin hospitals during the week ended Saturday, 27th February, 1943, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of cases in hospital at close of week ended			Week ended 27th February, 1943.			
	Feb. 6	Feb. 13	Feb. 20	No. admitted	Dis-charged	Died	No. under treatment at close of week
Typhoid fever	4	4	5	2	.	.	7
Typhus	.	.	.	.	.	.	.
Smallpox	.	.	.	.	.	.	.
Measles	1	1	1	.	1	.	.
Scarlet fever	81	84	84	13	7	.	90
Diphtheria	330	353	377	46	46	2	375
Pneumonia	40	46	45	9	5	2	47
Diarrhoea and Enteritis	61	43	42	7	4	9	36



# ÉIRE

LE hAGHAIDH NA SEIRBHISE PUIBLI

## CUNNTAS SEACHTMHAINÉAMHAIL na mBREITH agus na mBÁS

### WEEKLY RETURNS OF BIRTHS AND DEATHS

#### FOR THE PRINCIPAL TOWNS

*By Authority of the Registrar-General.*

To be purchased through any Bookseller or directly from  
THE GOVERNMENT PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN.

No. 9 Vol. LXXX.]

WEEK ENDING SATURDAY, 6th March, 1943.

PRICE 1½d. NET.

*Oifig an Árd-Chláradóra,*

*Baile Átha Cliath.*

### PRINCIPAL TOWNS

Particulars of the Births and Deaths recorded for the **Principal Towns** are given in Table I. Deaths have been assigned so far as possible to the area of residence and those of non-residents of Éire have been excluded.

The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were represented by the following annual rates per 1,000 of the population :—

Principal Towns 15.3 and 17.4; City of Dublin 14.7 and 16.1; Borough of Dun Laoghaire 16.1 and 20.7; Cork 17.7 and 20.6; Limerick 14.7 and 19.6; and Waterford 12.8 and 24.2.

The deaths from the principal epidemic diseases\* recorded for the thirteen principal towns last week were represented by an annual rate of 1.2 per 1,000. Included in the 26 deaths for Cork were 2 from diarrhoea and enteritis (under 2 years). The 7 deaths for Waterford included one from whooping cough and 2 from diarrhoea and enteritis (under 2 years), and one of the 4 deaths for Sligo was from whooping cough.

**City of Dublin.**—The number of births registered during the week was 351—173 boys and 178 girls. Exclusive of those, numbering 63, occurring in institutions, of infants whose mothers were admitted from other localities, the number was 288, representing a rate of 30.0 per 1,000.

The number of deaths registered was 164—87 males and 77 females. Of the total, 23 related to persons belonging to other localities, so that the actual number of deaths for the City was 141, representing a rate of 14.7 per 1,000.

There was one death from whooping cough, one from diphtheria, and 9 from diarrhoea and enteritis (under 2 years). In the three preceding weeks deaths from whooping cough numbered 0, 2 and 3; deaths from diphtheria 2, one and one; and from diarrhoea and enteritis (under 2 years) 9, 7 and 11.

Tuberculosis caused 20 deaths (16 of which were from pulmonary tuberculosis, 3 from tuberculous meningitis, and one from disseminated tuberculosis) as against 18, 13 and 27 from all forms of tuberculosis in the three preceding weeks.

Nine deaths were caused by cancer, and 25 by diseases of the heart.

There were 7 deaths from pneumonia, comprising 5 from broncho-pneumonia, and 2 from pneumonia (unspecified). Bronchitis caused 3 deaths.

There was one accidental death recorded.

Among the deaths of infants under one year of age, one was due to whooping-cough, one to pulmonary tuberculosis, 3 to convulsions, 3 to pneumonia, 9 to diarrhoea and enteritis, 2 to congenital malformations, 4 to congenital debility, 4 to premature birth, and 2 to injury at birth.

Thirty-five of the deaths recorded during the week for the City were those of children under five years of age, 32 being infants under one year, 13 of whom were under one month old, and 55 were those of persons aged 65 years and upwards, of whom 39 were aged 70 years or over.

**CASES OF INFECTIOUS DISEASES.**—Table III shows the numbers notified in the City of Dublin and in the Boroughs; and Table IV the number of cases of certain diseases treated in Dublin Hospitals.

\* Typhoid fever, typhus, smallpox, dysentery, scarlet fever, whooping cough, diphtheria, measles, and diarrhoea and enteritis (under 2 years of age).



TABLE I.—BIRTHS and DEATHS registered during the week ended Saturday, 6th March, 1943, for the Principal Towns of Éire, with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULA- TION (a)	Annual Rate (b) per 1,000 persons		DEATHS CAUSED BY																			Inquest Cases	In public institutions	Number uncertified		
				Principal epidemic diseases																							
		DEATHS		Under 1 year of age	65 years and upwards	Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Tuber- culosis		Influenza	Cancer	Diseases respiratory system		Violence	Other Causes								
		From all Causes	From Principal epidemic diseases									Pulmonary	Other forms			Pneumonia	Other										
																				BIRTHS	(2)	(3)				(4)	(5)
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	
	COLS.																										
TOTAL 13 TOWNS	...	793,217	29.3	15.3	1.2	445	232	47	93	.	.	3	1	.	14	24	6	.	14	12	11	2	145	4	115	4	
CITY OF DUBLIN (c)	...	500,300	30.0	14.7	1.1	288	141	32	55	.	.	1	1	.	9	16	4	.	9	7	4	1	89	1	78	2	
BOROUGH OF DUN LAOGHAIRE	...	42,200	21.0	16.1	.	17	13	2	6	.	.	.	.	.	.	1	.	.	.	2	.	.	10	.	5	.	
CORK COUNTY BOROUGH	...	76,800	34.6	17.7	1.4	51	26	4	13	.	.	.	.	.	2	1	.	.	1	2	2	.	18	.	17	.	
LIMERICK COUNTY BOROUGH	...	42,500	36.8	14.7	1.2	30	12	2	2	.	.	.	.	.	1	1	1	.	1	1	1	.	6	1	9	.	
WATERFORD COUNTY BOROUGH	...	28,500	12.8	12.8	5.5	7	7	3	3	.	.	1	.	.	2	.	.	.	1	.	.	1	2	1	2	.	
GALWAY URBAN DISTRICT	...	18,294	—	—	—	6	3	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	
DUNDALK URBAN DISTRICT	...	14,684	—	—	—	3	3	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	.	.	
DROGHEDA URBAN DISTRICT	...	14,494	—	—	—	17	5	.	2	.	.	.	.	.	.	1	1	.	.	.	.	.	3	.	1	.	
SLIGO URBAN DISTRICT	...	12,565	—	—	—	2	4	2	2	.	.	1	.	.	.	.	.	.	1	.	1	.	1	.	.	.	
WEXFORD URBAN DISTRICT	...	12,247	—	—	—	3	4	2	.	.	.	.	.	.	.	2	.	.	.	.	.	.	2	.	1	.	
TRALEE URBAN DISTRICT	...	10,285	—	—	—	4	6	.	1	.	.	.	.	.	.	2	.	.	.	.	1	.	3	1	.	.	
KILKENNY URBAN DISTRICT	...	10,237	—	—	—	14	6	.	3	.	.	.	.	.	.	.	.	1	.	.	.	.	5	.	1	2	
BRAY URBAN DISTRICT	...	10,111	—	—	—	3	2	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	
BELFAST COUNTY BOROUGH	...	444,500	—	—	—	174	117	27	40	.	.	.	1	1	2	8	2	2	1	12	9	3	—	—	—	—	
DERRY COUNTY BOROUGH	...	47,813	—	—	—	33	9	2	3	.	.	.	.	.	.	.	1	1	.	2	1	—	—	—	—	—	

(a) According to the Census of 1936, but in the case of the Cities of Cork, Limerick, and Waterford, the populations given are those according to the Register of Population, 1941. The population given for the City of Dublin and for the Borough of Dun Laoghaire is that estimated to the middle of 1943. The population for Belfast is that estimated to the 1st January, 1940, and that for Derry is according to the Census of 1937. (b) The annual rates for the urban districts will be shown in the quarterly return. (c) The figures for the City of Dublin include those for the former urban district of Howth.



TABLE II.—Deaths registered during the week ended Saturday, 6th March, 1943, for the City of Dublin and the County Borough of Cork by Registrars' Districts

REGISTRARS' DISTRICTS, &c.		AGES AT DEATH										DEATHS FROM												DEATHS			
												Principal epidemic diseases						Tuber- culosis									
		Under 1 year	1-2	2-5	5-15	15-25	25-45	45-65	65 years and upwards	Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Pulmonary	Other forms	Influenza	Cancer	Pneumonia	Other	Diseases of respi- ratory system	Violence			Other causes	Inquest cases
DUBLIN.		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
NORTH CITY No. 1 EAST		5	3	.	.	.	.	1	2	9	.	.	.	.	.	.	1	1	.	1	.	2	.	5	.	3	1
" No. 2 WEST		14	2	.	.	1	1	2	2	1	.	.	.	.	.	1	1	.	.	1	2	1	.	9	.	3	.
" No. 3		11	3	.	1	1	1	2	2	3	.	.	.	.	.	2	1	.	1	1	.	1	.	2	.	3	.
" No. 4		3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	3	.
BLANCHARDSTOWN AND CASTLEKNOCK, PT. OF		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	3	.
CLONTARF AND HOWTH, NOS. 1 & 2, PT. OF		4	1	.	1	.	.	2	1	1	.	1	.	.	.	1	1	1	.	1	.	.	.	8	.	6	.
COOLOCK & DRUMCONDRA, NOS. 1 & 2, PT. OF		10	2	.	.	1	1	2	1	1	.	.	.	.	.	1	1	1	.	.	.	.	.	1	.	3	.
FINGLAS AND GLASNEVIN, NOS. 1 & 2, PT. OF		7	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	3	.
SOUTH CITY No. 1		1	.	.	1	.	1	2	.	4	.	.	.	.	.	.	1	1	.	1	.	.	.	4	.	1	.
" No. 2		7	3	.	.	.	1	2	1	2	.	.	.	.	.	1	1	1	.	1	.	.	.	6	.	3	.
" No. 3		8	1	.	.	.	.	1	1	2	.	.	.	.	.	1	3	1	.	.	.	.	.	1	.	5	.
" No. 4		4	1	.	1	.	.	1	1	1	.	.	.	.	.	1	2	.	.	.	.	.	.	4	.	7	.
" No. 5		17	3	.	.	.	.	1	1	9	.	.	.	.	.	1	2	.	.	1	2	1	1	1	.	3	.
" No. 6		2	1	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	5	.
CLONDALKIN, PART OF		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
CRUMLIN, PART OF		12	4	.	.	1	1	2	2	4	.	.	.	.	.	1	2	.	.	1	.	.	.	8	.	4	.
DONNYBROOK, NOS. 1 AND 2		9	1	.	1	1	1	2	1	4	.	.	.	.	.	1	1	.	.	1	1	.	.	7	.	5	.
RATHFARNHAM, PART OF		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
RATHMINES, NOS. 1 AND 2		17	3	.	.	.	.	2	3	8	.	1	.	.	.	1	1	.	.	2	1	.	.	13	.	11	.
TERENURE, PART OF		4	2	.	.	1	1	.	.	1	.	.	.	.	.	1	1	.	.	1	.	.	.	.	.	2	.
TOTAL		141	32	1	2	3	7	14	27	55	.	1	1	1	.	9	16	4	.	9	7	4	1	89	1	78	2
CORK.		4	2	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.	2	.
CORK URBAN, No. 1		3	.	.	.	.	.	1	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	1	.
" No. 2		3	.	.	.	.	.	1	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	1	.
" No. 3		2	.	.	.	.	.	1	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	1	.
" No. 4		2	.	.	.	.	.	1	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	1	.
" No. 5		2	.	.	.	.	.	1	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	1	.
" No. 6		2	.	.	.	.	.	1	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	1	.
" No. 7		3	.	.	.	.	.	1	2	2	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	1	.
TOTAL		26	4	1	.	.	2	6	13	13	.	.	.	.	.	2	1	.	.	1	2	2	.	18	.	17	.



TABLE III.—Cases of infectious diseases notified in the undermentioned urban areas during the week ended Saturday, 6th March, 1943, and during each of the three preceding weeks.

AREAS	Week ended	Typhoid fever	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis	Smallpox	Measles	Typhus	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Other diseases*	TOTAL
Dublin City	Feb. 13	1	13	7	38	17	.	2	.	8	1B, 4C, 41M	132
	Feb. 20	2	11	8	30	15	.	2	.	8	1C, 1D, 12M	90
	Feb. 27	1	19	18	55	18	.	3	.	7	1B, 1D, 1J, 3L, 10M, 1N	138
	March 6	1	15	15	34	29	.	3	.	6	4C, 1E, 1L, 24M	133
Dun Laoghaire Borough	Feb. 13	.	3	2	1	.	.	.	.	.		6
	Feb. 20	.	.	3	2	.	.	.	.	1	2M	8
	Feb. 27	.	2	.	3	.	.	.	.	.		5
	March 6	.	1	2	5	.	.	.	.	.		8
Cork C. B.	Feb. 13	.	.	.	10	1	.	.	.	1	1C	13
	Feb. 20	.	1	.	18	6	.	1	.	1	1C, 1K, 2M	31
	Feb. 27	.	1	.	8	2	.	.	.	.	1K	12
	March 6	.	1	.	11	8	.	.	.	1	1B, 4M	26
Limerick C. B.	Feb. 13	1	.	.	9	.	.	.	.	3	1C	14
	Feb. 20	.	.	.	2	.	.	.	.	.		2
	Feb. 27	.	.	.	4	.	.	.	.	.	1B, 1H	6
	March 6	1	.	.	4	.	.	.	.	.	1C	6
Waterford C. B.	Feb. 13	.	1	21	.	1	.	.	.	.	1A	24
	Feb. 20	.	.	.	.	2	.	.	.	.	1N	3
	Feb. 27	.	2	2	2	3	.	.	.	2		11
	March 6	.	1	7	1	1	.	.	.	1		11

\*The letters in this column denote the following diseases:— (A) Undulant fever, (B) Cerebro-spinal fever, (C) Erysipelas, (D) Ophthalmia neonatorum, (E) Dysentery, (F) Malaria, (G) Relapsing fever, (H) Acute poliomyelitis, (J) Encephalitis lethargica, (K) Varicella, (L) Trachoma, (M) Diarrhoeal diseases, (N) Puerperal fever, (O) Puerperal pyrexia, (P) Pemphigus neonatorum, (Q) Pyrexia.

TABLE IV.—Cases of the undermentioned diseases treated in Dublin hospitals during the week ended Saturday, 6th March, 1943, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of cases in hospital at close of week ended			Week ended 6th March, 1943.			
	Feb. 13	Feb. 20	Feb. 27	No. admitted	Discharged	Died	No. under treatment at close of week
Typhoid fever	4	5	7	1	1	.	7
Typhus	.	.	.	.	.	.	.
Smallpox	.	.	.	.	.	.	.
Measles	1	1	.	1	.	.	1
Scarlet fever	84	84	90	11	11	.	90
Diphtheria	353	377	375	41	47	3	366
Pneumonia	46	45	47	7	8	.	46
Diarrhoea and Enteritis	43	42	36	13	4	6	39



# EIRE

LE hAGHAIDH NA SEIRBHISE PUIBLI

## CUNNTAS SEACHTMHAINÉAMHAIL na mBREITH agus na mBÁS


### WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

### PRINCIPAL TOWNS

*By Authority of the Registrar-General.*

To be purchased through any Bookseller or directly from  
THE GOVERNMENT PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN.



No. 10 Vol. LXXX.]

WEEK ENDING SATURDAY, 13th March, 1943.

PRICE 1½d. NET.

*Oifig an Árd-Chláradóra,*

*Baile Átha Cliath.*

### PRINCIPAL TOWNS

Particulars of the Births and Deaths recorded for the Principal Towns are given in Table I. Deaths have been assigned so far as possible to the area of residence and those of non-residents of Eire have been excluded.

The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were represented by the following annual rates per 1,000 of the population :—

Principal Towns 15.7 and 16.9; City of Dublin 15.9 and 16.1; Borough of Dun Laoghaire 12.4 and 17.6; Cork 17.0 and 20.6; Limerick 11.0 and 16.6; and Waterford 18.3 and 22.9.

The deaths from the principal epidemic diseases\* recorded for the thirteen principal towns last week were represented by an annual rate of 1.4 per 1,000. Included in the 10 deaths from all causes for Waterford were 2 from diarrhoea and enteritis (under 2 years).

**City of Dublin.**—The number of births registered during the week was 292—158 boys and 134 girls. Exclusive of those, numbering 53, occurring in institutions, of infants whose mothers were admitted from other localities, the number was 239, representing a rate of 24.9 per 1,000.

The number of deaths registered was 170—85 males and 85 females. Of the total, 17 related to persons belonging to other localities, so that the actual number of deaths for the City was 153, representing a rate of 15.9 per 1,000.

There was one death from whooping cough, 3 from diphtheria, and 15 from diarrhoea and enteritis (under 2 years). In the three preceding weeks deaths from whooping cough numbered 2, 3 and one; deaths from diphtheria one, one and one; and from diarrhoea and enteritis (under 2 years) 7, 11 and 9.

Tuberculosis caused 26 deaths (23 of which were from pulmonary tuberculosis and 3 from tuberculous meningitis), as against 13, 27 and 20 from all forms of tuberculosis in the three preceding weeks.

Ten deaths were caused by cancer, and 22 by diseases of the heart.

There were 12 deaths from pneumonia, comprising 6 from broncho-pneumonia, 2 from lobar pneumonia and 4 from pneumonia (unspecified). Bronchitis caused 10 deaths.

There were 3 accidental deaths recorded.

Among the deaths of infants under one year of age, one was due to pulmonary tuberculosis, one to tuberculous meningitis, 3 to convulsions, 5 to pneumonia, 15 to diarrhoea and enteritis, 3 to congenital malformations, 3 to premature birth, and one to injury at birth.

Forty-three of the deaths recorded during the week for the City were those of children under five years of age, 38 being infants under one year, 23 of whom were under one month old, and 40 were those of persons aged 65 years and upwards, of whom 24 were aged 70 years or over.

**CASES OF INFECTIOUS DISEASES.**—Table III shows the numbers notified in the City of Dublin and in the Boroughs; and Table IV the number of cases of certain diseases treated in Dublin Hospitals;

\* Typhoid fever, typhus, smallpox, dysentery, scarlet fever, whooping cough, diphtheria, measles, and diarrhoea and enteritis (under 2 years of age).



TABLE I.—BIRTHS and DEATHS registered during the week ended Saturday, 13th March, 1943, for the Principal Towns of Eire, with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION (a)	Annual Rate (b) per 1,000 persons		BIRTHS		DEATHS		CAUSED BY													In public institutions	Number uncertified			
						From Principal epidemic diseases		Principal epidemic diseases																	
		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases													Inquest Cases	In public institutions	Number uncertified		
		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases																Inquest Cases	In public institutions
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)		
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases													Inquest Cases	In public institutions	Number uncertified
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases															
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases													Inquest Cases	In public institutions	Number uncertified
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases															
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases													Inquest Cases	In public institutions	Number uncertified
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases															
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases													Inquest Cases	In public institutions	Number uncertified
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases															
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases													Inquest Cases	In public institutions	Number uncertified
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases															
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases													Inquest Cases	In public institutions	Number uncertified
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases															
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases													Inquest Cases	In public institutions	Number uncertified
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases															
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases													Inquest Cases	In public institutions	Number uncertified
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases															
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases													Inquest Cases	In public institutions	Number uncertified
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases															
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases													Inquest Cases	In public institutions	Number uncertified
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases															
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases													Inquest Cases	In public institutions	Number uncertified
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases															
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases													Inquest Cases	In public institutions	Number uncertified
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases															
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases													Inquest Cases	In public institutions	Number uncertified
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases															
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases													Inquest Cases	In public institutions	Number uncertified
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases															
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases													Inquest Cases	In public institutions	Number uncertified
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases															
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases													Inquest Cases	In public institutions	Number uncertified
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases															
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases													Inquest Cases	In public institutions	Number uncertified
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases															
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases													Inquest Cases	In public institutions	Number uncertified
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases															
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases													Inquest Cases	In public institutions	Number uncertified
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases															
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases													Inquest Cases	In public institutions	Number uncertified
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases															
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases													Inquest Cases	In public institutions	Number uncertified
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases															
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases													Inquest Cases	In public institutions	Number uncertified
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases															
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases													Inquest Cases	In public institutions	Number uncertified
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases															
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases													Inquest Cases	In public institutions	Number uncertified
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases															
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases													Inquest Cases	In public institutions	Number uncertified
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases															
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases													Inquest Cases	In public institutions	Number uncertified
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases															
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases													Inquest Cases	In public institutions	Number uncertified
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases															
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases													Inquest Cases	In public institutions	Number uncertified
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases															
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases													Inquest Cases	In public institutions	Number uncertified
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases															
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases													Inquest Cases	In public institutions	Number uncertified
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases															
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases													Inquest Cases	In public institutions	Number uncertified
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases															
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases													Inquest Cases	In public institutions	Number uncertified
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases															
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases													Inquest Cases	In public institutions	Number uncertified
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases															
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases													Inquest Cases	In public institutions	Number uncertified
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases															
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases													Inquest Cases	In public institutions	Number uncertified
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases															
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases													Inquest Cases	In public institutions	Number uncertified
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases															
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases													Inquest Cases	In public institutions	Number uncertified
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases															
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases													Inquest Cases	In public institutions	Number uncertified
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases															
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases													Inquest Cases	In public institutions	Number uncertified
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases															
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases													Inquest Cases	In public institutions	Number uncertified
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases															
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases													Inquest Cases	In public institutions	Number uncertified
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases															
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases													Inquest Cases	In public institutions	Number uncertified
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases															
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases													Inquest Cases	In public institutions	Number uncertified
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases															
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases													Inquest Cases	In public institutions	Number uncertified
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases															
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases													Inquest Cases	In public institutions	Number uncertified
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases															
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases													Inquest Cases	In public institutions	Number uncertified
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases															
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases													Inquest Cases	In public institutions	Number uncertified
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases															
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases													Inquest Cases	In public institutions	Number uncertified
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases															
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases													Inquest Cases	In public institutions	Number uncertified
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases															
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases													Inquest Cases	In public institutions	Number uncertified
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases															
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases													Inquest Cases	In public institutions	Number uncertified
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases															
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases													Inquest Cases	In public institutions	Number uncertified
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases															
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases													Inquest Cases	In public institutions	Number uncertified
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases															
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases													Inquest Cases	In public institutions	Number uncertified
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases															
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases													Inquest Cases	In public institutions	Number uncertified
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases															
BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		65 years and upwards		Principal epidemic diseases													Inquest Cases	In public institutions	Number uncertified
BIRTHS		DE																							

(a) According to the Census of 1936, but in the case of the Cities of Cork, Limerick, and Waterford, the populations given are those according to the Register of Population, 1941. The population given for the City of Dublin and for the Borough of Dun Laoghaire is that estimated to the middle of 1943. The population for Belfast is that estimated to the 1st January, 1940, and that for Derry is according to the Census of 1937. (b) The annual rates for the urban districts will be shown in the quarterly return. (c) The figures for the City of Dublin include those for the former urban district of Howth.



TABLE II.—Deaths registered during the week ended Saturday, 13th March, 1943, for the City of Dublin and the County Borough of Cork by Registrars' Districts

REGISTRARS' DISTRICTS, &c.	DEATHS																												
	AGES AT DEATH										DEATHS FROM										Inquest cases						In public institutions		Number uncertified
	Principal epidemic diseases										Tuber- culosis		Influenza		Cancer	Diseases of respi- ratory system		Violence	Other causes										
	Under 1 year	1—2	2—5	5—15	15—25	25—45	45—65	65 years and upwards	Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)		Pulmonary	Other forms			(18)	(19)	(20)	(21)	(22)	(23)				
TOTAL DEATHS	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)			
DUBLIN.																													
NORTH CITY NO. 1 EAST	15	1					2	7	4							3	2		1	1	2	2	4	1	12				
" NO. 1 WEST	16	4					5	5	5						2				1	1	4		8		14				
" NO. 2	19	2		1	2		3	3	3						1	2				2	2		6		5				
" NO. 3	11	3					1		1						1					1			1		8				
" NO. 4	3	2					1		1						1										3				
BLANCHARDSTOWN AND CASTLEKNOCK, PT. OF																													
CLONTARF AND HOWTH, NOS. 1 & 2, PT. OF	3	2			1										1					1			1		3				
COOLOCK & DRUMCONDRA, NOS. 1 & 2, PT. OF	9	2			2		2	2	1						1	4			1						4				
FINGLAS AND GLASNEVIN, NOS. 1 & 2, PT. OF	6	2		1					1						1	2			1						4				
SOUTH CITY NO. 1	8	3	1				1	1	2				1		1	1			1	2					7				
" NO. 2	5	1					3	3	1						1	1			1	1					5				
" NO. 3	8	2			1		2	2	4						1	2			1	1					4				
" NO. 4	9	2			1		2	2	2						2	1			1	1					5				
" NO. 5	11	4					2	2	2						2	1			1	1					6				
" NO. 6	7	3					1	2	1						1	1			1	1					4				
CLONDALKIN, PART OF																													
CRUMLIN, PART OF																													
DONNYBROOK, NOS. 1 & 2	11	3			1		3	1	3						1	2				1	1				7				
RATHFARNHAM, PART OF	13		1				1	3	6			1				2			2	1					3				
RATHMINES, NOS. 1 AND 2	7	1			1			2	3				1			1				1	1				7				
TERENURE, PART OF	2	1					1									1									2				
TOTAL	153	38	2	3	5	7	20	38	40			1	3		15	23	3	1	10	12	12	3	70	1	103	3			
CORK.																													
CORK URBAN, No. 1	4	1						1	2																2				
" 2	4	2							2																3				
" 3	2						1		1																1				
" 4	1								3																1				
" 5	3								1																2				
" 6	5	2							2																3				
" 7	6	2					1		2																2				
TOTAL	25	7		1			3	4	10							1		1	1	2	2	1	17	2	14				



TABLE III.—Cases of infectious diseases notified in the undermentioned urban areas during the week ended Saturday, 13th March, 1943, and during each of the three preceding weeks.

AREAS	Week ended	Typhoid fever	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis	Smallpox	Measles	Typhus	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Other diseases*	TOTAL
Dublin City	Feb. 20	2	11	8	30	15	.	2	.	8	1C, 1D, 12M	90
	Feb. 27	1	19	18	55	18	.	3	.	7	1B, 1D, 1J, 3L, 10M, 1N	138
	March 6	1	15	15	34	29	.	3	.	6	4C, 1E, 1L, 24M	133
	March 13	1	18	44	36	26	.	1	.	7	1B, 3C, 3L, 13M	153†
Dun Laoghaire Borough	Feb. 20	.	.	3	2	.	.	.	.	1	2M	8
	Feb. 27	.	2	.	3	.	.	.	.	.		5
	March 6	.	1	2	5	.	.	.	.	.		8
	March 13	.	.	.	2	.	.	.	.	.	1C	3
Cork C. B.	Feb. 20	.	1	.	18	6	.	1	.	1	1C, 1K, 2M	31
	Feb. 27	.	1	.	8	2	.	.	.	.	1K	12
	March 6	.	1	.	11	8	.	.	.	1	1B, 4M	26
	March 13	.	3	.	8	4	.	1	.	4	1C, 4M	25
Limerick C. B.	Feb. 20	.	.	.	2	.	.	.	.	.		2
	Feb. 27	.	.	.	4	.	.	.	.	.	1B, 1H	6
	March 6	1	.	.	4	.	.	.	.	.	1C	6
	March 13	.	1	.	2	.	.	.	.	.	1H	4
Waterford C. B.	Feb. 20	.	.	.	.	2	.	.	.	.	1N	3
	Feb. 27	.	2	2	2	3	.	.	.	2		11
	March 6	.	1	7	1	1	.	.	.	1		11
	March 13	.	.	36	2	4	.	.	.	.		42

\*The letters in this column denote the following diseases :— (A) Undulant fever, (B) Cerebro-spinal fever, (C) Erysipelas, (D) Ophthalmia neonatorum, (E) Dysentery, (F) Malaria, (G) Relapsing fever, (H) Acute poliomyelitis, (J) Encephalitis lethargica, (K) Varicella, (L) Trachoma, (M) Diarrhoeal diseases, (N) Puerperal fever, (O) Puerperal pyrexia, (P) Pemphigus neonatorum, (Q) Pyrexia.  
†Including 30 cases of whooping cough, for the period from January now notified from an institution.

TABLE IV.—Cases of the undermentioned diseases treated in Dublin hospitals during the week ended Saturday, 13th March, 1943, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of cases in hospital at close of week ended			Week ended 13th March, 1943.			
	Feb. 20	Feb. 27	March 6	No. admitted	Discharged	Died	No. under treatment at close of week
Typhoid fever	5	7	7	.	.	.	7
Typhus	.	.	.	.	.	.	.
Smallpox	.	.	.	.	.	.	.
Measles	1	.	1	.	.	.	1
Scarlet fever	84	90	90	24	28	.	86
Diphtheria	377	375	366	27	18	2	373
Pneumonia	45	47	46	3	7	.	42
Diarrhoea and Enteritis	42	36	39	4	7	5	31



# ÉIRE

LE HAGHAIDH NA SEIRBHISE PUIBLI

## CUNNTAS SEACHTMHAINÉAMHAIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE  
PRINCIPAL TOWNS

*By Authority of the Registrar-General.*

To be purchased through any Bookseller or directly from  
THE GOVERNMENT PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN.



No. 11 Vol. LXXX.]

WEEK ENDING SATURDAY, 20th March, 1943.

PRICE 1½d. NET.

*Oifig an Árd-Chláradóra,*

*Baile Átha Cliath.*

### PRINCIPAL TOWNS

Particulars of the Births and Deaths recorded for the **Principal Towns** are given in Table I. Deaths have been assigned so far as possible to the area of residence and those of non-residents of Éire have been excluded.

The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were represented by the following annual rates per 1,000 of the population:—

Principal Towns 17.0 and 16.8; City of Dublin 17.2 and 16.5; Borough of Dun Laoghaire 12.4 and 16.4; Cork 14.3 and 17.7; Limerick 27.0 and 18.1; and Waterford 20.1 and 21.0.

The deaths from the principal epidemic diseases\* recorded for the thirteen principal towns last week were represented by an annual rate of 1.1 per 1,000. The 6 deaths from all causes for Galway included one from measles.

**City of Dublin.**—The number of births registered during the week was 261—131 boys and 130 girls. Exclusive of those, numbering 54, occurring in institutions, of infants whose mothers were admitted from other localities, the number was 207, representing a rate of 21.6 per 1,000.

The number of deaths registered was 183—95 males and 88 females. Of the total, 18 related to persons belonging to other localities, so that the actual number of deaths for the City was 165, representing a rate of 17.2 per 1,000.

There were 4 deaths from whooping cough, one from diphtheria, and 7 from diarrhoea and enteritis (under 2 years). In the three preceding weeks deaths from whooping cough numbered 3, one and one; deaths from diphtheria one, one and 3; and from diarrhoea and enteritis (under 2 years) 11, 9 and 15.

Tuberculosis caused 26 deaths (20 of which were from pulmonary tuberculosis, 4 from tuberculous meningitis and 2 from other forms of the disease), as against 27, 20 and 26 from all forms of tuberculosis in the three preceding weeks.

Nine deaths were caused by cancer, and 42 by diseases of the heart.

There were 7 deaths from pneumonia, comprising 5 from broncho-pneumonia, and 2 from pneumonia (unspecified). Bronchitis caused 4 deaths.

There were 4 accidental deaths recorded.

Among the deaths of infants under one year of age, one was due to whooping cough, one to meningitis, 2 to convulsions, 3 to pneumonia, 7 to diarrhoea and enteritis, one to congenital malformations, 3 to congenital debility, 5 to premature birth, and one to injury at birth.

Thirty-nine of the deaths recorded during the week for the City were those of children under five years of age, 28 being infants under one year, 14 of whom were under one month old, and 57 were those of persons aged 65 years and upwards, of whom 45 were aged 70 years or over.

**CASES OF INFECTIOUS DISEASES.**—Table III shows the numbers notified in the City of Dublin and in the Boroughs; and Table IV the number of cases of certain diseases treated in Dublin Hospitals.

\* Typhoid fever, typhus, smallpox, dysentery, scarlet fever, whooping cough, diphtheria, measles, and diarrhoea and enteritis (under 2 years of age).



TABLE I.—BIRTHS and DEATHS registered during the week ended Saturday, 20th March, 1943, for the Principal Towns of Éire, with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULA- TION (a)	Annual Rate (b) per 1,000 persons		DEATHS CAUSED BY															Inquest Cases	In public institutions	Number uncertified																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
				CAUSED BY																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
		BIRTHS		DEATHS		Principal epidemic diseases								Tuber- culosis			Diseases respiratory system			Violence	Other Causes																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
		From all Causes	From Principal epidemic diseases	(2)	(3)	(4)	(5)	(6)	Under 1 year of age	65 years and upwards	Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Pulmonary	Other forms	Influenza			Cancer	Pneumonia	Other																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
																				(1)	(7)				(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
COIS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															

(a) According to the Census of 1936, but in the case of the Cities of Cork, Limerick, and Waterford, the populations given are those according to the Register of Population, 1941. The population given for the City of Dublin and for the Borough of Dun Laoghaire is that estimated to the middle of 1943. The population for Belfast is that estimated to the 1st January, 1940, and that for Derry is according to the Census of 1937. (b) The annual rates for the urban districts will be shown in the quarterly return. (c) The figures for the City of Dublin include those for the former urban district of Howth.







TABLE III.—Cases of infectious diseases notified in the undermentioned urban areas during the week ended Saturday, 20th March, 1943, and during each of the three preceding weeks.

AREAS	Week ended	Typhoid fever	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis	Smallpox	Measles	Typhus	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Other diseases*	TOTAL
Dublin City	Feb. 27	1	19	18	55	18	.	3	.	7	1B, 1D, 1J, 3L, 10M, 1N	138
	March 6	1	15	15	34	29	.	3	.	6	4C, 1E, 1L, 24M	133
	March 13	1	18	44	36	26	.	1	.	7	1B, 3C, 3L, 13M	153†
	March 20	1	14	13	27	6	.	.	.	5	1C, 4L, 16M, 1N	88
Dun Laoghaire Borough	Feb. 27	.	2	.	3	.	.	.	.	.		5
	March 6	.	1	2	5	.	.	.	.	.		8
	March 13	.	.	.	2	.	.	.	.	.	1C	3
	March 20	.	2	1	4	.	.	.	.	1		8
Cork C. B.	Feb. 27	.	1	.	8	2	.	.	.	.	1K	12
	March 6	.	1	.	11	8	.	.	.	1	1B, 4M	26
	March 13	.	3	.	8	4	.	1	.	4	1C, 4M	25
	March 20	.	1	.	11	6	.	.	.	.	1C, 1M	20
Limerick C. B.	Feb. 27	.	.	.	4	.	.	.	.	.	1B, 1H	6
	March 6	1	.	.	4	.	.	.	.	.	1C	6
	March 13	.	1	.	2	.	.	.	.	.	1H	4
	March 20	.	.	1	4	.	.	.	.	.		5
Waterford C. B.	Feb. 27	.	2	2	2	3	.	.	.	2		11
	March 6	.	1	7	1	1	.	.	.	1		11
	March 13	.	.	36	2	4	.	.	.	.		42
	March 20	.	.	6	.	3	.	1	.	.		10

\*The letters in this column denote the following diseases :— (A) Undulant fever, (B) Cerebro-spinal fever, (C) Erysipelas, (D) Ophthalmia neonatorum, (E) Dysentery, (F) Malaria, (G) Relapsing fever, (H) Acute poliomyelitis, (J) Encephalitis lethargica, (K) Varicella, (L) Trachoma, (M) Diarrhoeal diseases, (N) Puerperal fever, (O) Puerperal pyrexia, (P) Pemphigus neonatorum, (Q) Pyrexia.  
†Including 30 cases of whooping cough for the period from January now notified from an institution.

TABLE IV.—Cases of the undermentioned diseases treated in Dublin hospitals during the week ended Saturday, 20th March, 1943, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of cases in hospital at close of week ended			Week ended 20th March, 1943.			
	Feb. 27	March 6	March 13	No. admitted	Discharged	Died	No. under treatment at close of week
Typhoid fever ....	7	7	7	.	.	.	7
Typhus ....	.	.	.	.	.	.	.
Smallpox ....	.	.	.	.	.	.	.
Measles ....	.	1	1	.	1	.	.
Scarlet fever ....	90	90	86	20	18	.	88
Diphtheria ....	375	366	373	34	47	1	359
Pneumonia ....	47	46	42	5	2	.	45
Diarrhoea and Enteritis	36	39	31	3	3	4	27



# EIRE

*LE HAGHAIDH NA SEIRBHISE PUIBLI*

## CUNNTAS SEACHTMHAINÉAMHAIL na mBREITH agus na mBÁS

### WEEKLY RETURNS OF BIRTHS AND DEATHS

#### FOR THE PRINCIPAL TOWNS

*By Authority of the Registrar-General.*

To be purchased through any Bookseller or directly from  
THE GOVERNMENT PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN.



No. 12 Vol. LXXX.]

WEEK ENDING SATURDAY, 27th March, 1943.

PRICE 1½d. NET.

*Oifig an Árd-Chláradóra,*

*Baile Átha Cliath.*

### PRINCIPAL TOWNS

Particulars of the Births and Deaths recorded for the **Principal Towns** are given in Table I. Deaths have been assigned so far as possible to the area of residence and those of non-residents of Éire have been excluded.

The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were represented by the following annual rates per 1,000 of the population:—

Principal Towns 16.6 and 16.2; City of Dublin 16.8 and 16.2; Borough of Dun Laoghaire 12.4 and 13.3; Cork 19.0 and 17.0; Limerick 18.4 and 17.8; and Waterford 25.6 and 19.2.

The deaths from the principal epidemic diseases\* recorded for the thirteen principal towns last week were represented by an annual rate of 1.2 per 1,000. The 4 deaths from all causes for Sligo included 2 from diarrhoea and enteritis (under 2 years of age).

**City of Dublin.**—The number of births registered during the week was 342—173 boys and 169 girls. Exclusive of those, numbering 71, occurring in institutions, of infants whose mothers were admitted from other localities, the number was 271, representing a rate of 28.2 per 1,000.

The number of deaths registered was 191—74 males and 117 females. Of the total, 30 related to persons belonging to other localities, so that the actual number of deaths for the City was 161, representing a rate of 16.8 per 1,000.

There were 2 deaths from whooping cough, one from diphtheria, and 11 from diarrhoea and enteritis (under 2 years). In the three preceding weeks deaths from whooping cough numbered one, one and 4; deaths from diphtheria one, 3 and one; and from diarrhoea and enteritis (under 2 years) 9, 15 and 7.

Tuberculosis caused 19 deaths (14 of which were from pulmonary tuberculosis, one from tuberculous meningitis and 4 from other forms of the disease), as against 20, 26 and 26 from all forms of tuberculosis in the three preceding weeks.

Thirteen deaths were caused by cancer, and 48 by diseases of the heart.

There were 11 deaths from pneumonia, comprising 6 from broncho-pneumonia, 2 from lobar pneumonia, and 3 from pneumonia (unspecified). Bronchitis caused 7 deaths.

There were 3 accidental deaths recorded.

Among the deaths of infants under one year of age, one was due to whooping cough, one to disseminated tuberculosis, one to influenza, one to convulsions, one to bronchitis, 3 to pneumonia, 11 to diarrhoea and enteritis, 3 to congenital debility, one to premature birth, and one to injury at birth.

Thirty-one of the deaths recorded during the week for the City were those of children under five years of age, 25 being infants under one year, 10 of whom were under one month old, and 64 were those of persons aged 65 years and upwards, of whom 50 were aged 70 years or over.

**CASES OF INFECTIOUS DISEASES.**—Table III shows the numbers notified in the City of Dublin and in the Boroughs; and Table IV the number of cases of certain diseases treated in Dublin Hospitals.

\* Typhoid fever, typhus, smallpox, dysentery, scarlet fever, whooping cough, diphtheria, measles, and diarrhoea and enteritis (under 2 years of age).



TABLE I.—BIRTHS and DEATHS registered during the week ended Saturday, 27th March, 1943, for the Principal Towns of Éire, with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULA- TION (a)	Annual Rate (b) per 1,000 persons		DEATHS		BIRTHS	DEATHS	Under 1 year of age		65 years and upwards	Principal epidemic diseases											CAUSED BY					Inquest Cases	In public institutions	Number uncertified
		BIRTHS	DEATHS		Typhoid fever, Typhus, Smallpox, Dysentery			Scarlet fever	Whooping cough		Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Tuber- culosis		Influenza	Cancer	Diseases respiratory system		Violence	Other Causes								
			From all Causes	From Principal epidemic diseases										Pulmonary	Other forms			Pneumonia	Other										
																						(1)	(2)	(3)	(4)	(5)			
COIS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)				
TOTAL 13 TOWNS	793,217	27.0	16.6	1.2	410	252	40	100	.	.	2	1	.	15	26	6	1	21	19	16	6	139	9	123	4				
CITY OF DUBLIN (c)	500,300	28.2	16.8	1.5	271	161	25	64	.	.	2	1	.	11	14	5	1	13	11	11	3	89	3	92	1				
BOROUGH OF DUN LAOGHAIRE	42,200	29.7	12.4	.	24	10	.	6	.	.	.	.	.	.	2	.	.	1	1	1	.	5	.	5	.				
CORK COUNTY BOROUGH	76,800	25.1	19.0	0.7	37	28	8	10	.	.	.	.	.	1	1	.	.	1	5	3	.	17	.	13	.				
LIMERICK COUNTY BOROUGH	42,500	20.9	18.4	.	17	15	2	7	.	.	.	.	.	.	2	.	.	4	.	1	.	8	3	5	.				
WATERFORD COUNTY BOROUGH	28,500	25.6	25.6	.	14	14	.	5	.	.	.	.	.	.	5	.	.	.	.	.	3	6	3	5	.				
GALWAY URBAN DISTRICT	18,294	—	—	—	3	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.				
DUNDALK URBAN DISTRICT	14,684	—	—	—	11	2	1	1	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	.	1				
DROGHEDA URBAN DISTRICT	14,494	—	—	—	16	4	.	3	.	.	.	.	.	2	.	.	.	2	.	.	.	2	.	1	.				
SLIGO URBAN DISTRICT	12,565	—	—	—	1	4	3	.	.	.	.	.	.	2	.	.	.	.	1	.	.	1	.	.	.				
WEXFORD URBAN DISTRICT	12,247	—	—	—	6	4	1	.	.	.	.	.	.	1	.	1	.	.	.	.	.	2	.	.	.				
TRALEE URBAN DISTRICT	10,285	—	—	—	1	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	1	2				
KILKENNY URBAN DISTRICT	10,237	—	—	—	6	3	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.	.	.				
BRAY URBAN DISTRICT	10,111	—	—	—	3	3	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.	1	.				
BELFAST COUNTY BOROUGH	444,500	—	—	—	244	101	30	29	.	.	1	.	.	6	9	3	.	8	11	12	—	—	—	—	—				
DERRY COUNTY BOROUGH	47,813	—	—	—	38	8	3	2	.	.	1	.	.	.	.	.	.	1	1	.	—	—	—	—	—				

(a) According to the Census of 1936, but in the case of the Cities of Cork, Limerick, and Waterford, the populations given are those according to the Register of Population, 1941. The population given for the City of Dublin and for the Borough of Dun Laoghaire is that estimated to the middle of 1943. The population for Belfast is that estimated to the 1st January, 1940, and that for Derry is according to the Census of 1937. (b) The annual rates for the urban districts will be shown in the quarterly return. (c) The figures for the City of Dublin include those for the former urban district of Howth.







TABLE III.—Cases of infectious diseases notified in the undermentioned urban areas during the week ended Saturday, 27th March, 1943, and during each of the three preceding weeks.

AREAS	Week ended	Typhoid fever	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis	Smallpox	Measles	Typhus	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Other diseases*	TOTAL
Dublin City	March 6	1	15	15	34	29	.	3	.	6	4C, 1E, 1L, 24M	133
	March 13	1	18	44	36	26	.	1	.	7	1B, 3C, 3L, 13M	153†
	March 20	1	14	13	27	6	.	.	.	5	1C, 4L, 16M, 1N	88
	March 27	.	22	18	34	14	.	5	.	9	4C, 2L, 18M	126
Dun Laoghaire Borough	March 6	.	1	2	5	.	.	.	.	.		8
	March 13	.	.	.	2	.	.	.	.	.	1C	3
	March 20	.	2	1	4	.	.	.	.	1		8
	March 27	.	2	1	3	.	.	2	.	1		9
Cork C. B.	March 6	.	1	.	11	8	.	.	.	1	1B, 4M	26
	March 13	.	3	.	8	4	.	1	.	4	1C, 4M	25
	March 20	.	1	.	11	6	.	.	.	.	1C, 1M	20
	March 27	.	.	.	10	3	.	.	.	2	3K	18
Limerick C. B.	March 6	1	.	.	4	.	.	.	.	.	1C	6
	March 13	.	1	.	2	.	.	.	.	.	1H	4
	March 20	.	.	1	4	.	.	.	.	.		5
	March 27	.	.	.	1	.	.	.	.	.		1
Waterford C. B.	March 6	.	1	7	1	1	.	.	.	1		11
	March 13	.	.	36	2	4	.	.	.	.		42
	March 20	.	.	6	.	3	.	1	.	.		10
	March 27	.	2	19	.	.	.	.	.	.	1C	22

\*The letters in this column denote the following diseases :— (A) Undulant fever, (B) Cerebro-spinal fever, (C) Erysipelas, (D) Ophthalmia neonatorum, (E) Dysentery, (F) Malaria, (G) Relapsing fever, (H) Acute poliomyelitis, (J) Encephalitis lethargica, (K) Varicella, (L) Trachoma, (M) Diarrhoeal diseases, (N) Puerperal fever, (O) Puerperal pyrexia, (P) Pemphigus neonatorum, (Q) Pyrexia.  
†Including 30 cases of whooping cough for the period from January now notified from an institution.

TABLE IV.—Cases of the undermentioned diseases treated in Dublin hospitals during the week ended Saturday, 27th March, 1943, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of cases in hospital at close of week ended			Week ended 27th March, 1943.			
	March 6	March 13	March 20	No. admitted	Discharged	Died	No. under treatment at close of week
Typhoid fever	7	7	7	.	2	.	5
Typhus	.	.	.	.	.	.	.
Smallpox	.	.	.	.	.	.	.
Measles	1	1	.	2	.	.	2
Scarlet fever	90	86	88	21	11	.	98
Diphtheria	366	373	359	37	49	2	345
Pneumonia	46	42	45	6	9	.	42
Diarrhoea and Enteritis	39	31	27	17	4	8	32



# ÉIRE

LE HAGHAIDH NA SEIRBHISE PUIBLI

## CUNNTAS SEACHTMHAINÉAMHAIL na mBREITH agus na mBAS

### WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

### PRINCIPAL TOWNS

*By Authority of the Registrar-General.*

To be purchased through any Bookseller or directly from  
THE GOVERNMENT PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN.



No. 13 Vol. LXXX.]

WEEK ENDING SATURDAY, 3rd April, 1943.

PRICE 1½d. NET.

*Oifig an Árd-Chláradóra,*

*Baile Átha Cliath.*

### PRINCIPAL TOWNS

Particulars of the Births and Deaths recorded for the **Principal Towns** are given in Table I. Deaths have been assigned so far as possible to the area of residence and those of non-residents of Éire have been excluded.

The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were represented by the following annual rates per 1,000 of the population :—

Principal Towns 16.6 and 16.5; City of Dublin 15.7 and 16.4; Borough of Dun Laoghaire 14.8 and 13.0; Cork 17.7 and 17.0; Limerick 19.6 and 19.0; and Waterford 32.9 and 24.2.

The deaths from the principal epidemic diseases\* recorded for the thirteen principal towns last week were represented by an annual rate of 1.0 per 1,000. Included in the 16 deaths for Limerick was one from diphtheria and one from diarrhoea and enteritis (under 2 years) and of the 18 deaths recorded for Waterford one was from whooping cough and one from diarrhoea and enteritis (under 2 years). Included in the 12 deaths for Dun Laoghaire were 2 from diarrhoea and enteritis.

**City of Dublin.**—The number of births registered during the week was 305—170 boys and 135 girls. Exclusive of those, numbering 51, occurring in institutions, of infants whose mothers were admitted from other localities, the number was 254, representing a rate of 26.5 per 1,000.

The number of deaths registered was 177—85 males and 92 females. Of the total, 26 related to persons belonging to other localities, so that the actual number of deaths for the City was 151, representing a rate of 15.7 per 1,000.

There were 2 deaths from diphtheria, and 7 from diarrhoea and enteritis (under 2 years). In the three preceding weeks deaths from diphtheria numbered 3, one and one; and from diarrhoea and enteritis (under 2 years) 15, 7 and 11.

Tuberculosis caused 23 deaths (18 of which were from pulmonary tuberculosis, 3 from tuberculous meningitis and 2 from other forms of the disease), as against 26, 26 and 19 from all forms of tuberculosis in the three preceding weeks.

Eight deaths were caused by cancer, and 40 by diseases of the heart.

There were 7 deaths from broncho-pneumonia. Bronchitis caused 7 deaths.

There was one accidental death recorded, and one death by suicide.

Among the deaths of infants under one year of age, one was due to cerebro-spinal fever, one to diphtheria, one to convulsions, three to bronchitis, three to broncho-pneumonia, seven to diarrhoea and enteritis, one to congenital malformations, three to congenital debility, four to premature birth, and one to injury at birth.

Thirty-three of the deaths recorded during the week for the City were those of children under five years of age, 28 being infants under one year, 14 of whom were under one month old, and 61 were those of persons aged 65 years and upwards, of whom 50 were aged 70 years or over.

**CASES OF INFECTIOUS DISEASES.**—Table III shows the numbers notified in the City of Dublin and in the Boroughs; and Table IV the number of cases of certain diseases treated in Dublin Hospitals.

\* Typhoid fever, typhus, smallpox, dysentery, scarlet fever, whooping cough, diphtheria, measles, and diarrhoea and enteritis (under 2 years of age).



TABLE I.—BIRTHS and DEATHS registered during the week ended Saturday, 3rd April, 1943, for the Principal Towns of Éire, with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULA- TION (a)	Annual Rate (b) per 1,000 persons		DEATHS		BIRTHS	DEATHS	BIRTHS	CAUSED BY																				Inquest Cases	In public institutions	Number uncertified
				DEATHS					Principal epidemic diseases																Tuber- culosis		Diseases respiratory system				
		From all Causes	From Principal epidemic diseases	(2)	(3)	(4)	(5)	(6)	(7)	(8)	Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Pulmonary	Other forms	Influenza	Cancer	Pneumonia	Other									
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)					
		COIS.																													
TOTAL 13 TOWNS	793,217	26.2	16.6	1.0	398	253	41	106	.	.	1	3	.	11	27	6	2	16	10	18	11	148	10	121	7						
CITY OF DUBLIN (c)	500,300	26.5	15.7	0.9	254	151	28	61	.	.	.	2	.	7	18	5	2	8	7	11	2	89	1	75	3						
BOROUGH OF DUN LAOGHAIRE	42,200	22.2	14.8	2.5	18	12	2	8	.	.	.	.	.	2	.	1	.	1	.	3	1	4	1	5	.						
CORK COUNTY BOROUGH	76,800	20.4	17.7	.	30	26	3	14	.	.	.	.	.	.	2	.	.	3	1	.	.	20	.	18	2						
LIMERICK COUNTY BOROUGH	42,500	34.4	19.6	2.5	28	16	3	5	.	.	.	1	.	1	2	.	.	.	.	2	.	10	.	7	1						
WATERFORD COUNTY BOROUGH	28,500	25.6	32.9	3.7	14	18	2	6	.	.	1	.	.	1	.	.	.	.	.	.	7	9	7	6	.						
GALWAY URBAN DISTRICT	18,294	—	—	—	9	6	1	1	.	.	.	.	.	.	1	.	.	.	.	.	1	4	1	3	.						
DUNDALK URBAN DISTRICT	14,684	—	—	—	11	3	.	3	.	.	.	.	.	.	.	.	.	1	.	1	.	1	.	1	.						
DROGHEDA URBAN DISTRICT	14,494	—	—	—	7	4	1	.	.	.	.	.	.	.	1	.	.	.	1	.	.	2	.	1	.						
SLIGO URBAN DISTRICT	12,565	—	—	—	9	3	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.	2	.						
WEXFORD URBAN DISTRICT	12,247	—	—	—	1	3	.	.	.	.	.	.	.	.	1	.	.	1	.	.	.	1	.	.	.						
TRALEE URBAN DISTRICT	10,285	—	—	—	6	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1						
KILKENNY URBAN DISTRICT	10,237	—	—	—	9	4	1	2	.	.	.	.	.	.	1	.	.	.	.	.	.	3	.	1	.						
BRAY URBAN DISTRICT	10,111	—	—	—	2	5	.	2	.	.	.	.	.	.	1	.	.	2	1	1	.	.	2	.	.						
BELFAST COUNTY BOROUGH	444,500	—	—	—	215	141	36	46	.	.	1	.	.	4	8	1	1	17	16	13	—	—	—	—	—						
DERRY COUNTY BOROUGH	47,813	—	—	—	23	20	5	7	.	.	.	.	.	.	.	.	.	2	5	1	—	—	—	—	—						

(a) According to the Census of 1936, but in the case of the Cities of Cork, Limerick, and Waterford, the populations given are those according to the Register of Population, 1941. The population given for the City of Dublin and for the Borough of Dun Laoghaire is that estimated to the middle of 1943. The population for Belfast is that estimated to the 1st January, 1940, and that for Derry is according to the Census of 1937. (b) The annual rates for the urban districts will be shown in the quarterly return. (c) The figures for the City of Dublin include those for the former urban district of Howth.



TABLE II.—Deaths registered during the week ended Saturday, 3rd April, 1943, for the City of Dublin and the County Borough of Cork by Registrars' Districts

[illegible]



TABLE III.—Cases of infectious diseases notified in the undermentioned urban areas during the week ended Saturday, 3rd April, 1943, and during each of the three preceding weeks.

AREAS	Week ended	Typhoid fever	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis	Smallpox	Measles	Typhus	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Other diseases*	TOTAL
Dublin City	March 13	1	18	44	36	26	.	1	.	7	1B, 3C, 3L, 13M	153†
	March 20	1	14	13	27	6	.	.	.	5	1C, 4L, 16M, 1N	88
	March 27	.	22	18	34	14	.	5	.	9	4C, 2L, 18M	126
	April 3	1	15	9	22	13	.	4	.	9	2B, 2C, 7L, 25M, 2N	111
Dun Laoghaire Borough	March 13	.	.	.	2	.	.	.	.	.	1C	3
	March 20	.	2	1	4	.	.	.	.	1		8
	March 27	.	2	1	3	.	.	2	.	1		9
	April 3	.	2	.	4	.	.	.	.	.		6
Cork C. B.	March 13	.	3	.	8	4	.	1	.	4	1C, 4M	25
	March 20	.	1	.	11	6	.	.	.	.	1C, 1M	20
	March 27	.	.	.	10	3	.	.	.	2	3K	18
	April 3	.	1	.	15	2	.	.	.	.	3K	21
Limerick C. B.	March 13	.	1	.	2	.	.	.	.	.	1H	4
	March 20	.	.	1	4	.	.	.	.	.		5
	March 27	.	.	.	1	.	.	.	.	.		1
	April 3	.	1	.	1	.	.	.	.	.		2
Waterford C. B.	March 13	.	.	36	2	4	.	.	.	.		42
	March 20	.	.	6	.	3	.	1	.	.		10
	March 27	.	2	19	.	.	.	.	.	.	1C	22
	April 3	.	3	1	3	2	.	.	.	.		9

\*The letters in this column denote the following diseases :— (A) Undulant fever, (B) Cerebro-spinal fever, (C) Erysipelas, (D) Ophthalmia neonatorum, (E) Dysentery, (F) Malaria, (G) Relapsing fever, (H) Acute poliomyelitis, (J) Encephalitis lethargica, (K) Varicella, (L) Trachoma, (M) Diarrhoeal diseases, (N) Puerperal fever, (O) Puerperal pyrexia, (P) Pemphigus neonatorum, (Q) Pyrexia.

†Including 30 cases of whooping cough for the period from January now notified from an institution.

TABLE IV.—Cases of the undermentioned diseases treated in Dublin hospitals during the week ended Saturday, 3rd April, 1943, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of cases in hospital at close of week ended			Week ended 3rd April, 1943.			
	March 13	March 20	March 27	No. admitted	Discharged	Died	No. under treatment at close of week
Typhoid fever	7	7	5	.	.	.	5
Typhus	.	.	.	.	.	.	.
Smallpox	.	.	.	.	.	.	.
Measles	1	.	2	.	.	.	2
Scarlet fever	86	88	98	15	13	.	100
Diphtheria	373	359	345	53	29	2	367
Pneumonia	42	45	42	11	3	1	49
Diarrhoea and Enteritis	31	27	32	8	3	5	32



## CUNNTAS SEACHTMHAINÉAMHAIL na mBREITH agus na mBÁS

## WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE  
PRINCIPAL TOWNS*By Authority of the Registrar-General.*

To be purchased through any Bookseller or directly from  
THE GOVERNMENT PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN.

No. 14 Vol. LXXX.]

WEEK ENDING SATURDAY, 10th April, 1943.

PRICE 1½d. NET.

*Oifig an Árd-Chláradóra,**Baile Átha Cliath.*

## PRINCIPAL TOWNS

Particulars of the Births and Deaths recorded for the **Principal Towns** are given in Table I. Deaths have been assigned so far as possible to the area of residence and those of non-residents of Éire have been excluded.

The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were represented by the following annual rates per 1,000 of the population :—

Principal Towns 15.8 and 16.5; City of Dublin 15.6 and 16.3; Borough of Dun Laoghaire 14.8 and 13.6; Cork 18.3 and 17.3; Limerick 25.8 and 22.7; and Waterford 12.8 and 22.9.

The deaths from the principal epidemic diseases\* recorded for the thirteen principal towns last week were represented by an annual rate of 1.7 per 1,000. Included in the 12 deaths from all causes for Dun Laoghaire was one from diphtheria, and one from diarrhoea and enteritis (under 2 years). The 27 deaths for Cork included 2 from diarrhoea and enteritis (under 2 years) and 3 of the 7 deaths for Waterford were from diarrhoea and enteritis (under 2 years).

**City of Dublin.**—The number of births registered during the week was 374—180 boys and 194 girls. Exclusive of those, numbering 76, occurring in institutions, of infants whose mothers were admitted from other localities, the number was 298, representing a rate of 31.1 per 1,000.

The number of deaths registered was 173—94 males and 79 females. Of the total, 23 related to persons belonging to other localities, so that the actual number of deaths for the City was 150, representing a rate of 15.6 per 1,000.

There was one death from typhoid fever, 3 from whooping cough, four from diphtheria, and 11 from diarrhoea and enteritis (under 2 years). In the three preceding weeks deaths from whooping cough numbered 4, 2 and 0; from diphtheria one, one and 2; and from diarrhoea and enteritis (under 2 years) 7, 11 and 7. There were no deaths from typhoid fever for the three preceding weeks.

Tuberculosis caused 27 deaths (22 of which were from pulmonary tuberculosis, 3 from tuberculous meningitis and 2 from other forms of the disease), as against 26, 19 and 23 from all forms of tuberculosis in the three preceding weeks.

Seven deaths were caused by cancer, and 26 by diseases of the heart.

There was one death from broncho-pneumonia, and one from lobar pneumonia. Bronchitis caused 3 deaths.

There were 5 accidental deaths recorded.

Among the deaths of infants under one year of age, 3 were due to whooping cough, one to pulmonary tuberculosis, one to tuberculous meningitis, and one to convulsions, two to bronchitis, one to broncho-pneumonia, 11 to diarrhoea and enteritis, 2 to congenital malformations, three to congenital debility, and seven to premature birth.

Forty-three of the deaths recorded during the week for the City were those of children under five years of age, 36 being infants under one year, 17 of whom were under one month old, and 48 were those of persons aged 65 years and upwards, of whom 35 were aged 70 years or over.

**CASES OF INFECTIOUS DISEASES.**—Table III shows the numbers notified in the City of Dublin and in the Boroughs; and Table IV the number of cases of certain diseases treated in Dublin Hospitals.

\* Typhoid fever, typhus, smallpox, dysentery, scarlet fever, whooping cough, diphtheria, measles, and diarrhoea and enteritis (under 2 years of age).





TABLE I.—BIRTHS and DEATHS registered during the week ended Saturday, 10th April, 1943, for the Principal Towns of Éire, with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULA- TION (a)	Annual Rate (b) per 1,000 persons		DEATHS		DEATHS	Under 1 year of age	65 years and upwards	CAUSED BY														Inquest Cases	In public institutions	Number uncertified	
		DEATHS		Principal epidemic diseases																						
		BIRTHS	DEATHS		Principal epidemic diseases								Tuber- culosis		Cancer	Diseases respiratory system			Violence	Other Causes						
			BIRTHS	From all Causes	From Principal epidemic diseases				Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)		Pulmonary	Other forms	Influenza			Pneumonia	Other				
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)		
TOTAL 13 TOWNS	793,217	28.9	15.8	1.7	440	241	49	85	1	3	5	.	17	33	5	.	12	6	15	6	138	11	126	3		
CITY OF DUBLIN (c)	500,300	31.1	15.6	2.0	298	150	36	48	1d	3	4	.	11	22	5	.	7	2	6	5	84	5	87	2		
BOROUGH OF DUN LAOGHAIRE	42,200	32.1	14.8	2.5	26	12	1	6	.	.	1	.	1	1	.	.	2	.	.	.	7	.	9	.		
CORK COUNTY BOROUGH	76,800	22.4	18.3	1.4	33	27	5	8	.	.	.	.	2	4	.	.	1	1	5	1	13	1	13	.		
LIMERICK COUNTY BOROUGH	42,500	23.3	25.8	.	19	21	5	8	.	.	.	.	.	3	.	.	1	1	2	.	14	5	6	.		
WATERFORD COUNTY BOROUGH	28,500	20.1	12.8	5.5	11	7	2	2	.	.	.	.	3	.	.	.	.	.	.	.	4	.	.	.		
GALWAY URBAN DISTRICT	18,294	—	—	—	11	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.		
DUNDALK URBAN DISTRICT	14,684	—	—	—	8	6	.	3	.	.	.	.	.	1	.	.	1	.	1	.	3	.	4	.		
DRÓGHEDA URBAN DISTRICT	14,494	—	—	—	17	7	.	3	.	.	.	.	.	1	.	.	.	1	1	.	4	.	4	.		
SLIGO URBAN DISTRICT	12,565	—	—	—	2	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	3	.	2	.		
WEXFORD URBAN DISTRICT	12,247	—	—	—	4	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.		
TRALEE URBAN DISTRICT	10,285	—	—	—	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.		
KILKENNY URBAN DISTRICT	10,237	—	—	—	6	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1		
BRAY URBAN DISTRICT	10,111	—	—	—	2	3	.	2	.	.	.	.	.	1	.	.	.	.	.	.	2	.	.	.		
BELFAST COUNTY BOROUGH	444,500	—	—	—	218	119	26	43	.	.	1	1	4	10	4	.	9	13	6	—	—	—	—	—		
DERRY COUNTY BOROUGH	47,813	—	—	—	23	9	.	6	.	.	.	.	.	.	.	.	.	.	.	—	—	—	—	—		

(a) According to the Census of 1936, but in the case of the Cities of Cork, Limerick, and Waterford, the populations given are those according to the Register of Population, 1941. The population given for the City of Dublin and for the Borough of Dun Laoghaire is that estimated to the middle of 1943. The population for Belfast is that estimated to the 1st January, 1940, and that for Derry is according to the Census of 1937. (b) The annual rates for the urban districts will be shown in the quarterly return. (c) The figures for the City of Dublin include those for the former urban district of Howth. (d) typhoid fever.



TABLE II.—Deaths registered during the week ended Saturday, 10th April, 1943, for the City of Dublin and the County Borough of Cork by Registrars' Districts

REGISTRARS' DISTRICTS, &c.		AGES AT DEATH												DEATHS FROM												Inquest cases	In public institutions	Number uncertified
		Principal epidemic diseases							Tuber- culosis		Influenza	Cancer	Diseases of respi- ratory system		Violence	Other causes												
		Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Pulmonary	Other forms																			
										(10)			(11)	(12)			(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)			
TOTAL DEATHS		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	
DUBLIN.																												
NORTH CITY	No. 1 EAST	4	1	1	1	1	1	1	5	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
"	No. 1 WEST	14	3	1	1	1	1	1	5	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
"	No. 2	5	3	1	1	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
"	No. 3	10	3	1	1	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
"	No. 4	6	2	1	1	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
BLANCHARDSTOWN AND CASTLEKNOCK, PT. OF																												
CLONTARF AND HOWTH,	Nos. 1 & 2, PT. OF	6	1	1	1	1	1	1	3	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
COOLOCK & DRUMCONDRA,	Nos. 1 & 2, PT. OF	14	4	1	1	1	1	1	3	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
FINGLAS AND GLASNEVIN,	Nos. 1 & 2, PT. OF	5	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
SOUTH CITY																												
"	No. 1	10	2	1	1	1	1	1	2	3	1 <sup>a</sup>	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	
"	No. 2	5	3	1	1	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
"	No. 3	12	1	1	1	1	1	1	2	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
"	No. 4	12	3	1	2	1	1	1	2	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
"	No. 5	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
"	No. 6	4	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
CLONDALKIN, PART OF																												
CRUMLIN, PART OF		5	3	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	2	1	1	1	1	1	1	1	
DONNYBROOK,	Nos. 1 AND 2	16	3	1	1	1	1	1	3	8	1	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	
RATHFARNHAM,	PART OF	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
RATHMINES,	Nos. 1 AND 2	13	1	1	1	1	3	1	5	5	1	1	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1	
TERENURE,	PART OF	6	1	1	1	1	1	1	2	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
TOTAL		150	36	4	3	3	8	15	33	48	1	1	3	4	1	11	22	5	7	7	2	6	5	84	5	87	2	
CORK.																												
CORK URBAN,	No. 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
"	2	8	1	1	1	1	1	1	3	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
"	3	7	1	1	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
"	4	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
"	5	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
"	6	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
"	7	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
TOTAL		27	5	1	1	1	1	2	10	8	1	1	1	1	1	2	4	1	1	1	1	5	1	13	1	13	1	

(a) typhoid fever

TABLE III.—Cases of infectious diseases notified in the undermentioned urban areas during the week ended Saturday, 10th April, 1943, and during each of the three preceding weeks.

AREAS	Week ended	Typhoid fever	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis	Smallpox	Measles	Typhus	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Other diseases*	TOTAL
Dublin City	March 20	1	14	13	27	6	.	.	.	5	1C, 4L, 16M, 1N	88
	March 27	.	22	18	34	14	.	5	.	9	4C, 2L, 18M	126
	April 3	1	15	9	22	13	.	4	.	9	2B, 2C, 7L, 25M, 2N	111
	April 10	.	12	6	28	14	.	.	.	4	3B, 2C, 1D, 1L, 14M	85
Dun Laoghaire Borough	March 20	.	2	1	4	.	.	.	.	1		8
	March 27	.	2	1	3	.	.	2	.	1		9
	April 3	.	2	.	4	.	.	.	.	.		6
	April 10	.	1	.	9	.	.	.	.	.	1C	11
Cork C. B.	March 20	.	1	.	11	6	.	.	.	.	1C, 1M	20
	March 27	.	.	.	10	3	.	.	.	2	3K	18
	April 3	.	1	.	15	2	.	.	.	.	3K	21
	April 10	.	.	.	6	6	.	.	.	.	1K, 2M	15
Limerick C. B.	March 20	.	.	1	4	.	.	.	.	.		5
	March 27	.	.	.	1	.	.	.	.	.		1
	April 3	.	1	.	1	.	.	.	.	.		2
	April 10	.	.	.	.	.	.	.	.	.		.
Waterford C. B.	March 20	.	.	6	.	3	.	1	.	.		10
	March 27	.	2	19	.	.	.	.	.	.	1C	22
	April 3	.	3	1	3	2	.	.	.	.		9
	April 10	.	.	.	.	1	.	.	.	.	1O	2

\*The letters in this column denote the following diseases :— (A) Undulant fever, (B) Cerebro-spinal fever, (C) Erysipelas, (D) Ophthalmia neonatorum, (E) Dysentery, (F) Malaria, (G) Relapsing fever, (H) Acute poliomyelitis, (J) Encephalitis lethargica, (K) Varicella, (L) Trachoma, (M) Diarrhoeal diseases, (N) Puerperal fever, (O) Puerperal pyrexia, (P) Pemphigus neonatorum, (Q) Pyrexia.

TABLE IV.—Cases of the undermentioned diseases treated in Dublin hospitals during the week ended Saturday, 10th April, 1943, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of cases in hospital at close of week ended			Week ended 10th April, 1943.			
	March 20	March 27	April 3	No. admitted	Discharged	Died	No. under treatment at close of week
Typhoid fever	7	5	5	.	4	1	.
Typhus	.	.	.	.	.	.	.
Smallpox	.	.	.	.	.	.	.
Measles	.	2	2	2	1	.	3
Scarlet fever	88	98	100	10	21	.	89
Diphtheria	359	345	367	42	50	5	354
Pneumonia	45	42	49	8	12	.	45
Diarrhoea and Enteritis	27	32	32	4	.	5	31



## CUNNTAS SEACHTMHAINÉAMHAIL na mBREITH agus na mBÁS

## WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

## PRINCIPAL TOWNS

*By Authority of the Registrar-General.*

To be purchased through any Bookseller or directly from  
THE GOVERNMENT PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN.

No. 15 Vol. LXXX.]

WEEK ENDING SATURDAY, 17th April, 1943.

PRICE 1½d. NET.

*Oifig an Árd-Chláradóra,**Baile Átha Cliath.*

## PRINCIPAL TOWNS

Particulars of the Births and Deaths recorded for the Principal Towns are given in Table I. Deaths have been assigned so far as possible to the area of residence and those of non-residents of Eire have been excluded.

The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were represented by the following annual rates per 1,000 of the population :—

Principal Towns 15.3 and 16.1; City of Dublin 16.3 and 16.1; Borough of Dun Laoghaire 18.5 and 15.1; Cork 13.6 and 17.2; Limerick 11.0 and 18.7; and Waterford 11.0 and 20.6.

The deaths from the principal epidemic diseases\* recorded for the thirteen principal towns last week were represented by an annual rate of 0.9 per 1,000. Included in the 15 deaths from all causes for Dun Laoghaire was one from diphtheria, and one from diarrhoea and enteritis (under 2 years). The 20 deaths for Cork included one from whooping cough, and of the 6 deaths for Waterford one was from whooping cough.

**City of Dublin.**—The number of births registered during the week was 304—148 boys and 156 girls. Exclusive of those, numbering 43, occurring in institutions, of infants whose mothers were admitted from other localities, the number was 261, representing a rate of 27.2 per 1,000.

The number of deaths registered was 173—84 males and 89 females. Of the total, 17 related to persons belonging to other localities, so that the actual number of deaths for the City was 156, representing a rate of 16.3 per 1,000.

There was one death from whooping cough, one from diphtheria, and 8 from diarrhoea and enteritis (under 2 years). In the three preceding weeks deaths from whooping cough numbered 2, 0 and 3; from diphtheria one, 2 and 4; and from diarrhoea and enteritis (under 2 years) 11, 4 and 11.

Tuberculosis caused 16 deaths (9 of which were from pulmonary tuberculosis, 2 from tuberculous meningitis and 5 from other forms of the disease), as against 19, 16 and 27 from all forms of tuberculosis in the three preceding weeks.

Fifteen deaths were caused by cancer, and 32 by diseases of the heart.

There were 4 deaths from broncho-pneumonia, one from lobar pneumonia, and 2 from pneumonia unspecified. Bronchitis caused 9 deaths.

There were 2 accidental deaths recorded.

\* Among the deaths of infants under one year of age, one was due to whooping cough, 2 to bronchitis, 4 to broncho-pneumonia, 8 to diarrhoea and enteritis, one to congenital malformations, 6 to congenital debility and 7 to premature birth.

Forty-one of the deaths recorded during the week for the City were those of children under five years of age, 38 being infants under one year, 25 of whom were under one month old, and 56 were those of persons aged 65 years and upwards, of whom 42 were aged 70 years or over.

**CASES OF INFECTIOUS DISEASES.**—Table III shows the numbers notified in the City of Dublin and in the Boroughs; and Table IV the number of cases of certain diseases treated in Dublin Hospitals.

\* Typhoid fever, typhus, smallpox, dysentery, scarlet fever, whooping cough, diphtheria, measles and diarrhoea and enteritis (under 2 years of age).

TABLE I.—BIRTHS and DEATHS registered during the week ended Saturday, 17th April, 1943, for the Principal Towns of Éire, with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULA- TION (a)	Annual Rate (b) per 1,000 persons		BIRTHS		DEATHS		BIRTHS		DEATHS		CAUSED BY																
												Principal epidemic diseases																
		DEATHS		From all Causes		From Principal epidemic diseases		Under 1 year of age		65 years and upwards		Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Tuber- culosis		Influenza	Cancer	Diseases respiratory system		Violence	Other Causes	Inquest Cases	In public institutions	Number uncertified
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)		
		793,217	26.4	15.3	0.9	401	233	51	92	.	.	3	2	.	.	9	15	8	1	18	11	17	3	146	4	133	1	
	Cois.	500,300	27.2	16.3	1.0	261	156	38	56	.	.	1	1	.	.	8	9	7	.	15	7	10	2	96	2	93	.	
	TOTAL 13 TOWNS	42,200	29.7	18.5	2.5	24	15	3	4	.	.	.	.	.	.	1	.	1	.	.	1	1	1	9	.	11	.	
	CITY OF DUBLIN (c)	76,800	18.3	13.6	0.7	27	20	1	11	.	.	1	.	.	.	.	.	.	.	.	.	2	.	17	.	15	.	
	BOROUGH OF DUN LAOGHAIRE	42,500	20.9	11.0	.	17	9	2	4	.	.	.	.	.	.	.	2	.	.	.	.	2	.	6	1	5	.	
	CORK COUNTY BOROUGH	28,500	29.3	11.0	1.8	16	6	1	3	.	.	1	.	.	.	.	.	.	.	.	.	.	3	.	1	2	.	
	LIMERICK COUNTY BOROUGH	18,294	—	—	—	6	6	2	4	.	.	.	.	.	.	.	.	.	.	.	.	.	5	1	1	.	.	
	WATERFORD COUNTY BOROUGH	14,684	—	—	—	13	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
	GALWAY URBAN DISTRICT	14,494	—	—	—	11	5	1	2	.	.	.	.	.	.	.	2	.	.	1	.	.	.	2	.	1	.	
	DUNDALK URBAN DISTRICT	12,565	—	—	—	2	3	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	
	DROGHEDA URBAN DISTRICT	12,247	—	—	—	6	3	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	1	.	
	SLIGO URBAN DISTRICT	10,285	—	—	—	7	3	1	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	2	.	
	WEXFORD URBAN DISTRICT	10,237	—	—	—	3	4	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	1	1	
	TRALEE URBAN DISTRICT	10,111	—	—	—	8	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.	
	KILKENNY URBAN DISTRICT																											
	BRAY URBAN DISTRICT																											
	BELFAST COUNTY BOROUGH	444,500	—	—	—	217	111	23	38	.	.	1	.	2	.	4	11	.	1	12	10	9	—	—	—	—	—	
	DERRY COUNTY BOROUGH	47,813	—	—	—	38	18	3	4	.	.	.	.	.	.	.	.	2	.	3	1	.	—	—	—	—	—	

(a) According to the Census of 1936, but in the case of the Cities of Cork, Limerick, and Waterford, the populations given are those according to the Register of Population, 1941. The population given for the City of Dublin and for the Borough of Dun Laoghaire is that estimated to the middle of 1938. The population for Belfast is that estimated to the 1st January, 1940, and that for Derry is according to the Census of 1937. (b) The annual rates for the urban districts will be shown in the quarterly return. (c) The figures for the City of Dublin include those for the former urban district of Howth.



TABLE II.—Deaths registered during the week ended Saturday, 17th April, 1943, for the City of Dublin and the County Borough of Cork by Registrars' Districts

REGISTRARS' DISTRICTS, &c.		AGES AT DEATH											DEATHS FROM											Inquest cases	In public institutions	Number uncertified	
		Principal epidemic diseases							Tuber- culosis		Influenza	Cancer	Disases of respi- ratory system		Violence	Other causes											
		Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Pulmonary	Other forms																		
TOTAL DEATHS		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
DUBLIN.																											
NORTH CITY	No. 1 EAST	10	2	•	•	•	•	1	5	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
"	No. 1 WEST	10	3	•	•	•	•	•	2	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
"	No. 2	9	2	•	•	•	•	•	3	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
"	No. 3	8	2	•	•	•	•	•	4	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
"	No. 4	•	•	•	•	•	•	•	1	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
BLANCHARDSTOWN AND CASTLEKNOCK, PT. OF																											
CLONTARF AND HOWTH, NOS. 1 & 2, PT. OF	•	4	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
COOLOCK & DRUMCONDRA, NOS. 1 & 2, PT. OF	9	3	•	•	•	•	•	•	1	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
FINGLAS AND GLASNEVIN, NOS. 1 & 2, PT. OF	12	2	•	•	•	•	•	•	6	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
SOUTH CITY																											
No. 1	4	2	•	•	•	•	•	•	2	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
"	No. 2	3	•	•	•	•	•	•	1	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
"	No. 3	13	8	•	•	•	•	•	5	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
"	No. 4	6	2	•	•	•	•	•	1	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
"	No. 5	15	6	•	•	•	•	•	1	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
"	No. 6	7	1	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
CLONDALKIN, PART OF																											
CRUMLIN, PART OF	1	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
DONNYBROOK, NOS. 1 AND 2	9	4	•	•	•	•	•	•	1	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
RATHFARNHAM, PART OF	9	2	•	•	•	•	•	•	1	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
RATHMINES, NOS. 1 AND 2	17	3	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
TERENURE, PART OF	4	1	•	•	•	•	•	•	2	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
TOTAL		156	38	•	3	4	8	7	40	56	•	•	1	1	•	•	8	9	7	15	7	10	2	96	2	93	•
CORK.																											
CORK URBAN, No. 1	3	•	•	•	•	•	•	•	1	1	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
"	2	2	•	•	•	•	•	•	2	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
"	3	2	•	•	•	•	•	•	1	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
"	4	2	•	•	•	•	•	•	1	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
"	5	2	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
"	6	2	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
"	7	6	1	•	•	•	•	•	1	5	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
TOTAL		20	1	1	1	•	1	•	5	11	•	•	1	•	•	•	•	•	•	•	•	2	•	17	•	15	•

TABLE III.—Cases of infectious diseases notified in the undermentioned urban areas during the week ended Saturday, 17th April, 1943, and during each of the three preceding weeks.

AREAS	Week ended	Typhoid fever	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis	Smallpox	Measles	Typhus	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Other diseases*	TOTAL
Dublin City	March 27	.	22	18	34	14	.	5	.	9	4C, 2L, 18M	126
	April 3	1	15	9	22	13	.	4	.	9	2B, 2C, 7L, 25M, 2N	111
	April 10	.	12	6	28	14	.	.	.	4	3B, 2C, 1D, 1L, 14M	85
	April 17	1	16	13	40	11	.	4	.	11	1B, 4C, 36M, 1N	138
Dun Laoghaire Borough	March 27	.	2	1	3	.	.	2	.	1		9
	April 3	.	2	.	4	.	.	.	.	.		6
	April 10	.	1	.	9	.	.	.	.	.	1C	11
	April 17	.	.	.	4	.	.	.	.	.		4
Cork C. B.	March 27	.	.	.	10	3	.	.	.	2	3K	18
	April 3	.	1	.	15	2	.	.	.	.	3K	21
	April 10	.	.	.	6	6	.	.	.	.	1K, 2M	15
	April 17	.	.	.	6	4	.	.	.	.	1C, 4K	15
Limerick C. B.	March 27	.	.	.	1	.	.	.	.	.		1
	April 3	.	1	.	1	.	.	.	.	.		2
	April 10	.	.	.	.	.	.	.	.	.		.
	April 17	.	2	.	.	.	.	.	.	.	1C	3
Waterford C. B.	March 27	.	2	19	.	.	.	.	.	.	1C	22
	April 3	.	3	1	3	2	.	.	.	.		9
	April 10	.	.	.	.	1	.	.	.	.	1O	2
	April 17	.	3	11	.	2	.	.	.	1		17

\*The letters in this column denote the following diseases:— (A) Undulant fever, (B) Cerebro-spinal fever, (C) Erysipelas, (D) Ophthalmia neonatorum, (E) Dysentery, (F) Malaria, (G) Relapsing fever, (H) Acute poliomyelitis, (J) Encephalitis lethargica, (K) Varicella, (L) Trachoma, (M) Diarrhoeal diseases, (N) Puerperal fever, (O) Puerperal pyrexia, (P) Pemphigus neonatorum, (Q) Pyrexia.

TABLE IV.—Cases of the undermentioned diseases treated in Dublin hospitals during the week ended Saturday, 17th April, 1943, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of cases in hospital at close of week ended			Week ended 17th April, 1943.			
	March 27	April 3	April 10	No. admitted	Dis-charged	Died	No. under treatment at close of week
Typhoid fever	5	5	.	1	.	.	1
Typhus	.	.	.	.	.	.	.
Smallpox	.	.	.	.	.	.	.
Measles	2	2	3	1	2	.	2
Scarlet fever	98	100	89	19	17	1	90
Diphtheria	345	367	354	64	50	4	364
Pneumonia	42	49	45	14	10	1	48
Diarrhoea and Enteritis	32	32	31	10	2	3	36



# ÉIRE

LE hAGHAIDH NA SEIRBHISE PUIBLI

## CUNNTAS SEACHTMHAINÉAMHAIL na mBREITH agus na mBÁS

### WEEKLY RETURNS OF BIRTHS AND DEATHS

#### FOR THE PRINCIPAL TOWNS

*By Authority of the Registrar-General.*

To be purchased through any Bookseller or directly from  
THE GOVERNMENT PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN.



No. 16 Vol. LXXX.]

WEEK ENDING SATURDAY, 24th April, 1943.

PRICE 1½d. NET.

*Oifig an Árd-Chláradóra,*

*Baile Átha Cliath.*

### PRINCIPAL TOWNS

Particulars of the Births and Deaths recorded for the Principal Towns are given in Table I. Deaths have been assigned so far as possible to the area of residence and those of non-residents of Eire have been excluded.

The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were represented by the following annual rates per 1,000 of the population:—

Principal Towns 12.7 and 15.1; City of Dublin 13.4 and 15.3; Borough of Dun Laoghaire 9.9 and 14.5; Cork 12.9 and 15.6; Limerick 7.4 and 16.0; and Waterford 7.3 and 16.0.

The deaths from the principal epidemic diseases\* recorded for the thirteen principal towns last week were represented by an annual rate of 1.6 per 1,000. Included in the 19 deaths from all causes for Cork were 3 from diarrhoea and enteritis (under 2 years). Included in the 4 deaths for Waterford was one from whooping cough and the 6 deaths for Drogheda included one from diarrhoea and enteritis (under 2 years).

**City of Dublin.**—The number of births registered during the week was 259—134 boys and 125 girls. Exclusive of those, numbering 43, occurring in institutions, of infants whose mothers were admitted from other localities, the number was 216, representing a rate of 22.5 per 1,000.

The number of deaths registered was 147—81 males and 66 females. Of the total, 18 related to persons belonging to other localities, so that the actual number of deaths for the City was 129, representing a rate of 13.4 per 1,000.

There was one death from scarlet fever, 2 from whooping cough, 2 from diphtheria, one from measles, and 14 from diarrhoea and enteritis (under 2 years). In the three preceding weeks deaths from whooping cough numbered 0, 3 and one; from diphtheria 2, 4 and one; and from diarrhoea and enteritis (under 2 years) 7, 11 and 8. There were no deaths from scarlet fever or measles in the three previous weeks.

Tuberculosis caused 24 deaths (19 of which were from pulmonary tuberculosis, one from tuberculous meningitis and 4 from other forms of the disease), as against 23, 27 and 16 from all forms of tuberculosis in the three preceding weeks.

Eleven deaths were caused by cancer, and 21 by diseases of the heart.

There were 4 deaths from pneumonia, comprising one from broncho-pneumonia, 2 from lobar pneumonia, and one from pneumonia unspecified. Bronchitis caused 4 deaths.

There were 2 accidental deaths recorded.

Among the deaths of infants under one year of age, one was due to diphtheria, one to convulsions, one to broncho-pneumonia, 14 to diarrhoea and enteritis, 3 to congenital malformations, 2 to congenital debility and 5 to premature birth.

Thirty-three of the deaths recorded during the week for the City were those of children under five years of age, 29 being infants under one year, 14 of whom were under one month old, and 36 were those of persons aged 65 years and upwards, of whom 25 were aged 70 years or over.

**CASES OF INFECTIOUS DISEASES.**—Table III shows the numbers notified in the City of Dublin and in the Boroughs; and Table IV the number of cases of certain diseases treated in Dublin Hospitals.

\* Typhoid fever, typhus, smallpox, dysentery, scarlet fever, whooping cough, diphtheria, measles, and diarrhoea and enteritis (under 2 years of age).

TABLE I.—BIRTHS and DEATHS registered during the week ended Saturday, 24th April, 1943, for the Principal Towns of Éire, with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULA- TION (a)	Annual Rate (b) per 1,000 persons		DEATHS																					Inquest Cases	In public institutions	Number uncertified	
				BIRTHS		DEATHS		CAUSED BY																				
		BIRTHS		DEATHS		Principal epidemic diseases																	Diseases respiratory system	Violence				Other Causes
		From all Causes	From Principal epidemic diseases	Under 1 year of age	65 years and upwards	Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Pulmonary	Other forms	Influenza	Cancer	Pneumonia	Other											
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)			
TOTAL 13 TOWNS	793,217	24.5	12.7	1.6	372	193	36	53	.	1	3	2	1	18	24	6	1	21	6	13	3	94	6	109	3			
CITY OF DUBLIN (c)	500,300	22.5	13.4	2.1	216	129	29	36	.	1	2	2	1	14	19	5	1	11	4	7	2	60	3	82	3			
BOROUGH OF DUN LAOGHAIRE	42,200	42.0	9.9	.	34	8	.	3	.	.	.	.	.	.	.	1	.	3	.	.	.	4	.	3	.			
CORK COUNTY BOROUGH	76,800	17.0	12.9	2.0	25	19	2	3	.	.	.	.	.	3	1	.	.	2	.	3	1	9	1	11	.			
LIMERICK COUNTY BOROUGH	42,500	18.4	7.4	.	15	6	1	3	.	.	.	.	.	.	.	.	.	2	.	1	.	3	2	2	.			
WATERFORD COUNTY BOROUGH	28,500	27.4	7.3	1.8	15	4	.	3	.	.	1	.	.	.	.	.	.	2	.	.	.	1	.	2	.			
GALWAY URBAN DISTRICT	18,294	—	—	—	9	5	.	2	.	.	.	.	.	.	.	.	.	.	1	.	.	3	.	1	.			
DUNDALK URBAN DISTRICT	14,684	—	—	—	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.			
DROGHEDA URBAN DISTRICT	14,494	—	—	—	17	6	3	1	.	.	.	.	.	1	.	.	.	.	.	.	.	5	.	2	.			
SLIGO URBAN DISTRICT	12,565	—	—	—	14	5	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	3	.	4	.			
WEXFORD URBAN DISTRICT	12,247	—	—	—	3	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	2	.			
TRALEE URBAN DISTRICT	10,285	—	—	—	2	2	.	1	.	.	.	.	.	.	.	.	.	.	.	2	.	2	.	.	.			
KILKENNY URBAN DISTRICT	10,237	—	—	—	16	3	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.	.	.			
BRAY URBAN DISTRICT	10,111	—	—	—	2	4	.	1	.	.	.	.	.	.	2	.	.	.	.	.	.	2	.	.	.			
BELFAST COUNTY BOROUGH	444,500	—	—	—	210	113	22	41	.	1	.	1	1	4	5	4	1	16	5	5	—	—	—	—	—			
DERRY COUNTY BOROUGH	47,813	—	—	—	28	15	2	7	.	.	.	.	.	.	1	.	.	1	2	2	—	—	—	—	—			

(a) According to the Census of 1936, but in the case of the Cities of Cork, Limerick, and Waterford, the populations given are those according to the Register of Population, 1941. The population given for the City of Dublin and for the Borough of Dun Laoghaire is that estimated to the middle of 1938. The population for Belfast is that estimated to the 1st January, 1940, and that for Derry is according to the Census of 1937. (b) The annual rates for the urban districts will be shown in the quarterly return. (c) The figures for the City of Dublin include those for the former urban district of Howth.



TABLE II.—Deaths registered during the week ended Saturday, 24th April, 1943, for the City of Dublin and the County Borough of Cork by Registrars' Districts

REGISTRARS' DISTRICTS, &c.		DEATHS																									
		AGES AT DEATH							DEATHS FROM																		
		Principal epidemic diseases							Tuber- culosis		Influenza	Cancer	Diseases of respi- ratory system		Violence	Other causes	Inquest cases	In public institutions	Number uncertified								
													Pneumonia	Other													
		Under 1 year	1—2	2—5	5—15	15—25	25—45	45—65	65 years and upwards	Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Pulmonary	Other forms	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	
DUBLIN.																											
NORTH CITY	NO. 1 EAST	7	1	1	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
"	NO. 1 WEST	13	4	1	1	1	1	2	5	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	10	3
"	NO. 2	9	1	1	1	1	2	2	1	1	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1	5	2
"	NO. 3	9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	5	2
"	NO. 4	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3	1
BLANCHARDSTOWN AND CASTLEKNOCK, PT. OF																											
CLONTARF AND HOWTH, NOS. 1 & 2, PT. OF																											
COOLOCK & DRUMCONDRA, NOS. 1 & 2, PT. OF																											
FINGLAS AND GLASNEVIN, NOS. 1 & 2, PT. OF																											
SOUTH CITY																											
"	NO. 1	11	3	1	1	2	2	2	1	1	1	1	1	1	2	2	3	1	1	1	1	1	1	1	1	8	1
"	NO. 2	9	4	1	1	1	1	2	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	6	1
"	NO. 3	7	1	1	1	1	1	2	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	7	1
"	NO. 4	9	1	1	1	1	1	2	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	6	1
"	NO. 5	6	1	1	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	6	1
"	NO. 6	2	1	1	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	6	1
CLONDALKIN, PART OF																											
CRUMLIN, PART OF																											
DUNYEROCK, NOS. 1 AND 2																											
RATHFARNHAM, PART OF																											
RATHMINES, NOS. 1 AND 2																											
TERENURE, PART OF																											
TOTAL		129	29	3	6	9	13	32	36	1	1	2	2	1	14	19	5	1	11	4	7	2	60	3	82	3	
CORK.																											
CORK URBAN, No. 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
"	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
"	3	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
"	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
"	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
"	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
"	7	6	1	1	1	1	1	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
TOTAL		19	2	1	1	1	4	9	3	1	1	2	1	1	3	1	1	1	1	2	3	1	9	1	11	1	1

TABLE III.—Cases of infectious diseases notified in the undermentioned urban areas during the week ended Saturday, 24th April, 1943, and during each of the three preceding weeks.

AREAS	Week ended	Typhoid fever	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis	Smallpox	Measles	Typhus	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Other diseases*	TOTAL
Dublin City	April 3	1	15	9	22	13	.	4	.	9	2B, 2C, 7L, 25M, 2N	111
	April 10	.	12	6	28	14	.	.	.	4	3B, 2C, 1D, 1L, 14M	85
	April 17	1	16	13	40	11	.	4	.	11	1B, 4C, 36M, 1N	138
	April 24	.	16	4	38	19	.	1	.	6	2B, 3C, 5M	94
Dun Laoghaire Borough	April 3	.	2	.	4	.	.	.	.	.	1C	6
	April 10	.	1	.	9	.	.	.	.	.		11
	April 17	.	.	.	4	.	.	.	.	.		4
	April 24	.	2	.	4	.	.	.	.	.		6
Cork C. B.	April 3	.	1	.	15	2	.	.	.	.	3K	21
	April 10	.	.	.	6	6	.	.	.	.	1K, 2M	15
	April 17	.	.	.	6	4	.	.	.	.	1C, 4K	15
	April 24	.	4	.	5	5	.	.	.	.	2K	16
Limerick C. B.	April 3	.	1	.	1	.	.	.	.	.		2
	April 10	.	.	.	.	.	.	.	.	.		.
	April 17	.	2	.	.	.	.	.	.	.	1C	3
	April 24	.	.	.	2	.	.	.	.	.		2
Waterford C. B.	April 3	.	3	1	3	2	.	.	.	.		9
	April 10	.	.	.	.	1	.	.	.	.	1O	2
	April 17	.	3	11	.	2	.	.	.	1		17
	April 24	.	1	.	.	3	.	.	.	.		4

\*The letters in this column denote the following diseases :— (A) Undulant fever, (B) Cerebro-spinal fever, (C) Erysipelas, (D) Ophthalmia neonatorum, (E) Dysentery, (F) Malaria, (G) Relapsing fever, (H) Acute poliomyelitis, (J) Encephalitis lethargica, (K) Varicella, (L) Trachoma, (M) Diarrhoeal diseases, (N) Puerperal fever, (O) Puerperal pyrexia, (P) Pemphigus neonatorum, (Q) Pyrexia.

TABLE IV.—Cases of the undermentioned diseases treated in Dublin hospitals during the week ended Saturday, 24th April, 1943, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of cases in hospital at close of week ended			Week ended 24th April, 1943.			
	April 3	April 10	April 17	No. admitted	Dis-charged	Died	No. under treatment at close of week
Typhoid fever	5	.	1	.	.	.	1
Typhus	.	.	.	.	.	.	.
Smallpox	.	.	.	.	.	.	.
Measles	2	3	2	1	1	1	1
Scarlet fever	100	89	90	16	18	.	88
Diphtheria	367	354	364	50	57	1	356
Pneumonia	49	45	48	10	4	2	52
Diarrhoea and Enteritis	32	31	36	12	3	6	39



# ÉIRE

LE hAGHAIDH NA SEIRBHISE PUIBLI

## CUNNTAS SEACHTMHAINÉAMHAIL na mBREITH agus na mBÁS

### WEEKLY RETURNS OF BIRTHS AND DEATHS

#### FOR THE PRINCIPAL TOWNS

*By Authority of the Registrar-General.*



To be purchased through any Bookseller or directly from  
THE GOVERNMENT PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN.

No. 17. Vol. LXXX.]

WEEK ENDING SATURDAY, 1st May, 1943.

PRICE 1½d. NET.

*Oifig an Árd-Chláradóra,*

*Baile Átha Cliath.*

### PRINCIPAL TOWNS

Particulars of the Births and Deaths recorded for the **Principal Towns** are given in Table I. Deaths have been assigned so far as possible to the area of residence and those of non-residents of Éire have been excluded.

The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were represented by the following annual rates per 1,000 of the population :—

Principal Towns 14.0 and 14.5; City of Dublin 14.5 and 15.0; Borough of Dun Laoghaire 9.9 and 13.3; Cork 17.7 and 15.6; Limerick 7.4 and 12.9; and Waterford 18.3 and 12.4.

The deaths from the principal epidemic diseases\* recorded for the thirteen principal towns last week were represented by an annual rate of 1.2 per 1,000. Included in the 6 deaths from all causes for Limerick was one from whooping cough, and of the 6 deaths for Galway 2 were from diarrhoea and enteritis (under 2 years).

**City of Dublin.**—The number of births registered during the week was 264—139 boys and 125 girls. Exclusive of those, numbering 39, occurring in institutions, of infants whose mothers were admitted from other localities, the number was 225, representing a rate of 23.5 per 1,000.

The number of deaths registered was 156—82 males and 74 females. Of the total, 17 related to persons belonging to other localities, so that the actual number of deaths for the City was 139, representing a rate of 14.5 per 1,000.

There was one death from whooping cough, one from diphtheria, and 13 from diarrhoea and enteritis (under 2 years). In the three preceding weeks deaths from whooping cough numbered 3, one and 2; from diphtheria, 4, one and 2; and from diarrhoea and enteritis (under 2 years) 11, 8 and 14.

Tuberculosis caused 21 deaths (16 of which were from pulmonary tuberculosis, 2 from tuberculous meningitis and 3 from other forms of the disease), as against 27, 16 and 25 from all forms of tuberculosis in the three preceding weeks.

Nine deaths were caused by cancer, and 21 by diseases of the heart.

There were 8 deaths from pneumonia, comprising 3 from broncho-pneumonia, one from lobar pneumonia, and 4 from pneumonia unspecified. Bronchitis caused 6 deaths.

There were 2 accidental deaths recorded.

Among the deaths of infants under one year of age, one was due to whooping cough, one to meningitis, one to convulsions, three to broncho-pneumonia, one to pneumonia, (unspecified) 13 to diarrhoea and enteritis, 3 to congenital malformations, 3 to congenital debility and 4 to premature birth.

Forty-four of the deaths recorded during the week for the City were those of children under five years of age, 35 being infants under one year, 14 of whom were under one month old, and 42 were those of persons aged 65 years and upwards, of whom 33 were aged 70 years or over.

**CASES OF INFECTIOUS DISEASES.**—Table III shows the numbers notified in the City of Dublin and in the Boroughs; and Table IV the number of cases of certain diseases treated in Dublin Hospitals.

\* Typhoid fever, typhus, smallpox, dysentery, scarlet fever, whooping cough, diphtheria, measles and diarrhoea and enteritis (under 2 years of age).

TABLE I.—BIRTHS and DEATHS registered during the week ended Saturday, 1st May, 1943, for the Principal Towns of Éire, with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULA- TION (a)	Annual Rate (b) per 1,000 persons		BIRTHS	DEATHS		DEATHS	BIRTHS	DEATHS	CAUSED BY																											
					Principal epidemic diseases										Tuber- culosis		Influenza	Cancer	Diseases respiratory system		Violence	Other Causes	Inquest Cases	In public institutions	Number uncertified												
					From all Causes	From Principal epidemic diseases				Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Pulmonary			Other forms	(19)						Pneumonia	Other										
																												(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)												
TOTAL 13 TOWNS	...	793,217	25.0	14.0	1.2	380	213	51	67	.	.	2	1	.	15	21	7	1	19	14	19	3	111	8	118	5											
CITY OF DUBLIN (c)	...	500,300	23.5	14.5	1.6	225	139	35	42	.	.	1	1	.	13	16	5	.	9	8	9	2	75	2	89	2											
BOROUGH OF DUN LAOGHAIRE	...	42,200	22.2	9.9	.	18	8	1	4	.	.	.	.	.	.	.	1	.	2	.	1	4	.	.	5	.											
CORK COUNTY BOROUGH	...	76,800	31.9	17.7	.	47	26	1	11	.	.	.	.	.	.	3	.	.	4	4	7	.	8	.	13	.											
LIMERICK COUNTY BOROUGH	...	42,500	17.2	7.4	1.2	14	6	4	1	.	.	1	.	.	.	.	.	1	1	.	1	3	3	1	.	.											
WATERFORD COUNTY BOROUGH	...	28,500	23.8	18.3	.	13	10	1	3	.	.	.	.	.	2	1	1	1	.	.	.	1	2	1	4	.											
GALWAY URBAN DISTRICT	...	18,294	—	—	—	3	6	5	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.											
DUNDALK URBAN DISTRICT	...	14,684	—	—	—	15	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	3	.	.											
DROGHEDA URBAN DISTRICT	...	14,494	—	—	—	8	3	.	1	.	.	.	.	.	.	1	.	1	1	.	.	1	.	.	.	.											
SLIGO URBAN DISTRICT	...	12,565	—	—	—	14	3	2	.	.	.	.	.	.	.	.	.	1	1	1	.	1	.	.	.	.											
WEXFORD URBAN DISTRICT	...	12,247	—	—	—	7	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.											
TRALEE URBAN DISTRICT	...	10,285	—	—	—	6	4	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	1											
KILKENNY URBAN DISTRICT	...	10,237	—	—	—	6	4	2	1	.	.	.	.	.	.	.	.	.	.	1	.	3	.	.	.	2											
BRAY URBAN DISTRICT	...	10,111	—	—	—	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.											
BELFAST COUNTY BOROUGH	...	444,500	—	—	—	196	94	19	32	.	.	1	.	.	1	6	4	.	11	12	5	—	—	—	—	—											
DERRY COUNTY BOROUGH	...	47,813	—	—	—	17	12	3	2	.	.	.	.	.	.	.	.	.	.	2	1	—	—	—	—	—											

(a) According to the Census of 1936, but in the case of the Cities of Cork, Limerick, and Waterford, the populations given are those according to the Register of Population, 1941. The population given for the City of Dublin and for the Borough of Dun Laoghaire is that estimated to the middle of 1943. The population for Belfast is that estimated to the 1st January, 1940, and that for Derry is according to the Census of 1937. (b) The annual rates for the urban districts will be shown in the quarterly return. (c) The figures for the City of Dublin include those for the former urban district of Howth.



TABLE II.—Deaths registered during the week ended Saturday, 1st May, 1943, for the City of Dublin and the County Borough of Cork by Registrars' Districts

REGISTRARS' DISTRICTS, &c.		DEATHS																Inquest cases		In public institutions		Number uncertified							
		AGES AT DEATH								DEATHS FROM																			
										Principal epidemic diseases																			
		Under 1 year	1—2	2—5	5—15	15—25	25—45	45—65	65 years and upwards	Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Pulmonary	Other forms	Influenza	Cancer	Pneumonia	Other	Violence	Other causes						
TOTAL DEATHS		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)		
DUBLIN.																													
NORTH CITY	No. 1 EAST	11	2	4	1	1	1	1	2	4	•	•	•	1	•	•	1	2	1	1	•	•	•	4	•	7	1		
"	No. 1 WEST	11	2	•	•	•	•	•	3	•	•	•	•	•	•	•	•	•	•	•	•	•	•	7	3	•	•		
"	No. 2	8	3	•	•	•	•	•	1	•	•	•	•	•	•	3	1	1	•	•	•	1	•	•	2	1	6		
"	No. 3	8	2	•	1	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
"	No. 4	8	2	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
BLANCHARDSTOWN AND CASTLEKNOCK, PT. OF		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
CLONTARF AND HOWTH, NOS. 1 & 2, PT. OF		3	1	•	•	•	•	1	1	2	•	•	•	•	•	1	3	•	•	1	1	•	•	1	•	•	•		
COOLOCK & DRUMCONDRA, NOS. 1 & 2, PT. OF		10	2	1	1	1	1	1	2	1	•	•	•	•	•	1	4	1	•	2	•	•	•	5	•	•	•		
FINGLAS AND GLASNEVIN, NOS. 1 & 2, PT. OF		9	3	•	•	•	•	•	•	4	•	•	•	•	•	1	1	1	•	1	•	•	•	1	•	•	•		
SOUTH CITY		9	1	•	•	1	2	3	2	2	•	•	•	•	•	•	2	1	•	1	•	•	1	•	1	•	•		
"	No. 1	6	1	•	•	1	2	3	2	2	•	•	•	•	•	•	4	1	•	2	•	•	•	•	•	•	•		
"	No. 2	8	1	•	•	•	•	•	3	3	•	•	•	•	•	1	1	1	•	1	•	•	•	•	•	•	•		
"	No. 3	10	1	•	•	•	•	•	3	3	•	•	•	•	•	1	1	1	•	1	•	•	•	•	•	•	•		
"	No. 4	9	2	•	•	•	•	•	3	3	•	•	•	•	•	1	1	1	•	1	•	•	•	•	•	•	•		
"	No. 5	9	1	•	•	•	•	•	4	3	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
"	No. 6	7	2	•	•	•	•	•	•	4	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
CLONDALKIN, PART OF		1	•	•	•	•	•	•	1	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
CRUMLIN, PART OF		5	3	1	1	•	•	•	•	5	•	•	•	•	•	1	1	•	•	•	1	•	•	1	•	•	•		
DONNYBROOK, NOS. 1 AND 2		9	2	•	•	•	•	•	2	5	•	•	1	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
RATHFARNHAM, PART OF		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
RATHMINES, NOS. 1 AND 2		14	6	1	•	•	•	•	2	5	•	•	•	•	•	3	•	•	•	•	•	•	•	10	•	•	•		
TERENURE, PART OF		3	1	•	•	•	1	•	1	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
TOTAL		139	35	5	3	7	11	32	42	•	•	•	1	1	•	13	16	5	•	9	8	9	2	75	2	89	2		
CORK.																													
CORK URBAN, No. 1		3	•	•	•	•	•	•	3	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
"	No. 2	1	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
"	No. 3	2	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
"	No. 4	2	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
"	No. 5	5	1	•	•	•	•	•	2	5	•	•	•	•	•	•	1	•	•	•	•	•	•	•	•	•	•		
"	No. 6	5	•	•	•	•	•	•	2	1	•	•	•	•	•	•	1	•	•	•	•	•	•	•	•	•	•		
"	No. 7	5	•	•	•	•	•	•	2	1	•	•	•	•	•	•	1	•	•	•	•	•	•	•	•	•	•		
TOTAL		26	1	•	2	2	2	10	11	•	•	•	•	•	•	•	3	•	•	4	4	7	•	8	•	13	•		

TABLE III.—Cases of infectious diseases notified in the undermentioned urban areas during the week ended Saturday, 1st May, 1943, and during each of the three preceding weeks.

AREAS	Week ended	Typhoid fever	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis	Smallpox	Measles	Typhus	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Other diseases*	TOTAL
Dublin City	April 10	.	12	6	28	14	.	.	.	4	3B, 2C, 1D, 1L, 14M	85
	April 17	1	16	13	40	11	.	4	.	11	1B, 4C, 36M, 1N	138
	April 24	.	16	4	38	19	.	1	.	6	2B, 3C, 5M	94
	May 1	.	20	3	37	12	.	1	.	1	4B, 3C, 1D, 7L, 34M	123
Dun Laoghaire Borough	April 10	.	1	.	9	.	.	.	.	.	1C	11
	April 17	.	.	.	4	.	.	.	.	.		4
	April 24	.	2	.	4	.	.	.	.	.		6
	May 1	.	1	.	1	.	.	.	.	.		2
Cork C. B.	April 10	.	.	.	6	6	.	.	.	.	1K, 2M	15
	April 17	.	.	.	6	4	.	.	.	.	1C, 4K	15
	April 24	.	4	.	5	5	.	.	.	.	2K	16
	May 1	.	.	.	10	11	.	.	.	.	3K	24
Limerick C. B.	April 10	.	.	.	.	.	.	.	.	.		.
	April 17	.	2	.	.	.	.	.	.	.	1C	3
	April 24	.	.	.	2	.	.	.	.	.		2
	May 1	.	1	.	2	.	.	.	.	.	1C	4
Waterford C. B.	April 10	.	.	.	.	1	.	.	.	.	1O	2
	April 17	.	3	11	.	2	.	.	.	1		17
	April 24	.	1	.	.	3	.	.	.	.		4
	May 1	.	1	.	.	2	.	.	.	.		3

\*The letters in this column denote the following diseases :— (A) Undulant fever, (B) Cerebro-spinal fever, (C) Erysipelas, (D) Ophthalmia neonatorum, (E) Dysentery, (F) Malaria, (G) Relapsing fever, (H) Acute poliomyelitis, (J) Encephalitis lethargica, (K) Varicella, (L) Trachoma, (M) Diarrhoeal diseases, (N) Puerperal fever, (O) Puerperal pyrexia, (P) Pemphigus neonatorum, (Q) Pyrexia.

TABLE IV.—Cases of the undermentioned diseases treated in Dublin hospitals during the week ended Saturday, 1st May, 1943, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of cases in hospital at close of week ended			Week ended 1st May, 1943.			
	April 10	April 17	April 24	No. admitted	Discharged	Died	No. under treatment at close of week
Typhoid fever	.	1	1	.	.	.	1
Typhus	.	.	.	.	.	.	.
Smallpox	.	.	.	.	.	.	.
Measles	3	2	1	.	.	.	1
Scarlet fever	89	90	88	12	9	.	91
Diphtheria	354	364	356	21	29	1	347
Pneumonia	45	48	52	5	4	.	53
Diarrhoea and Enteritis	31	36	39	3	4	1	40



# ÉIRE

*LE hAGHAIDH NA SEIRBHISE, PUIBLI*

## CUNNTAS SEACHTMHAINÉAMHAIL na mBREITH agus na mBÁS

### WEEKLY RETURNS OF BIRTHS AND DEATHS

#### FOR THE PRINCIPAL TOWNS

*By Authority of the Registrar-General.*

To be purchased through any Bookseller or directly from  
THE GOVERNMENT PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN.



No. 18. Vol. LXXX.]

WEEK ENDING SATURDAY, 8th May, 1943.

PRICE 1½d. NET.

*Oifig an Árd-Chláradóra,*

*Baile Átha Cliath.*

### PRINCIPAL TOWNS

Particulars of the Births and Deaths recorded for the **Principal Towns** are given in Table I. Deaths have been assigned so far as possible to the area of residence and those of non-residents of Eire have been excluded.

The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were represented by the following annual rates per 1,000 of the population :—

Principal Towns 13.5 and 13.9; City of Dublin 11.7 and 14.0; Borough of Dun Laoghaire 8.6 and 11.7; Cork 21.0 and 16.3; Limerick 18.4 and 11.1; and Waterford 22.0 and 14.7.

The deaths from the principal epidemic diseases\* recorded for the thirteen principal towns last week were represented by an annual rate of 1.1 per 1,000. Included in the 31 deaths from all causes for Cork were 2 from diphtheria, and of the 15 deaths for Limerick one was from diphtheria, and one from diarrhoea and enteritis (under 2 years).

**City of Dublin.**—The number of births registered during the week was 268—133 boys and 135 girls. Exclusive of those, numbering 44, occurring in institutions, of infants whose mothers were admitted from other localities, the number was 224, representing a rate of 23.3 per 1,000.

The number of deaths registered was 127—65 males and 62 females. Of the total, 15 related to persons belonging to other localities, so that the actual number of deaths for the City was 112, representing a rate of 11.7 per 1,000.

There was one death from scarlet fever, one from diphtheria, and 8 from diarrhoea and enteritis (under 2 years). In the three preceding weeks deaths from scarlet fever numbered 0, one and 0; from diphtheria, one, 2 and one; and from diarrhoea and enteritis (under 2 years) 8, 14 and 13.

Tuberculosis caused 22 deaths (19 of which were from pulmonary tuberculosis, one from tuberculous meningitis and 2 from other forms of the disease), as against 16, 24 and 21 from all forms of tuberculosis in the three preceding weeks.

Eleven deaths were caused by cancer, and 19 by diseases of the heart.

There were 5 deaths from pneumonia, comprising 3 from broncho-pneumonia, and 2 from pneumonia (unspecified). Bronchitis caused 5 deaths.

There was one accidental death recorded.

Among the deaths of infants under one year of age, one was due to broncho-pneumonia, 2 to pneumonia (unspecified), 6 to diarrhoea and enteritis, one to congenital malformation one to congenital debility and 5 to premature birth.

Twenty-two of the deaths recorded during the week for the City were those of children under five years of age, 17 being infants under one year, 8 of whom were under one month old, and 33 were those of persons aged 65 years and upwards, of whom 26 were aged 70 years or over.

**CASES OF INFECTIOUS DISEASES.**—Table III shows the numbers notified in the City of Dublin and in the Boroughs; and Table IV the number of cases of certain diseases treated in Dublin Hospitals.

\* Typhoid fever, typhus, smallpox, dysentery, scarlet fever, whooping cough, diphtheria, measles and diarrhoea and enteritis (under 2 years of age).

TABLE I.—BIRTHS and DEATHS registered during the week ended Saturday, 8th May, 1943, for the Principal Towns of Éire, with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULA- TION (a)	Annual Rate (b) per 1,000 persons		DEATHS		BIRTHS	DEATHS		BIRTHS	DEATHS	Under 1 year of age		65 years and upwards		Principal epidemic diseases										CAUSED BY				Inquest Cases	In public institutions	Number uncertified
				From all Causes	From Principal epidemic diseases		Principal epidemic diseases										CAUSED BY														
		BIRTHS	(3)				(4)	(5)			(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	Tuber- culosis		Influenza	Cancer	Diseases respiratory system		Violence	Other Causes	(23)			
				Pulmonary	Other forms															Pneumonia	Other										
COIRS.		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)					
TOTAL 13 TOWNS	...	793,217	25.6	13.5	1.1	390	205	29	67	.	1	.	4	.	11	28	6	.	18	11	14	5	107	6	111	.					
CITY OF DUBLIN (c)	...	500,300	23.3	11.7	1.0	224	112	17	33	.	1	.	1	.	8	19	3	.	11	5	8	1	55	2	69	.					
BOROUGH OF DUN LAOGHAIRE	...	42,200	19.8	8.6	.	16	7	1	4	.	.	.	.	.	.	.	.	.	1	1	.	.	5	.	3	.					
CORK COUNTY BOROUGH	...	76,800	17.0	21.0	1.4	25	31	2	11	.	.	2	.	.	.	3	1	.	3	2	3	.	17	.	16	.					
LIMERICK COUNTY BOROUGH	...	42,500	55.2	18.4	2.5	45	15	3	7	.	.	1	.	.	1	1	1	.	.	2	.	8	1	6	.						
WATERFORD COUNTY BOROUGH	...	28,500	22.0	22.0	.	12	12	.	4	.	.	.	.	.	.	1	.	.	2	.	.	2	7	2	4	.					
GALWAY URBAN DISTRICT	...	18,294	—	—	—	12	5	.	2	.	.	.	.	.	.	2	.	.	.	.	.	1	2	1	2	.					
DUNDALK URBAN DISTRICT	...	14,684	—	—	—	6	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	2	.					
DROGHEDA URBAN DISTRICT	...	14,404	—	—	—	16	2	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	2	.					
SLIGO URBAN DISTRICT	...	12,565	—	—	—	3	2	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.	.	1	.	.					
WEXFORD URBAN DISTRICT	...	12,247	—	—	—	12	5	1	1	.	.	.	.	.	1	1	.	.	1	.	.	2	.	1	.	.					
TRALEE URBAN DISTRICT	...	10,285	—	—	—	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.					
KILKENNY URBAN DISTRICT	...	10,237	—	—	—	7	6	4	1	.	.	.	.	.	1	.	.	.	.	.	1	.	4	.	4	.					
BRAY URBAN DISTRICT	...	10,111	—	—	—	5	5	.	1	.	.	.	.	.	.	.	1	.	.	.	2	.	2	.	1	.					
BELFAST COUNTY BOROUGH	...	444,500	—	—	—	223	99	18	44	.	.	1	.	.	5	5	3	.	10	6	4	.	—	—	—	—					
DERRY COUNTY BOROUGH	...	47,813	—	—	—	37	6	2	.	.	.	.	.	1	.	1	.	.	.	.	.	—	—	—	—	—					

(a) According to the Census of 1936, but in the case of the Cities of Cork, Limerick, and Waterford, the populations given are those according to the Register of Population, 1941. The population given for the City of Dublin and for the Borough of Dun Laoghaire is that estimated to the middle of 1943. The population for Belfast is that estimated to the 1st January, 1940, and that for Derry is according to the Census of 1937. (b) The annual rates for the urban districts will be shown in the quarterly return. (c) The figures for the City of Dublin include those for the former urban district of Howth.



TABLE II.—Deaths registered during the week ended Saturday, 30th May, 1943, for the City of Dublin and the County Borough of Cork  
by Registrars' Districts

REGISTRARS' DISTRICTS, &c.		AGES AT DEATH											DEATHS FROM											Inquest cases	In public institutions	Number uncertified	
		Principal epidemic diseases								Tuber- culosis			Influenza	Cancer	Diseases of respi- ratory system			Violence	Other causes								
		Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Pulmonary	Other forms	Pneumonia	Other																
TOTAL DEATHS		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
DUBLIN.																											
NORTH CITY	No. 1 EAST	4	4	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	4	6
"	No. 1 WEST	8	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	7	6
"	No. 2	9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	6	1
"	No. 3	9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	6	1
"	No. 4	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
BLANCHARDSTOWN AND CASTLEKNOCK, PT. OF																											
CLONTARF AND HOWTH,	Nos. 1 & 2, PT. OF	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
COOLOCK & DRUMCONDRA,	Nos. 1 & 2, PT. OF	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
FINGLAS AND GLASNEVIN,	Nos. 1 & 2, PT. OF	12	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
7																											
SOUTH CITY																											
No. 1		8	2	1	1	1	1	1	1	2	1	1	1	1	1	2	3	1	1	1	1	1	1	1	1	6	2
No. 2		3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	3
No. 3		3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
No. 4		9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
No. 5		7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
No. 6		3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
CLONDALKIN, PART OF																											
CRUMLIN, PART OF		4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
DONNYBROOK,	Nos. 1 and 2	9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
RATHFARNHAM,	PART OF	8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
RATHMINES,	Nos. 1 and 2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
TERENURE,	PART OF	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
TOTAL		112	17	3	2	1	2	24	30	33	1	1	1	1	1	8	19	3	11	5	8	1	55	2	69	16	
CORK.																											
CORK URBAN, No. 1		7	1	1	1	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1
"	No. 2	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
"	No. 3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
"	No. 4	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
"	No. 5	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
"	No. 6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
"	No. 7	9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
TOTAL		31	2	2	2	1	1	1	10	11	1	1	1	1	1	1	3	1	3	11	5	8	1	17	2	69	16

TABLE III.—Cases of infectious diseases notified in the undermentioned urban areas during the week ended Saturday, 8th May, 1943, and during each of the three preceding weeks.

AREAS	Week ended		Typhoid fever	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis	Smallpox	Measles	Typhus	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Other diseases*	TOTAL
Dublin City	April	17	1	16	13	40	11	.	4	.	11	1B, 4C, 36M, 1N	138
	April	24	.	16	4	38	19	.	1	.	6	2B, 3C, 5M	94
	May	1	.	20	3	37	12	.	1	.	1	4B, 3C, 1D, 7L, 34M	123
	May	8	.	13	19	21	16	.	3	.	3	2B, 4C, 46M, 1N	133
Dun Laoghaire Borough	April	17	.	.	.	4	.	.	.	.	.		4
	April	24	.	2	.	4	.	.	.	.	.		6
	May	1	.	1	.	1	.	.	.	.	.		2
	May	8	.	.	.	1	.	.	.	.	.		1
Cork C. B.	April	17	.	.	.	6	4	.	.	.	.	1C, 4K	15
	April	24	.	4	.	5	5	.	.	.	.	2K	16
	May	1	.	.	.	10	11	.	.	.	.	3K	24
	May	8	.	2	.	6	4	.	.	.	.	1C, 4K, 2M	19
Limerick C. B.	April	17	.	2	.	.	.	.	.	.	.	1C	3
	April	24	.	.	.	2	.	.	.	.	.		2
	May	1	.	1	.	2	.	.	.	.	.	1C	4
	May	8	.	.	.	.	.	.	.	.	.		.
Waterford C. B.	April	17	.	3	11	.	2	.	.	.	1		17
	April	24	.	1	.	.	3	.	.	.	.		4
	May	1	.	1	.	.	2	.	.	.	.		3
	May	8	.	2	.	.	2	.	.	.	1		5

\*The letters in this column denote the following diseases :— (A) Undulant fever, (B) Cerebro-spinal fever, (C) Erysipelas, (D) Ophthalmia neonatorum, (E) Dysentery, (F) Malaria, (G) Relapsing fever, (H) Acute poliomyelitis, (J) Encephalitis lethargica, (K) Varicella, (L) Trachoma, (M) Diarrhoeal diseases, (N) Puerperal fever, (O) Puerperal pyrexia, (P) Pemphigus neonatorum, (Q) Pyrexia.

TABLE IV.—Cases of the undermentioned diseases treated in Dublin hospitals during the week ended Saturday, 8th May, 1943, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of cases in hospital at close of week ended			Week ended 8th May, 1943.			
	April 17	April 24	May 1	No. admitted	Discharged	Died	No. under treatment at close of week
Typhoid fever	1	1	1	2	.	.	3
Typhus	.	.	.	.	.	.	.
Smallpox	.	.	.	.	.	.	.
Measles	2	1	1	1	1	.	1
Scarlet fever	90	88	91	9	15	.	85
Diphtheria	364	356	347	27	36	.	338
Pneumonia	48	52	53	4	15	.	42
Diarrhoea and Enteritis	36	39	40	2	8	2	32



# EIRE

LE HAGHAIDH NA SEIRBHISE PUIBLI

## CUNNTAS SEACHTMHAINÉAMHAIL na mBREITH agus na mBÁS

### WEEKLY RETURNS OF BIRTHS AND DEATHS

#### FOR THE PRINCIPAL TOWNS

*By Authority of the Registrar-General.*



To be purchased through any Bookseller or directly from  
THE GOVERNMENT PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN.

No. 19. Vol. LXXX.]

WEEK ENDING SATURDAY, 15th May, 1943.

PRICE 1½d. NET.

*Oifig an Árd-Chláradóra,*

*Baile Átha Cliath.*

### PRINCIPAL TOWNS

Particulars of the Births and Deaths recorded for the Principal Towns are given in Table I. Deaths have been assigned so far as possible to the area of residence and those of non-residents of Eire have been excluded.

The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were represented by the following annual rates per 1,000 of the population :—

Principal Towns 14.6 and 13.7; City of Dublin 12.7 and 13.1; Borough of Dun Laoghaire 11.1 and 9.9; Cork 18.3 and 17.5; Limerick 22.1 and 13.8; and Waterford 23.8 and 17.9.

The deaths from the principal epidemic diseases\* recorded for the thirteen principal towns last week were represented by an annual rate of 0.9 per 1,000. Included in the 18 deaths from all causes for Limerick were 2 from diarrhoea and enteritis (under 2 years), and of the 13 deaths for Waterford 2 were from whooping cough, and one was from diarrhoea and enteritis (under 2 years).

**City of Dublin.**—The number of births registered during the week was 355—185 boys and 170 girls. Exclusive of those, numbering 46, occurring in institutions, of infants whose mothers were admitted from other localities, the number was 309, representing a rate of 32.2 per 1,000.

The number of deaths registered was 130—65 males and 65 females. Of the total, 8 related to persons belonging to other localities, so that the actual number of deaths for the City was 122, representing a rate of 12.7 per 1,000.

There was one death from diphtheria, and 6 from diarrhoea and enteritis (under 2 years). In the three preceding weeks deaths from diphtheria numbered 2, one and one; and from diarrhoea and enteritis (under 2 years) 14, 13 and 8.

Tuberculosis caused 14 deaths (10 of which were from pulmonary tuberculosis, 2 from tuberculous meningitis and 2 from other forms of the disease), as against 24, 21 and 22 from all forms of tuberculosis in the three preceding weeks.

Fourteen deaths were caused by cancer, and 32 by diseases of the heart.

There were 7 deaths from pneumonia, comprising 4 from broncho-pneumonia, and 3 from pneumonia (unspecified). Bronchitis caused 5 deaths.

There was one accidental death recorded and one by suicide.

Among the deaths of infants under one year of age, one was due to tuberculous meningitis, 3 to broncho-pneumonia, 6 to diarrhoea and enteritis, 4 to congenital malformations and 3 to premature birth.

Twenty-three of the deaths recorded during the week for the City were those of children under five years of age, 19 being infants under one year, 8 of whom were under one month old, and 50 were those of persons aged 65 years and upwards, of whom 38 were aged 70 years or over.

**CASES OF INFECTIOUS DISEASES.**—Table III shows the numbers notified in the City of Dublin and in the Boroughs; and Table IV the number of cases of certain diseases treated in Dublin Hospitals.

\* Typhoid fever, typhus, smallpox, dysentery, scarlet fever, whooping cough, diphtheria, measles, and diarrhoea and enteritis (under 2 years of age).

TABLE I.—BIRTHS and DEATHS registered during the week ended Saturday, 15th May, 1943, for the Principal Towns of Éire, with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULA- TION (a)	Annual Rate (b) per 1,000 persons		BIRTHS	DEATHS		DEATHS	Under 1 year of age	65 years and upwards	Principal epidemic diseases												Tuber- culosis		Influenza	Cancer	Diseases respiratory system		Violence	Other Causes	Inquest Cases	In public institutions	Number uncertified
					From all Causes	From Principal epidemic diseases				Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Pulmonary	Other forms	Pneumonia	Other													
		(1)	(2)																	(3)	(4)	(5)	(6)			(7)	(8)					
		COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)					
TOTAL 13 TOWNS	793,217	29.6	14.6	0.9	450	222	34	97	.	.	2	1	.	11	19	5	.	28	11	17	6	122	12	98	4							
CITY OF DUBLIN (c)	500,300	32.2	12.7	0.7	309	122	19	50	.	.	.	1	.	6	10	4	.	14	7	9	2	69	3	65	3							
BOROUGH OF DUN LAOGHAIRE	42,200	14.8	11.1	.	12	9	1	6	.	.	.	.	.	.	1	.	.	1	.	.	.	7	.	5	.							
CORK COUNTY BOROUGH	76,800	28.5	18.3	0.7	42	27	4	10	.	.	.	.	.	2	1	.	.	2	2	.	4	12	3	12	.							
LIMERICK COUNTY BOROUGH	42,500	20.9	22.1	2.5	17	18	2	9	.	.	.	.	.	1	1	.	.	2	.	.	.	11	4	6	.							
WATERFORD COUNTY BOROUGH	28,500	40.3	23.8	5.5	22	13	3	5	.	.	2	.	.	1	1	.	.	2	.	1	1	5	.	2	.							
GALWAY URBAN DISTRICT	18,294	—	—	—	7	9	1	5	.	.	.	.	.	.	3	1	.	.	.	.	1	5	.	4	1							
DUNDALK URBAN DISTRICT	14,684	—	—	—	9	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	1	.							
DROGHEDA URBAN DISTRICT	14,494	—	—	—	11	5	1	2	.	.	.	.	.	.	1	.	.	1	.	1	.	2	.	3	.							
SLIGO URBAN DISTRICT	12,565	—	—	—	2	6	.	3	.	.	.	.	.	.	2	.	.	.	.	1	.	3	1	.	.							
WEXFORD URBAN DISTRICT	12,247	—	—	—	4	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.							
TRALEE URBAN DISTRICT	10,285	—	—	—	4	6	2	2	.	.	.	.	.	.	.	.	.	1	1	1	.	3	.	.	.							
KILKENNY URBAN DISTRICT	10,237	—	—	—	9	2	1	1	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.							
BRAY URBAN DISTRICT	10,111	—	—	—	2	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.							
BELFAST COUNTY BOROUGH	444,500	—	—	—	255	101	16	42	.	.	.	.	.	7	7	2	.	7	5	6	—	—	—	—	—							
DERRY COUNTY BOROUGH	47,813	—	—	—	30	11	3	6	.	.	.	.	.	.	.	.	.	2	.	.	—	—	—	—	—							

(a) According to the Census of 1936, but in the case of the Cities of Cork, Limerick, and Waterford, the populations given are those according to the Register of Population, 1941. The population given for the City of Dublin and for the Borough of Dun Laoghaire is that estimated to the middle of 1943. The population for Belfast is that estimated to the 1st January, 1940, and that for Derry is according to the Census of 1937. (b) The annual rates for the urban districts will be shown in the quarterly return. (c) The figures for the City of Dublin include those for the former urban district of Howth.



TABLE II.—Deaths registered during the week ended Saturday, 15th May, 1943, for the City of Dublin and the County Borough of Cork by Registrars' Districts

REGISTRARS' DISTRICTS, &c.	DEATHS																											
	AGES AT DEATH								DEATHS FROM										Inquest cases	In public institutions	Number uncertified							
	Under 1 year	Principal epidemic diseases							Tuber- culosis		Influenza	Cancer	Diseases of respi- ratory system		Violence	Other causes												
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)			(10)	(11)			(12)	(13)				(14)	(15)	(16)	(17)	(18)	(19)	(20)
DUBLIN.																												
NORTH CITY No. 1 EAST	3	1	1	1	1	1	1	2	3	5	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3	5	3
" No. 1 WEST	7	1	1	1	1	1	1	4	3	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	5	3	3
" No. 2	7	2	1	1	1	1	1	4	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	11	3	3
" No. 3	14	1	1	1	1	1	1	4	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	11	3	3
" No. 4	5	1	1	1	1	1	1	4	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3	1
BLANCHARDSTOWN AND CASTLEKNOCK, PT. OF																												
CLONTARF AND HOWTH, NOS. 1 & 2, PT. OF	5	2	1	1	1	1	1	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
COOLOCK & DRUMCONDRA, NOS. 1 & 2, PT. OF	11	3	1	1	1	1	1	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
FINGLAS AND GLASNEVIN, NOS. 1 & 2, PT. OF	4	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
SOUTH CITY No. 1	4	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
" No. 2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
" No. 3	11	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
" No. 4	8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
" No. 5	8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
" No. 6	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
CLONDALKIN, PART OF																												
CRUMLIN, PART OF	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
DONNYBROOK, NOS. 1 AND 2	6	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
RATHFARNHAM, PART OF	15	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
RATHMINES, NOS. 1 AND 2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
TERENURE, PART OF	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
TOTAL	122	19	1	3	2	5	15	27	50	1	1	1	1	1	1	1	10	4	14	7	9	2	69	3	65	3	3	3
CORK.																												
CORK URBAN, No. 1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
" No. 2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
" No. 3	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
" No. 4	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
" No. 5	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
" No. 6	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
" No. 7	8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
TOTAL	27	4	1	2	1	1	1	2	10	1	1	1	1	1	1	1	1	1	7	1	4	2	12	3	12	12	12	12

TABLE III.—Cases of infectious diseases notified in the undermentioned urban areas during the week ended Saturday, 15th May, 1943, and during each of the three preceding weeks.

AREAS	Week ended	Typhoid fever	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis	Smallpox	Measles	Typhus	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Other diseases*	TOTAL
Dublin City	April 24	.	16	4	38	19	.	1	.	6	2B, 3C, 5M	94
	May 1	.	20	3	37	12	.	1	.	1	4B, 3C, 1D, 7L, 34M	123
	May 8	.	13	19	21	16	.	3	.	8	2B, 4C, 46M, 1N	133
	May 15	.	11	6	26	29	.	3	.	8	1B, 4C, 1J, 1L, 30M	120
Dun Laoghaire Borough	April 24	.	2	.	4	.	.	.	.	.		6
	May 1	.	1	.	1	.	.	.	.	.		2
	May 8	.	.	.	1	.	.	.	.	.		1
	May 15	.	3	.	3	.	.	.	.	.	1C	7
Cork C. B.	April 24	.	4	.	5	5	.	.	.	.	2K	16
	May 1	.	.	.	10	11	.	.	.	.	3K	24
	May 8	.	2	.	6	4	.	.	.	.	1L, 4K, 2M	19
	May 15	.	1	.	5	4	.	.	.	.	2C, 1K	13
Limerick C. B.	April 24	.	.	.	2	.	.	.	.	.		2
	May 1	.	1	.	2	.	.	.	.	.	1C	4
	May 8	.	.	.	.	.	.	.	.	.		.
	May 15	.	.	.	.	.	.	.	.	.		.
Waterford C. B.	April 24	.	1	.	.	3	.	.	.	.		4
	May 1	.	1	.	.	2	.	.	.	.		3
	May 8	.	2	.	.	2	.	.	.	1		5
	May 15	.	2	2	.	2	.	.	.	.		6

\*The letters in this column denote the following diseases :— (A) Undulant fever, (B) Cerebro-spinal fever, (C) Erysipelas, (D) Ophthalmia neonatorum, (E) Dysentery, (F) Malaria, (G) Relapsing fever, (H) Acute poliomyelitis, (J) Encephalitis lethargica, (K) Varicella, (L) Trachoma, (M) Diarrhoeal diseases, (N) Puerperal fever, (O) Puerperal pyrexia, (P) Temphigus neonatorum, (Q) Pyrexia.

TABLE IV.—Cases of the undermentioned diseases treated in Dublin hospitals during the week ended Saturday, 15th May, 1943, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of cases in hospital at close of week ended			Week ended 15th May, 1943.			
	April 24	May 1	May 8	No. admitted	Dis-charged	Died	No. under treatment at close of week
Typhoid fever	1	1	3	1	.	.	4
Typhus	.	.	.	.	.	.	.
Smallpox	.	.	.	.	.	.	.
Measles	1	1	1	.	.	.	1
Scarlet fever	88	91	85	18	13	.	90
Diphtheria	356	347	338	30	59	2	307
Pneumonia	52	53	42	3	7	.	38
Diarrhoea and Enteritis	39	40	32	12	8	1	35



# ÉIRE

LE hAGHAIDH NA SEIRBHISE PUIBLI

## CUNNTAS SEACHTMHAINÉAMHAIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE  
PRINCIPAL TOWNS

*By Authority of the Registrar-General.*

To be purchased through any Bookseller or directly from  
THE GOVERNMENT PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN.



No. 20. Vol. LXXX.]

WEEK ENDING SATURDAY, 22nd May, 1943.

PRICE 1½d. NET.

*Oifig an Árd-Chláradóra,*

*Baile Átha Cliath.*

### PRINCIPAL TOWNS

Particulars of the Births and Deaths recorded for the **Principal Towns** are given in Table I. Deaths have been assigned so far as possible to the area of residence and those of non-residents of Éire have been excluded.

The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were represented by the following annual rates per 1,000 of the population :—

Principal Towns 15.9 and 14.5; City of Dublin 15.4 and 13.6; Borough of Dun Laoghaire 16.1 and 11.4; Cork 21.0 and 19.5; Limerick 11.0 and 14.7; and Waterford 14.6 and 19.7.

The deaths from the principal epidemic diseases\* recorded for the thirteen principal towns last week were represented by an annual rate of 0.7 per 1,000.

**City of Dublin.**—The number of births registered during the week was 265—145 boys and 120 girls. Exclusive of those, numbering 37, occurring in institutions, of infants whose mothers were admitted from other localities, the number was 228, representing a rate of 23.8 per 1,000.

The number of deaths registered was 172—81 males and 91 females. Of the total, 24 related to persons belonging to other localities, so that the actual number of deaths for the City was 148, representing a rate of 15.4 per 1,000.

There was one death from each of whooping cough and diphtheria, and 4 from diarrhoea and enteritis (under 2 years). In the three preceding weeks deaths from whooping cough numbered one, 0 and 0; from diphtheria one, one and one; and from diarrhoea and enteritis (under 2 years) 13, 8 and 6.

Tuberculosis caused 18 deaths (14 of which were from pulmonary tuberculosis, 3 from tuberculous meningitis and one from miliary tuberculosis), as against 21, 22 and 14 from all forms of tuberculosis in the three preceding weeks.

Fifteen deaths were caused by cancer, and 26 by diseases of the heart.

There were 9 deaths from pneumonia, comprising 3 from broncho-pneumonia, 4 from lobar pneumonia, and 2 from pneumonia (unspecified). Bronchitis caused 4 deaths.

There were 4 deaths from violence including 2 by drowning.

Among the deaths of infants under one year of age, one was due to diphtheria, one to meningitis, one to bronchitis, 3 to broncho-pneumonia, one to lobar pneumonia, 2 to pneumonia (unspecified), 4 to diarrhoea and enteritis, one to congenital malformation, one to congenital debility, 4 to premature birth and 2 to injury at birth.

Thirty-two of the deaths recorded during the week for the City were those of children under five years of age, 27 being infants under one year, 13 of whom were under one month old, and 55 were those of persons aged 65 years and upwards, of whom 37 were aged 70 years or over.

**CASES OF INFECTIOUS DISEASES.**—Table III shows the numbers notified in the City of Dublin and in the Boroughs; and Table IV the number of cases of certain diseases treated in Dublin Hospitals.

\* Typhoid fever, typhus, smallpox, dysentery, scarlet fever, whooping cough, diphtheria, measles and diarrhoea and enteritis (under 2 years of age).

TABLE I.—BIRTHS and DEATHS registered during the week ended Saturday, 22nd May, 1943, for the Principal Towns of Éire, with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION (a)	Annual Rate (b) per 1,000 persons		BIRTHS		DEATHS		DEATHS		BIRTHS		DEATHS		CAUSED BY																	In public institutions	Inquest Cases	Number uncertified
		DEATHS		BIRTHS		DEATHS		BIRTHS		DEATHS		BIRTHS		Principal epidemic diseases																			
		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																			
		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																			
		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																			
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		Principal epidemic diseases																					
From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes																							

(a) According to the Census of 1936, but in the case of the Cities of Cork, Limerick, and Waterford, the populations given are those according to the Register of Population, 1941. The population given for the City of Dublin and for the Borough of Dun Laoghaire is that estimated to the middle of 1943. The population for Belfast is that estimated to the 1st January, 1940, and that for Derry is according to the Census of 1937. (b) The annual rates for the urban districts will be shown in the quarterly return. (c) The figures for the City of Dublin include those for the former urban district of Howth.



TABLE II.—Deaths registered during the week ended Saturday, 22nd May, 1943, for the City of Dublin and the County Borough of Cork by Registrars' Districts

REGISTRARS' DISTRICTS, &c.		AGES AT DEATH										DEATHS FROM														Inquest cases	In public institutions	Number uncertified
		Principal epidemic diseases							Tuber- culosis			Influenza	Cancer	Diseases of respi- ratory system		Violence	Other causes											
		Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Pulmonary	Other forms																			
TOTAL DEATHS		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	
DUBLIN.																												
NORTH CITY	No. 1 EAST	9	4	.	.	.	1	1	1	3	.	.	.	.	.	2	1	1	.	1	3	.	.	6	.	6	1	
"	No. 1 WEST	12	7	.	.	.	1	1	1	2	.	.	.	.	.	.	1	1	.	1	3	1	.	5	.	9	1	
"	No. 2	5	2	.	.	.	.	.	2	5	.	.	.	.	.	1	.	.	.	1	.	.	1	4	1	2	.	
"	No. 3	5	2	.	.	.	.	.	2	5	.	.	.	.	.	1	.	.	.	1	.	.	1	4	1	2	.	
"	No. 4	4	2	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	1	1	.	.	2	3	1	1	.	
BLANCHARDSTOWN AND CASTLEKNOCK, PT. OF																												
CLONTARF AND HOWTH, NOS. 1 & 2, PT. OF		3	.	.	.	.	1	1	.	.	.	.	.	.	.	.	1	1	.	1	1	3	.	1	1	5	.	
COOLOCK & DRUMCONDRA, NOS. 1 & 2, PT. OF		10	1	1	.	2	1	1	5	2	.	1	1	.	.	.	1	1	1	1	1	3	1	4	1	5	.	
FINGLAS AND GLASNEVIN, NOS. 1 & 2, PT. OF		10	1	1	.	.	.	.	.	2	.	.	.	.	.	.	1	1	.	1	1	3	3	3	1	5	.	
SOUTH CITY																												
No. 1		3	.	.	1	.	.	1	.	3	.	.	.	.	.	.	1	1	.	.	.	.	.	3	1	5	.	
"	No. 2	7	.	.	.	.	1	1	2	4	.	.	.	.	.	.	1	1	1	.	1	.	.	6	1	5	.	
"	No. 3	8	2	.	1	1	1	1	4	5	.	.	.	.	.	.	1	1	1	.	1	.	1	1	1	5	.	
"	No. 4	15	2	1	1	1	1	1	2	7	.	.	.	.	.	.	1	1	1	.	1	.	1	1	1	5	.	
"	No. 5	12	1	1	.	.	.	.	5	3	.	.	.	1	.	.	1	.	.	1	.	1	1	1	1	2	.	
"	No. 6	9	1	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	1	.	7	1	3	.	
CLONDALKIN, PART OF																												
CRUMLIN, PART OF		5	1	.	.	.	2	.	1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	4	.	3	.	
DONNYBROOK, NOS. 1 AND 2		13	2	.	.	2	2	1	4	4	.	.	.	.	.	.	1	1	.	1	1	1	1	8	1	9	.	
RATHFARNHAM, PART OF		3	.	.	.	.	.	1	5	2	.	.	.	.	.	.	2	.	.	1	2	.	.	2	1	1	.	
RATHMINES, NOS. 1 AND 2		12	3	.	.	.	.	1	.	3	.	.	.	.	.	.	2	.	.	1	2	.	.	7	1	5	.	
TERENURE, PART OF		3	1	.	.	.	1	.	.	1	.	.	.	.	.	1	1	.	.	.	.	.	.	1	1	2	.	
TOTAL		148	27	3	2	4	11	10	36	55	.	1	1	.	.	4	14	4	1	15	9	7	4	88	7	80	1	
CORK.																												
CORK URBAN, No. 1		7	2	1	.	.	2	2	1	2	.	.	.	.	.	.	2	2	.	1	.	1	.	2	.	4	.	
"	No. 2	5	.	.	.	.	.	.	1	2	.	.	.	.	.	.	2	1	.	1	.	.	.	1	.	4	.	
"	No. 3	3	.	1	.	.	2	2	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	
"	No. 4	8	.	1	.	.	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5	.	
"	No. 5	3	4	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	
"	No. 6	3	2	.	.	.	.	.	1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	2	.	
"	No. 7	5	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	
TOTAL		31	8	2	.	1	6	3	11	11	.	.	.	.	.	.	5	2	.	.	.	2	.	17	.	20	.	

TABLE III.—Cases of infectious diseases notified in the undermentioned urban areas during the week ended Saturday, 22nd May, 1943, and during each of the three preceding weeks.

AREAS	Week ended	Typhoid fever	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis	Smallpox	Measles	Typhus	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Other diseases*	TOTAL
Dublin City	May 1	.	20	3	37	12	.	1	.	1	4B, 3C, 1D, 7L, 34M	123
	May 8	.	13	19	21	16	.	3	.	8	2B, 4C, 46M, 1N	133
	May 15	.	11	6	26	29	.	3	.	8	1B, 4C, 1J, 1L, 30M	120
	May 22	.	28	4	19	27	.	5	.	5	1B, 4C, 12M	105
Dun Laoghaire Borough	May 1	.	1	.	1	.	.	.	.	.		2
	May 8	.	.	.	1	.	.	.	.	.		1
	May 15	.	3	.	3	.	.	.	.	.	1C	7
	May 22	.	1	.	3	.	.	.	.	.		4
Cork C. B.	May 1	.	.	.	10	11	.	.	.	.	3K	24
	May 8	.	2	.	6	4	.	.	.	.	1C, 4K, 2M	19
	May 15	.	1	.	5	4	.	.	.	.	2C, 1K	13
	May 22	.	1	.	7	5	.	.	.	1	2K, 3M	19
Limerick C. B.	May 1	.	1	.	2	.	.	.	.	.	1C	4
	May 8	.	.	.	.	.	.	.	.	.		.
	May 15	.	.	.	.	.	.	.	.	.		.
	May 22	.	1	.	.	.	.	.	.	.		1
Waterford C. B.	May 1	.	1	.	.	2	.	.	.	.		3
	May 8	.	2	.	.	2	.	.	.	1		5
	May 15	.	2	2	.	2	.	.	.	.		6
	May 22	.	.	1	3	2	.	.	.	1		7

\*The letters in this column denote the following diseases :— (A) Undulant fever, (B) Cerebro-spinal fever, (C) Erysipelas, (D) Ophthalmia neonatorum, (E) Dysentery, (F) Malaria, (G) Relapsing fever, (H) Acute poliomyelitis, (J) Encephalitis lethargica, (K) Varicella, (L) Trachoma, (M) Diarrhoeal diseases, (N) Puerperal fever, (O) Puerperal pyrexia, (P) Pemphigus neonatorum, (Q) Pyrexia.

TABLE IV.—Cases of the undermentioned diseases treated in Dublin hospitals during the week ended Saturday, 22nd May, 1943, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of cases in hospital at close of week ended			Week ended 22nd May, 1943.			
	May 1	May 8	May 15	No. admitted	Discharged	Died	No. under treatment at close of week
Typhoid fever	1	3	4	.	.	.	4
Typhus	.	.	.	.	.	.	.
Smallpox	.	.	.	.	.	.	.
Measles	1	1	1	3	1	.	3
Scarlet fever	91	85	90	21	18	.	93
Diphtheria	347	338	307	34	36	.	305
Pneumonia	53	42	38	11	10	1	38
Diarrhoea and Enteritis	40	32	35	14	7	8	34



# ÉIRE

LE hAGHAIDH NA SEIRBHISE PUIBLI

## CUNNTAS SEACHTMHAINÉAMHAIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE  
PRINCIPAL TOWNS

*By Authority of the Registrar-General.*



To be purchased through any Bookseller or directly from  
THE GOVERNMENT PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN.

No. 21. Vol. LXXX.]

WEEK ENDING SATURDAY, 29th May, 1943.

PRICE 1½d. NET.

*Oifig an Árd-Chláradóra,*

*Baile Átha Cliath.*

### PRINCIPAL TOWNS

Particulars of the Births and Deaths recorded for the **Principal Towns** are given in Table I. Deaths have been assigned so far as possible to the area of residence and those of non-residents of Éire have been excluded.

The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were represented by the following annual rates per 1,000 of the population:—

Principal Towns 13.8 and 14.5; City of Dublin 13.3 and 13.3; Borough of Dun Laoghaire 9.9 and 11.4; Cork 15.6 and 19.0; Limerick 12.3 and 16.0; and Waterford 23.8 and 21.1.

The deaths from the principal epidemic diseases\* recorded for the thirteen principal towns last week were represented by an annual rate of 0.7 per 1,000. Included in the 13 deaths from all causes for Waterford was one from scarlet fever.

**City of Dublin.**—The number of births registered during the week was 299—154 boys and 145 girls. Exclusive of those, numbering 50, occurring in institutions, of infants whose mothers were admitted from other localities, the number was 249, representing a rate of 26.0 per 1,000.

The number of deaths registered was 153—68 males and 85 females. Of the total, 25 related to persons belonging to other localities, so that the actual number of deaths for the City was 128, representing a rate of 13.3 per 1,000.

There were 7 deaths from diarrhoea and enteritis (under 2 years). In the three preceding weeks deaths from this disease numbered 8, 6 and 4.

Tuberculosis caused 20 deaths (16 of which were from pulmonary tuberculosis, 2 from tuberculous meningitis and 2 from other forms of the disease), as against 22, 14 and 18 from all forms of tuberculosis in the three preceding weeks.

Eight deaths were caused by cancer, and 32 by diseases of the heart.

There were 8 deaths from pneumonia, comprising 3 from broncho-pneumonia, 3 from lobar pneumonia, and 2 from pneumonia (unspecified). Bronchitis caused 4 deaths.

Among the deaths of infants under one year of age, one was due to convulsions, one to lobar pneumonia, 6 to diarrhoea and enteritis, 5 to congenital debility, and 3 to premature birth.

Twenty-three of the deaths recorded during the week for the City were those of children under five years of age, 19 being infants under one year, 4 of whom were under one month old, and 49 were those of persons aged 65 years and upwards, of whom 41 were aged 70 years or over.

**CASES OF INFECTIOUS DISEASES.**—Table III shows the numbers notified in the City of Dublin and in the Boroughs; and Table IV the number of cases of certain diseases treated in Dublin Hospitals.

\* Typhoid fever, typhus, smallpox, dysentery, scarlet fever, whooping cough, diphtheria, measles and diarrhoea and enteritis (under 2 years of age).

TABLE I.—BIRTHS and DEATHS registered during the week ended Saturday, 29th May, 1943, for the Principal Towns of Éire, with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULA- TION (a)	Annual Rate (b) per 1,000 persons		DEATHS										BIRTHS		DEATHS		CAUSED BY										Inquest Cases	In public institutions	Number uncertified				
		BIRTHS	From all Causes	From Principal epidemic diseases	DEATHS										BIRTHS	DEATHS	Principal epidemic diseases										Tuberculosis				Diseases respiratory system		Violence	Other Causes
					Under 1 year of age	65 years and upwards	Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Pulmonary	Other forms			Influenza	Cancer	Pneumonia	Other														
																					(1)	(2)	(3)	(4)	(5)	(6)					(7)	(8)		
COLS.		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)								
TOTAL 13 TOWNS	793,217	26.4	13.8	0.7	401	210	27	89			1				9	25	8		17	11	9	1	129	5	119	6								
CITY OF DUBLIN (c)	500,300	26.0	13.3	0.7	249	128	19	49							7	16	4		8	8	6		79	3	73	4								
BOROUGH OF DUN LAOGHAIRE	42,200	22.2	9.9	1.2	18	8	1	4							1	1			1				5	1	4									
CORK COUNTY BOROUGH	76,800	29.9	15.6	0.7	44	23	3	9							1	4	1		2		1	1	13	1	16									
LIMERICK COUNTY BOROUGH	42,500	22.0	12.3		18	10	2	5			1					2							7		6	1								
WATERFORD COUNTY BOROUGH	28,500	27.4	23.8	1.8	15	13		5								1	1		1	1			8		6									
GALWAY URBAN DISTRICT	18,294				12	6	1	3																	3									
DUNDALK URBAN DISTRICT	14,684				7	5		2									2		1				2											
DROGHEDA URBAN DISTRICT	14,494				12	5		3											2				3			1								
SLIGO URBAN DISTRICT	12,565				1																													
WEXFORD URBAN DISTRICT	12,247				5	4		3															4		1									
TRALEE URBAN DISTRICT	10,285				13	4		3								1			1		1		1											
KILKENNY URBAN DISTRICT	10,237				5	3	1	2											1	1			1		1									
BRAY URBAN DISTRICT	10,111				2	1		1													1													
BELFAST COUNTY BOROUGH	444,500				226	111	21	41				1			6	9	2		11	9	5													
DERRY COUNTY BOROUGH	47,813				30	9	1	3								1			1	1														

(a) According to the Census of 1936, but in the case of the Cities of Cork, Limerick, and Waterford, the populations given are those according to the Register of Population, 1941. The population given for the City of Dublin and for the Borough of Dun Laoghaire is that estimated to the middle of 1943. The population for Belfast is that estimated to the 1st January, 1940, and that for Derry is according to the Census of 1937. (b) The annual rates for the urban districts will be shown in the quarterly return. (c) The figures for the City of Dublin include those for the former urban district of Howth.



TABLE II.—Deaths registered during the week ended Saturday, 29th May, 1943, for the City of Dublin and the County Borough of Cork by Registrars' Districts

REGISTRARS' DISTRICTS, &c.		AGES AT DEATH										DEATHS FROM										Inquest cases	In public institutions	Number uncertified				
		Principal epidemic diseases							Tuber- culosis			Influenza	Cancer	Diseases of respi- ratory system		Violence	Other causes											
		Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Pulmonary	Other forms	(20)	(21)																	
												(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)				(11)	(12)	(13)	(14)
TOTAL DEATHS		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	
DUBLIN.		COLS.																										
NORTH CITY	No. 1 EAST	7	1				3			3						2					1			5				
"	No. 1 WEST	10	2				1			2						2		1			1			7		9		
"	No. 2	10	2				1			2						2		1			1			5		2		
"	No. 3	4														1							4		7		3	
"	No. 4	4	1														1					1		4		2		
BLANCHARDSTOWN AND CASTLEKNOCK, PT. OF		2																										
CLONTARF AND HOWTH, NOS. 1 & 2, PT. OF		3																										
COOLICK & DRUMCONDRA, NOS. 1 & 2, PT. OF		7																										
FINGLAS AND GLASNEVIN, NOS. 1 & 2, PT. OF		6					2			1							2				1			2		3		
SOUTH CITY	No. 1	11	1				2			3						1					1			8		8		
"	No. 2	4	1							1						1								3		3		
"	No. 3	5	1				1			2						1								3		4		
"	No. 4	12	4				2			1						1		2			1			6		12		
"	No. 5	2																						2		5		
"	No. 6	10	2				1			3						2								5		1		
CLONDALKIN, PART OF																												
CRUMLIN, PART OF		9	4							1						1					1			5		5		
DUNYBROOK, NOS. 1 AND 2		9					1			3						1				1			6		4		1	
RATHFARNHAM, PART OF		1					1													1			1		4			
RATHMINES, NOS. 1 AND 2		10								1										2			1		3			
TERENURE, PART OF		2								2														2		3		
TOTAL		128	19	2	2		14	18	24	49						7	16	4		8	6			79	3	73	4	
CORK.		22	1					1		1						1								2		1		
CORK URBAN, No. 1		6	1							3														4		5		
"	No. 2	4	1							1							2			1			2		3			
"	No. 3	1																										
"	No. 4	1																										
"	No. 5	2																										
"	No. 6	2																										
"	No. 7	6	1					2		2								1					1		4			
TOTAL		23	3			1		5	5	9						1	4	1		2	1			13	1	16		

TABLE III.—Cases of infectious diseases notified in the undermentioned urban areas during the week ended Saturday, 29th May, 1943, and during each of the three preceding weeks.

AREAS	Week ended	Typhoid fever	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis	Smallpox	Measles	Typhus	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Other diseases*	TOTAL
Dublin City	May 8	.	13	19	21	16	.	3	.	8	2B, 4C, 46M, 1N	133
	May 15	.	11	6	26	29	.	3	.	8	1B, 4C, 1J, 1L, 30M	120
	May 22	.	28	4	19	27	.	5	.	5	1B, 4C, 12M	105
	May 29	.	9	8	20	21	.	6	.	7	3C, 1L, 19M, 1N	95
Dun Laoghaire Borough	May 8	.	.	.	1	.	.	.	.	.	1C	1
	May 15	.	3	.	3	.	.	.	.	.		7
	May 22	.	1	.	2	.	.	.	.	.		3
	May 29	.	.	.	1	.	.	.	.	.		1
Cork C. B.	May 8	.	2	.	6	4	.	.	.	.	1C, 4K, 2M	19
	May 15	.	1	.	5	4	.	.	.	.	2C, 1K	13
	May 22	.	1	.	7	5	.	.	.	1	2K, 3M	19
	May 29	.	5	.	4	6	.	.	.	1	2C, 1K, 2M	21
Limerick C. B.	May 8	.	.	.	.	.	.	.	.	.		.
	May 15	.	.	.	.	.	.	.	.	.		.
	May 22	.	1	.	.	.	.	.	.	.		1
	May 29	.	.	.	1	.	.	.	.	.	1C	2
Waterford C. B.	May 8	.	2	.	.	2	.	.	.	1		5
	May 15	.	2	2	.	2	.	.	.	.		6
	May 22	.	.	1	3	2	.	.	.	1		7
	May 29	.	2	.	1	2	.	.	.	1	1B	7

\*The letters in this column denote the following diseases :— (A) Undulant fever, (B) Cerebro-spinal fever, (C) Erysipelas, (D) Ophthalmia neonatorum, (E) Dysentery, (F) Malaria, (G) Relapsing fever, (H) Acute poliomyelitis, (J) Encephalitis lethargica, (K) Varicella, (L) Trachoma, (M) Diarrhoeal diseases, (N) Puerperal fever, (O) Puerperal pyrexia, (P) Pemphigus neonatorum, (Q) Pyrexia.

TABLE IV.—Cases of the undermentioned diseases treated in Dublin hospitals during the week ended Saturday, 29th May, 1943, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of cases in hospital at close of week ended			Week ended 29th May, 1943.			
	May 8	May 15	May 22	No. admitted	Discharged	Died	No. under treatment at close of week
Typhoid fever	3	4	4	.	.	.	4
Typhus	.	.	.	.	.	.	.
Smallpox	.	.	.	.	.	.	.
Measles	1	1	3	.	1	.	2
Scarlet fever	85	90	93	10	17	.	86
Diphtheria	338	307	305	28	46	.	287
Pneumonia	42	38	38	7	7	.	38
Diarrhoea and Enteritis	32	35	34	16	6	6	38



# ÉIRE

*LE HAGHAIDH NA SEIRBHISE PUIBLI*

## CUNNTAS SEACHTMHAINÉAMHAIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE  
PRINCIPAL TOWNS

*By Authority of the Registrar-General.*

To be purchased through any Bookseller or directly from  
THE GOVERNMENT PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN.



No. 22. Vol. LXXX.]

WEEK ENDING SATURDAY, 5th June, 1943.

PRICE 1½d. NET.

*Oifig an Árd-Chláradóra,*

*Baile Átha Cliath.*

### PRINCIPAL TOWNS

Particulars of the Births and Deaths recorded for the **Principal Towns** are given in Table I. Deaths have been assigned so far as possible to the area of residence and those of non-residents of Éire have been excluded.

The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were represented by the following annual rates per 1,000 of the population:—

Principal Towns 13.1 and 14.4; City of Dublin 12.4 and 13.5; Borough of Dun Laoghaire 21.0 and 14.5; Cork 13.6 and 17.1; Limerick 8.6 and 13.5; and Waterford 31.1 and 23.3.

The deaths from the principal epidemic diseases\* recorded for the thirteen principal towns last week were represented by an annual rate of 0.9 per 1,000. Included in the 20 deaths from all causes for Cork were 3 from diarrhoea and enteritis (under 2 years).

**City of Dublin.**—The number of births registered during the week was 315—164 boys and 151 girls. Exclusive of those, numbering 61, occurring in institutions, of infants whose mothers were admitted from other localities, the number was 254, representing a rate of 26.5 per 1,000.

The number of deaths registered was 139—64 males and 75 females. Of the total, 20 related to persons belonging to other localities, so that the actual number of deaths for the City was 119, representing a rate of 12.4 per 1,000.

There were 8 deaths from diarrhoea and enteritis (under 2 years). In the three preceding weeks deaths from this disease numbered 6, 4 and 7.

Tuberculosis caused 20 deaths (17 of which were from pulmonary tuberculosis, and 3 from tuberculous meningitis), as against 14, 18 and 20 from all forms of tuberculosis in the three preceding weeks.

Ten deaths were caused by cancer, and 25 by diseases of the heart.

There were 5 deaths from pneumonia, comprising 4 from broncho-pneumonia, and one from lobar pneumonia. Bronchitis caused 4 deaths.

One death from an accidental fall was recorded.

Among the deaths of infants under one year of age, two were due to tuberculous disease, one to convulsions, 8 to diarrhoea and enteritis, one to congenital malformation, 3 to congenital debility, and 2 to premature birth.

Twenty-three of the deaths recorded during the week for the City were those of children under five years of age, 20 being infants under one year, 3 of whom were under one month old, and 40 were those of persons aged 65 years and upwards, of whom 30 were aged 70 years or over.

**CASES OF INFECTIOUS DISEASES.**—Table III shows the numbers notified in the City of Dublin and in the Boroughs: and Table IV the number of cases of certain diseases treated in Dublin Hospitals.

\* Typhoid fever, typhus, smallpox, dysentery, scarlet fever, whooping cough, diphtheria, measles and diarrhoea and enteritis (under 2 years of age).

TABLE I.—BIRTHS and DEATHS registered during the week ended Saturday, 5th June, 1943, for the Principal Towns of Éire, with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULA- TION (a)	Annual Rate (b) per 1,000 persons		BIRTHS		DEATHS		DEATHS CAUSED BY														Inquest Cases	In public institutions	Number uncertified																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
						From all Causes	From Principal epidemic diseases	Principal epidemic diseases								Tuber- culosis		Influenza	Cancer	Diseases respiratory system					Violence	Other Causes																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
		Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria			Measles	Diarrhoea and enteritis (under 2 years of age)	Pulmonary	Other forms	(19)	(20)	(21)	(22)	(23)	(24)			(25)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
						(1)	(2)											(3)	(4)		(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
COLS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									</

(a) According to the Census of 1936, but in the case of the Cities of Cork, Limerick, and Waterford, the populations given are those according to the Register of Population, 1941. The population given for the City of Dublin and for the Borough of Dun Laoghaire is that estimated to the middle of 1943. The population for Belfast is that estimated to the 1st January, 1940, and that for Derry is according to the Census of 1937. (b) The annual rates for the urban districts will be shown in the quarterly return. (c) The figures for the City of Dublin include those for the former urban district of Howth.



TABLE II.—Deaths registered during the week ended Saturday, 5th June, 1943, for the City of Dublin and the County Borough of Cork by Registrars' Districts

REGISTRARS' DISTRICTS, &c.		AGES AT DEATH											DEATHS FROM															Inquest cases		In public institutions		Number uncertified
		Principal epidemic diseases						Tuber- culosis		Influenza	Cancer	Diseases of respi- ratory system		Violence	Other causes																	
		Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Pulmonary	Other forms																							
										(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)						
TOTAL DEATHS		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)					
DUBLIN.		COIS.																														
NORTH CITY	No. 1 EAST	5	1	1	1	1	1	1	2	2	1	1	1	1	1	1	2	2	1	1	1	1	1	1	1	3	4	1				
"	No. 1 WEST	7	2	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	1	1	1	1	1	1	1	1	3	2				
"	No. 2	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2				
"	No. 3	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2				
"	No. 4	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2				
BLANCHARDSTOWN AND CASTLEKNOCK, PT. OF		COIS.																														
CLONTARF AND HOWTH, NOS. 1 & 2, PT. OF		5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2				
COOLOCK & DRUMCONDRA, NOS. 1 & 2, PT. OF		5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2				
FINGLAS AND GLASNEVIN, NOS. 1 & 2, PT. OF		6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3				
SOUTH CITY		COIS.																														
No. 1		8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	7				
"	No. 2	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
"	No. 3	8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3				
"	No. 4	13	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	7				
"	No. 5	13	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	7				
"	No. 6	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
CLONDALKIN, PART OF		COIS.																														
CRUMLIN, PART OF		7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	5				
DONNYBROOK, NOS. 1 AND 2		6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4				
RATHFARNHAM, PART OF		13	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	5				
RATHMINES, NOS. 1 AND 2		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	5				
TERENURE, PART OF		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	5				
TOTAL		119	20	2	1	3	7	14	32	40	1	1	1	1	1	1	17	3	10	5	4	1	71	2	59	13	13					
CORK.		COIS.																														
CORK URBAN, No. 1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	5				
"	No. 2	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
"	No. 3	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
"	No. 4	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
"	No. 5	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
"	No. 6	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
"	No. 7	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
TOTAL		20	9	1	1	1	1	2	2	6	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2	2	2				

TABLE III.—Cases of infectious diseases notified in the undermentioned urban areas during the week ended Saturday, 5th June, 1943, and during each of the three preceding weeks.

AREAS	Week ended		Typhoid fever	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis	Smallpox	Measles	Typhus	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Other diseases*	TOTAL
Dublin City	May	15	.	11	6	26	29	.	3	.	8	1B, 4C, 1J, 1L, 30M	120
	May	22	.	28	4	19	27	.	5	.	5	1B, 4C, 12M	105
	May	29	.	9	8	20	21	.	6	.	7	3C, 1L, 19M, 1N	95
	June	5	.	16	4	28	13	.	2	.	4	2B, 3C, 1L, 31M	104
Dun Laoghaire Borough	May	15	.	3	.	3	.	.	.	.	.	1C	7
	May	22	.	1	.	2	.	.	.	.	.		3
	May	29	.	.	.	1	.	.	.	.	.		1
	June	5	.	.	.	3	.	.	.	.	.		3
Cork C. B.	May	15	.	1	.	5	4	.	.	.	.	2C, 1K	13
	May	22	.	1	.	7	5	.	.	.	1	2K, 3M	19
	May	29	.	5	.	4	6	.	.	.	1	2C, 1K, 2M	21
	June	5	.	5	.	4	5	.	.	.	1	1C, 2K, 1M	19
Limerick C. B.	May	15	.	.	.	.	.	.	.	.	.		.
	May	22	.	1	.	.	.	.	.	.	.		1
	May	29	.	.	.	1	.	.	.	.	.	1C	2
	June	5	.	.	.	.	.	.	.	.	.		.
Waterford C. B.	May	15	.	2	2	.	2	.	.	.	.		6
	May	22	.	.	1	3	2	.	.	.	1		7
	May	29	.	2	.	1	2	.	.	.	1	1B	7
	June	5	.	.	.	.	.	.	.	.	.		.

\*The letters in this column denote the following diseases :— (A) Undulant fever, (B) Cerebro-spinal fever, (C) Erysipelas, (D) Ophthalmia neonatorum, (E) Dysentery, (F) Malaria, (G) Relapsing fever, (H) Acute poliomyelitis, (J) Encephalitis lethargica, (K) Varicella, (L) Trachoma, (M) Diarrhoeal diseases, (N) Puerperal fever, (O) Puerperal pyrexia, (P) Pemphigus neonatorum, (Q) Pyrexia.

TABLE IV.—Cases of the undermentioned diseases treated in Dublin hospitals during the week ended Saturday, 5th June, 1943, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of cases in hospital at close of week ended			Week ended 5th June, 1943.			
	May 15	May 22	May 29	No. admitted	Discharged	Died	No. under treatment at close of week
Typhoid fever	4	4	4	.	.	.	4
Typhus	.	.	.	.	.	.	.
Smallpox	.	.	.	.	.	.	.
Measles	1	3	2	2	1	.	3
Scarlet fever	90	93	86	16	10	.	92
Diphtheria	307	305	287	24	30	1	280
Pneumonia	38	38	38	2	4	.	36
Diarrhoea and Enteritis	35	34	38	6	5	.	39



# ÉIRE

LE HAGHAIDH NA SEIRBHISE PUIBLI

## CUNNTAS SEACHTMHAINÉAMHAIL na mBREITH agus na mBÁS

### WEEKLY RETURNS OF BIRTHS AND DEATHS FOR THE PRINCIPAL TOWNS

*By Authority of the Registrar-General.*



To be purchased through any Bookseller or directly from  
THE GOVERNMENT PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN.

No. 23. Vol. LXXX.]

WEEK ENDING SATURDAY, 12th June, 1943.

PRICE 1½d. NET.

*Oifig an Árd-Chláradóra,*

*Baile Átha Cliath.*

### PRINCIPAL TOWNS

Particulars of the Births and Deaths recorded for the **Principal Towns** are given in Table I. Deaths have been assigned so far as possible to the area of residence and those of non-residents of Eire have been excluded.

The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were represented by the following annual rates per 1,000 of the population:—

Principal Towns 12.2 and 13.8; City of Dublin 11.9 and 13.3; Borough of Dun Laoghaire 6.2 and 13.3; Cork 12.9 and 15.8; Limerick 11.0 and 10.7; and Waterford 22.0 and 22.9.

The deaths from the principal epidemic diseases\* recorded for the thirteen principal towns last week were represented by an annual rate of 1.2 per 1,000. Included in the 4 deaths from all causes for Kilkenny were 2 from diarrhoea and enteritis (under 2 years).

**City of Dublin.**—The number of births registered during the week was 299—167 boys and 132 girls. Exclusive of those, numbering 64, occurring in institutions, of infants whose mothers were admitted from other localities, the number was 235, representing a rate of 24.5 per 1,000.

The number of deaths registered was 132—66 males and 66 females. Of the total, 18 related to persons belonging to other localities, so that the actual number of deaths for the City was 114, representing a rate of 11.9 per 1,000.

There were 15 deaths from the principal epidemic diseases comprising one from each of whooping cough and diphtheria and 13 from diarrhoea and enteritis (under 2 years). In the three preceding weeks deaths from whooping cough were, one, 0 and 0; deaths from diphtheria were, one, 0 and 0 and deaths from diarrhoea and enteritis (under 2 years) were 4, 7 and 8.

Tuberculosis caused 20 deaths (13 of which were from pulmonary tuberculosis, and 7 from tuberculous meningitis), as against 18, 20 and 20 from all forms of tuberculosis in the three preceding weeks.

Ten deaths were caused by cancer, and 23 by diseases of the heart.

There were 4 deaths from pneumonia, comprising 2 from broncho-pneumonia, and 2 from pneumonia (unspecified). Bronchitis caused 4 deaths.

One death due to a motor accident was recorded.

Among the deaths of infants under one year of age, one was due to whooping cough, one to convulsions, one to broncho-pneumonia, 12 to diarrhoea and enteritis, 3 to congenital debility, and 9 to premature birth.

Thirty-six of the deaths recorded during the week for the City were those of children under five years of age, 28 being infants under one year, 17 of whom were under one month old, and 37 were those of persons aged 65 years and upwards, of whom 31 were aged 70 years or over.

**CASES OF INFECTIOUS DISEASES.**—Table III shows the numbers notified in the City of Dublin and in the Boroughs; and Table IV the number of cases of certain diseases treated in Dublin Hospitals.

\* Typhoid fever, typhus, smallpox, dysentery, scarlet fever, whooping cough, diphtheria, measles and diarrhoea and enteritis (under 2 years of age).

TABLE I.—BIRTHS and DEATHS registered during the week ended Saturday, 12th June, 1943, for the Principal Towns of Eire, with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULA- TION (a)	Annual Rate (b) per 1,000 persons		BIRTHS	DEATHS		BIRTHS	DEATHS	CAUSED BY														Inquest Cases	In public institutions	Number uncertified	
		BIRTHS	DEATHS		Under 1 year of age	65 years and upwards			Principal epidemic diseases								Diseases respiratory system			Violence	Other Causes					
			From all Causes						From Principal epidemic diseases	Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Tuber- culosis		Influenza	Cancer			Pneumonia				Other
																(1)	(2)									
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	
TOTAL 13 TOWNS	793,217	26.7	12.2	1.2	406	185	38	64	.	.	1	1	.	.	17	19	11	.	17	9	11	3	96	14	96	3
CITY OF DUBLIN (c)	500,300	24.5	11.9	1.6	233	114	28	37	.	.	1	1	.	.	13	13	7	.	10	4	4	1	60	4	69	1
BOROUGH OF DUN LAOGHAIRE	42,200	21.0	6.2	.	17	5	1	3	.	.	.	.	.	.	.	.	.	1	1	1	.	2	.	3	.	
CORK COUNTY BOROUGH	76,800	38.7	12.9	.	57	19	2	9	.	.	.	.	.	.	1	2	.	3	1	3	.	9	1	11	1	
LIMERICK COUNTY BOROUGH	42,500	25.8	11.0	.	21	9	2	2	.	.	.	.	.	.	.	1	.	.	.	.	.	8	3	4	.	
WATERFORD COUNTY BOROUGH	28,500	27.4	22.0	.	15	12	.	6	.	.	.	.	.	.	2	.	.	.	.	1	1	8	4	2	.	
GALWAY URBAN DISTRICT	18,294	—	—	—	10	3	1	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	2	.	
DUNDALK URBAN DISTRICT	14,684	—	—	—	4	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	1	.	1	.	.	
DROGHEDA URBAN DISTRICT	14,494	—	—	—	15	4	.	1	.	.	.	.	.	.	1	1	.	.	.	1	.	1	.	1	.	
SLIGO URBAN DISTRICT	12,565	—	—	—	16	4	1	.	.	.	.	.	.	1	.	.	.	1	1	.	.	1	1	2	.	
WEXFORD URBAN DISTRICT	12,247	—	—	—	8	3	.	1	.	.	.	.	.	.	.	1	.	.	1	.	.	1	.	.	.	
TRALEE URBAN DISTRICT	10,285	—	—	—	4	4	1	2	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.	1	1	
KILKENNY URBAN DISTRICT	10,237	—	—	—	3	4	2	1	.	.	.	.	.	2	.	.	.	.	.	.	.	2	.	1	.	
BRAY URBAN DISTRICT	10,111	—	—	—	1	2	.	2	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	.	.	
BELFAST COUNTY BOROUGH	444,500	—	—	—	261	102	30	34	.	.	3	.	1	3	3	3	1	9	8	3	—	—	—	—	—	
DERRY COUNTY BOROUGH	47,813	—	—	—	45	12	3	1	.	.	.	.	.	.	.	1	.	.	.	1	—	—	—	—	—	

(a) According to the Census of 1936, but in the case of the Cities of Cork, Limerick, and Waterford, the populations given are those according to the Register of Population, 1941. The population given for the City of Dublin and for the Borough of Dun Laoghaire is that estimated to the middle of 1943. The population for Belfast is that estimated to the 1st January, 1940, and that for Derry is according to the Census of 1937. (b) The annual rates for the urban districts will be shown in the quarterly return. (c) The figures for the City of Dublin include those for the former urban district of Howth.



TABLE II.—Deaths registered during the week ended Saturday, 12th June, 1943, for the City of Dublin and the County Borough of Cork by Registrars' Districts

REGISTRARS' DISTRICTS, &c.		DEATHS																Inquest cases		In public institutions		Number uncertified							
		AGES AT DEATH								DEATHS FROM																			
		Principal epidemic diseases								Typhoid fever, Typhus, Smallpox, Dysentery		Scarlet fever		Whooping cough		Diphtheria		Measles		Diarrhoea and enteritis (under 2 years of age)		Tuberculosis		Influenza	Cancer	Diseases of respiratory system		Violence	Other causes
TOTAL DEATHS		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)		
DUBLIN.																													
NORTH CITY	No. 1 EAST	7	3	1	1	1	1	1	3	3	1	1	1	1	1	2	2	2	1	1	1	1	1	4	1	5	1	1	1
"	No. 1 WEST	15	6	2	1	1	1	1	3	3	1	1	1	1	1	3	3	1	1	1	1	1	1	8	1	13	1	1	1
"	No. 2	9	1	1	1	1	1	1	1	4	1	1	1	1	1	4	2	2	2	1	1	1	4	1	6	1	1	1	1
"	No. 3	14	5	1	1	1	1	2	2	3	1	1	1	1	1	3	3	1	1	1	1	1	4	1	11	1	1	1	1
"	No. 4	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1
BLANCHARDSTOWN AND CASTLEKNOCK, PT. OF																													
CLONTARF AND HOWTH, NOS. 1 & 2, PT. OF		5	1	1	1	1	1	1	3	2	1	1	1	1	1	1	1	1	1	1	1	1	5	2	1	2	1	1	1
COOLOCK & DRUMCONDRA, NOS. 1 & 2, PT. OF		2	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	2	1	1	2	1	1	1	1	1	1
FINGLAS AND GLASNEVIN, NOS. 1 & 2, PT. OF		3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
SOUTH CITY																													
No. 1		4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1
"	No. 2	3	1	1	1	1	1	1	3	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1
"	No. 3	8	2	1	1	1	1	1	3	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4	1	1	1	1
"	No. 4	7	1	1	1	1	1	1	3	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1
"	No. 5	7	1	1	1	1	1	1	3	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1
"	No. 6	8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1
CLONDALKIN, PART OF																													
CRUMLIN, PART OF		3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
DONNYBROOK, NOS. 1 AND 2		9	2	1	1	1	1	1	2	3	1	1	1	1	1	1	1	1	1	2	1	1	1	3	1	1	1	1	1
RATHFARNHAM, PART OF		10	3	1	1	1	1	1	2	5	1	1	1	1	1	1	1	1	1	1	1	1	1	7	1	1	1	1	1
RATHMINES, NOS. 1 AND 2		3	1	1	1	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
TERENURE, PART OF		3	1	1	1	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
TOTAL		114	28	4	4	1	5	8	27	37	1	1	1	1	1	13	13	7	10	4	4	4	1	60	4	69	1	1	1
CORK.																													
CORK URBAN, No. 1		3	1	1	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	3	1	3	1	1	1
"	No. 2	6	1	1	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	2	1	4	1	1	1	1
"	No. 3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
"	No. 4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
"	No. 5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
"	No. 6	7	1	1	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	1	1	1
"	No. 7	7	1	1	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	1	1	1
TOTAL		19	2	1	1	2	1	3	3	9	1	1	1	1	1	1	1	2	3	10	1	3	1	9	1	11	1	1	1

TABLE III.—Cases of infectious diseases notified in the undermentioned urban areas during the week ended Saturday, 12th June, 1943, and during each of the three preceding weeks.

AREAS	Week ended		Typhoid fever	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis	Smallpox	Measles	Typhus	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Other diseases*	TOTAL
Dublin City	May	22	.	28	4	19	27	.	5	.	5	1B, 4C, 12M	105
	May	29	.	9	8	20	21	.	6	.	7	3C, 1L, 19M, 1N	95
	June	5	.	16	4	28	13	.	2	.	4	2B, 3C, 1L, 31M	104
	June	12	.	12	5	14	18	.	5	.	1	2B, 3C, 2L, 19M	81
Dun Laoghaire Borough	May	22	.	1	.	2	.	.	.	.	.		3
	May	29	.	.	.	1	.	.	.	.	.		1
	June	5	.	.	.	3	.	.	.	.	.		3
	June	12	.	.	.	4	.	.	.	.	.	1M	5
Cork C. B.	May	22	.	1	.	7	5	.	.	.	1	2K, 3M	19
	May	29	.	5	.	4	6	.	.	.	1	2C, 1K, 2M	21
	June	5	.	5	.	4	5	.	.	.	1	1C, 2K, 1M	19
	June	12	.	4	.	2	1	.	.	.	.	2K, 2M, 1P	12
Limerick C. B.	May	22	.	1	.	.	.	.	.	.	.	1C	1
	May	29	.	.	.	1	.	.	.	.	.		2
	June	5	.	.	.	.	.	.	.	.	.		.
	June	12	.	.	.	1	.	.	.	.	.		1
Waterford C. B.	May	22	.	.	1	3	2	.	.	.	1		7
	May	29	.	2	.	1	2	.	.	.	1	1B	7
	June	5	.	.	.	.	.	.	.	.	.		.
	June	12	.	1	.	1	1	.	.	.	.		3

\*The letters in this column denote the following diseases :— (A) Undulant fever, (B) Cerebro-spinal fever, (C) Erysipelas, (D) Ophthalmia neonatorum, (E) Dysentery, (F) Malaria, (G) Relapsing fever, (H) Acute poliomyelitis, (J) Encephalitis lethargica, (K) Varicella, (L) Trachoma, (M) Diarrhoeal diseases, (N) Puerperal fever, (O) Puerperal pyrexia, (P) Pemphigus neonatorum, (Q) Pyrexia.

TABLE IV.—Cases of the undermentioned diseases treated in Dublin hospitals during the week ended Saturday, 12th June, 1943, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of cases in hospital at close of week ended			Week ended 12th June, 1943.			
	May 22	May 29	June 5	No. admitted	Discharged	Died	No. under treatment at close of week
Typhoid fever	4	4	4	.	.	.	4
Typhus	.	.	.	.	.	.	.
Smallpox	.	.	.	.	.	.	.
Measles	3	2	3	.	1	.	2
Scarlet fever	93	86	92	8	26	1	73
Diphtheria	305	287	280	27	46	1	260
Pneumonia	38	38	36	1	4	.	33
Diarrhoea and Enteritis	34	38	39	13	6	9	37



# ÉIRE

*LE hAGHAIDH NA SEIRBHISE PUIBLI*

## CUNNTAS SEACHTMHAINÉAMHAIL na mBREITH agus na mBÁS

### WEEKLY RETURNS OF BIRTHS AND DEATHS

#### FOR THE PRINCIPAL TOWNS

*By Authority of the Registrar-General.*



To be purchased through any Bookseller or directly from  
THE GOVERNMENT PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN.

No. 24. Vol. LXXX.]

WEEK ENDING SATURDAY, 19th June, 1943.

PRICE 1½d. NET.

*Oifig an Árd-Chláradóra,*

*Baile Átha Cliath.*

### PRINCIPAL TOWNS

Particulars of the Births and Deaths recorded for the **Principal Towns** are given in Table I. Deaths have been assigned so far as possible to the area of residence and those of non-residents of Eire have been excluded.

The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were represented by the following annual rates per 1,000 of the population :—

Principal Towns 11.0 and 12.3; City of Dublin 10.7 and 12.1; Borough of Dun Laoghaire 12.4 and 12.4; Cork 17.0 and 14.8; Limerick 2.5 and 8.6; and Waterford 7.3 and 21.1.

The deaths from the principal epidemic diseases\* recorded for the thirteen principal towns last week were represented by an annual rate of 0.5 per 1,000.

**City of Dublin.**—The number of births registered during the week was 293—162 boys and 131 girls. Exclusive of those, numbering 58, occurring in institutions, of infants whose mothers were admitted from other localities, the number was 235, representing a rate of 24.5 per 1,000.

The number of deaths registered was 120—60 males and 60 females. Of the total, 17 related to persons belonging to other localities, so that the actual number of deaths for the City was 103, representing a rate of 10.7 per 1,000.

There were 6 deaths from diarrhoea and enteritis (under 2 years). In the three preceding weeks deaths from this disease were 7, 8 and 13.

Tuberculosis caused 19 deaths (14 of which were from pulmonary tuberculosis, 4 from tuberculous meningitis, and one from miliary tuberculosis), as against 20, from all forms of tuberculosis in each of the three preceding weeks.

Fifteen deaths were caused by cancer, and 21 by diseases of the heart.

There was one death from broncho-pneumonia, and 5 from bronchitis.

There were 3 accidental deaths including one due to scalds.

Among the deaths of infants under one year of age, one was due to convulsions, one to bronchitis, 6 to diarrhoea and enteritis, 2 to congenital malformations, and 5 to premature birth.

Twenty-two of the deaths recorded during the week for the City were those of children under five years of age, 19 being infants under one year, 12 of whom were under one month old, and 36 were those of persons aged 65 years and upwards, of whom 23 were aged 70 years or over.

**CASES OF INFECTIOUS DISEASES.**—Table III shows the numbers notified in the City of Dublin and in the Boroughs; and Table IV the number of cases of certain diseases treated in Dublin Hospitals.

\* Typhoid fever, typhus, smallpox, dysentery, scarlet fever, whooping cough, diphtheria, measles and diarrhoea and enteritis (under 2 years of age).





TABLE II.—Deaths registered during the week ended Saturday, 19th June, 1943, for the City of Dublin and the County Borough of Cork by Registrars' Districts

REGISTRARS' DISTRICTS, &c.		DEATHS																											
		AGES AT DEATH										DEATHS FROM																	
												Principal epidemic diseases						Tuber- culosis		Influenza		Cancer	Diseases of respi- ratory system		Violence	Other causes	Inquest cases	In public institutions	Number uncertified
												Typhoid fever, Dysentery, Smallpox,	Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Pulmonary	Other forms	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)		
DUBLIN.																													
NORTH CITY	No. 1 EAST	5	1	3	3	1	2	1	2	4	4	1	1	1	1	3	1	1	2	2	2	1	1	2	6	3	1		
"	No. 1 WEST	8	3	1	1	1	1	1	4	1	1	1	1	1	1	1	3	1	1	2	1	1	1	5	1	9	7		
"	No. 2	10	5	2	2	1	2	1	3	1	1	1	1	1	1	1	1	1	2	1	1	1	3	1	1	7	1		
"	No. 3	11	2	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1		
"	No. 4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
BLANCHARDSTOWN AND CASTLEKNOCK, PT. OF																													
CLONTARF AND HOWTH, NOS. 1 & 2, PT. OF																													
COOLOCK & DRUMCONDRA, NOS. 1 & 2, PT. OF																													
FINGLAS AND GLASNEVIN, NOS. 1 & 2, PT. OF																													
SOUTH CITY																													
"	No. 1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	2	2	1		
"	No. 2	2	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
"	No. 3	9	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	4	4		
"	No. 4	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4	4		
"	No. 5	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3	3		
"	No. 6	8	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	2	4	1	
CLONDALKIN, PART OF																													
CRUMLIN, PART OF																													
DUNYBROOK, NOS. 1 AND 2																													
RATHFARNHAM, PART OF																													
RATHMINES, NOS. 1 AND 2																													
TERENURE, PART OF																													
TOTAL		103	19	1	2	5	6	11	23	36	6	14	5	15	1	7	3	52	2	63	2	63	2	63	2	63	2		
CORK.																													
CORK URBAN, No. 1	1	4	2	1	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
"	2	6	1	1	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
"	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
"	4	3	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
"	5	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
"	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
"	7	8	3	1	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
TOTAL		25	5	1	1	1	1	2	2	12	1	3	1	1	1	1	3	1	1	2	12	1	2	10	15	15	15		

TABLE III.—Cases of infectious diseases notified in the undermentioned urban areas during the week ended Saturday, 19th June, 1943, and during each of the three preceding weeks.

AREAS	Week ended		Typhoid fever	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis	Smallpox	Measles	Typhus	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Other diseases*	TOTAL
Dublin City	May	29	.	9	8	20	21	.	6	.	7	3C, 1L, 19M, 1N	95
	June	5	.	16	4	28	13	.	2	.	4	2B, 3C, 1L, 31M	104
	June	12	.	12	5	14	18	.	5	.	1	2B, 3C, 2L, 19M	81
	June	19	.	5	5	18	5	.	4	.	3	4C, 7L, 17M, 1N	74
Dun Laoghaire Borough	May	29	.	.	.	1	.	.	.	.	.		1
	June	5	.	.	.	3	.	.	.	.	.		3
	June	12	.	.	.	3	.	.	.	.	.	1M	4
	June	19	.	2	.	4	.	.	.	.	.	1M	7
Cork C. B.	May	29	.	5	.	4	6	.	.	.	1	2C, 1K, 2M	21
	June	5	.	5	.	4	5	.	.	.	1	1C, 2K, 1M	19
	June	12	.	4	.	2	1	.	.	.	.	2K, 2M, 1P	12
	June	19	.	1	.	2	7	.	.	.	.	4K, 5M	19
Limerick C. B.	May	29	.	.	.	1	.	.	.	.	.	1C	2
	June	5	.	.	.	.	.	.	.	.	.		.
	June	12	.	.	.	1	.	.	.	.	.		1
	June	19	.	.	.	1	.	.	.	.	.		1
Waterford C. B.	May	29	.	2	.	1	2	.	.	.	1	1B	7
	June	5	.	.	.	.	.	.	.	.	.		.
	June	12	.	1	.	1	1	.	.	.	.		3
	June	19	.	.	.	1	.	.	.	.	.	1C	2

\*The letters in this column denote the following diseases :— (A) Undulant fever, (B) Cerebro-spinal fever, (C) Erysipelas, (D) Ophthalmia neonatorum, (E) Dysentery, (F) Malaria, (G) Relapsing fever, (H) Acute poliomyelitis, (J) Encephalitis lethargica, (K) Varicella, (L) Trachoma, (M) Diarrhoeal diseases, (N) Puerperal fever, (O) Puerperal pyrexia, (P) Pemphigus neonatorum, (Q) Pyrexia.

TABLE IV.—Cases of the undermentioned diseases treated in Dublin hospitals during the week ended Saturday, 19th June, 1943, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of cases in hospital at close of week ended			Week ended 19th June, 1943.			
	May 29	June 5	June 12	No. admitted	Dis-charged	Died	No. under treatment at close of week
Typhoid fever	4	4	4	.	1	.	3
Typhus	.	.	.	.	.	.	.
Smallpox	.	.	.	.	.	.	.
Measles	2	3	2	.	1	.	1
Scarlet fever	86	92	73	8	11	.	70
Diphtheria	287	280	260	31	30	.	261
Pneumonia	38	36	33	8	2	1	38
Diarrhoea and Enteritis	38	39	37	17	6	8	40



# ÉIRE

LE hAGHAIDH NA SEIRBHISE PUIBLI

## CUNNTAS SEACHTMHAINÉAMHAIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

*By Authority of the Registrar-General.*



To be purchased through any Bookseller or directly from  
THE GOVERNMENT PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN.

No. 25. Vol. LXXX.]

WEEK ENDING SATURDAY, 26th June, 1943.

PRICE 1½d. NET.

*Oifig an Árd-Chláradóra,*

*Baile Átha Cliath.*

### PRINCIPAL TOWNS

Particulars of the Births and Deaths recorded for the **Principal Towns** are given in Table I. Deaths have been assigned so far as possible to the area of residence and those of non-residents of Éire have been excluded.

The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were represented by the following annual rates per 1,000 of the population :—

Principal Towns 13.5 and 12.5; City of Dublin 14.5 and 12.4; Borough of Dun Laoghaire 11.1 and 12.7; Cork 16.3 and 15.0; Limerick 6.1 and 7.1; and Waterford 9.1 and 17.4.

The deaths from the principal epidemic diseases\* recorded for the thirteen principal towns last week were represented by an annual rate of 0.7 per 1,000.

**City of Dublin.**—The number of births registered during the week was 328—179 boys and 149 girls. Exclusive of those, numbering 46, occurring in institutions, of infants whose mothers were admitted from other localities, the number was 282, representing a rate of 29.4 per 1,000.

The number of deaths registered was 157—74 males and 83 females. Of the total, 18 related to persons belonging to other localities, so that the actual number of deaths for the City was 139, representing a rate of 14.5 per 1,000.

There was one death from each of whooping cough and diphtheria and 9 deaths from diarrhoea and enteritis (under 2 years). In the three preceding weeks deaths from each of whooping cough and diphtheria numbered 0, one and 0, and deaths from diarrhoea and enteritis (under 2 years) 8, 13 and 6.

Tuberculosis caused 15 deaths (10 of which were from pulmonary tuberculosis, 3 from tuberculous meningitis, and 2 from miliary tuberculosis), as against 20, 20 and 19 from all forms of tuberculosis in the three preceding weeks.

Seventeen deaths were caused by cancer, and 30 by diseases of the heart.

There were 4 deaths from pneumonia, comprising one from each of broncho and lobar pneumonia, and 2 from pneumonia (unspecified), and there was one from bronchitis.

There were 2 accidental deaths recorded during the week.

Among the deaths of infants under one year of age, one was due to whooping cough, one to meningitis, one to convulsions, 3 to pneumonia, one to bronchitis, 9 to diarrhoea and enteritis, 4 to congenital malformations, 4 to congenital debility, and 5 to premature birth.

Forty-one of the deaths recorded during the week for the City were those of children under five years of age, 35 being infants under one year, 16 of whom were under one month old, and 45 were those of persons aged 65 years and upwards, of whom 36 were aged 70 years or over.

**CASES OF INFECTIOUS DISEASES.**—Table III shows the numbers notified in the City of Dublin and in the Boroughs; and Table IV the number of cases of certain diseases treated in Dublin Hospitals.

\* Typhoid fever, typhus, smallpox, dysentery, scarlet fever, whooping cough, diphtheria, measles and diarrhoea and enteritis (under 2 years of age).

TABLE I.—BIRTHS and DEATHS registered during the week ended Saturday, 26th June, 1943, for the Principal Towns of Éire, with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULA- TION (a)	Annual Rate (b) per 1,000 persons		BIRTHS		DEATHS		BIRTHS		DEATHS		CAUSED BY															Inquest Cases	In public institutions	Number uncertified																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
		DEATHS		BIRTHS		DEATHS		BIRTHS		DEATHS		BIRTHS		Principal epidemic diseases																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		65 years and upwards																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		Under 1 year of age																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														

(a) According to the Census of 1936, but in the case of the Cities of Cork, Limerick, and Waterford, the populations given are those according to the Register of Population, 1941. The population given for the City of Dublin and for the Borough of Dun Laoghaire is that estimated to the middle of 1943. The population for Belfast is that estimated to the 1st January, 1940, and that for Derry is according to the Census of 1937. (b) The annual rates for the urban districts will be shown in the quarterly return. (c) The figures for the City of Dublin include those for the former urban district of Howth.



TABLE II.—Deaths registered during the week ended Saturday, 26th June, 1943, for the City of Dublin and the County Borough of Cork by Registrars' Districts

REGISTRARS' DISTRICTS, &c.		AGES AT DEATH														DEATHS FROM												Inquest cases		In public institutions		Number uncertified
		Principal epidemic diseases							Tuber- culosis		Influenza	Caner	Diseases of respi- ratory system			Violence	Other causes															
		Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Pulmonary					Other forms	(10)	(11)			(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)			
									(1)	(2)	(3)	(4)				(5)	(6)													(7)	(8)	
TOTAL DEATHS		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)					
DUBLIN.		COLS.																														
NORTH CITY	No. 1 EAST	5	3	1	.	.	.	.	7	4	.	.	.	.	.	.	1	1	.	1	.	.	.	3	.	4	1					
"	No. 1 WEST	14	1	.	.	1	.	1	4	3	.	.	.	.	.	3	1	.	3	.	1	.	.	9	.	8	.					
"	No. 2	7	4	.	.	.	.	1	4	4	.	.	.	.	.	2	2	.	.	.	1	.	.	5	.	6	.					
"	No. 3	9	2	.	.	.	.	1	2	1	.	.	.	.	.	1	1	.	.	.	.	.	.	6	.	7	.					
"	No. 4	7	2	.	.	.	.	1	2	2	.	.	.	.	.	1	1	.	.	.	1	.	.	4	.	4	1					
BLANCHARDSTOWN AND CASTLEBROOK, PT. OF		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.					
CLONTARF AND HOWTH, NOS. 1 & 2, PT. OF		8	2	1	.	.	.	1	1	3	.	.	.	.	.	1	1	.	2	.	.	.	.	4	.	3	.					
COOLOCK & DRUMCONDRA, NOS. 1 & 2, PT. OF		9	1	.	2	.	.	1	2	3	.	.	.	1	.	1	1	1	4	1	.	.	.	3	.	4	.					
FINGLAS AND GLASNEVIN, NOS. 1 & 2, PT. OF		11	3	.	.	.	.	1	5	2	.	.	1	.	.	1	1	.	.	.	.	.	.	7	.	4	.					
SOUTH CITY		7	4	.	.	.	.	1	2	.	.	.	1	.	.	.	.	.	.	2	.	1	.	3	.	6	.					
"	No. 1	5	2	.	.	.	.	1	3	3	.	.	.	.	.	1	1	.	.	.	.	.	.	5	.	4	.					
"	No. 2	7	1	.	.	1	1	2	3	1	.	.	.	.	.	2	2	.	.	.	.	.	.	4	.	6	.					
"	No. 3	7	3	.	.	.	.	1	2	2	.	.	.	.	.	1	1	.	1	.	.	.	.	5	.	6	.					
"	No. 4	7	2	.	.	.	.	1	2	2	.	.	.	.	.	1	1	.	1	.	.	.	.	4	.	6	.					
"	No. 5	10	2	.	1	1	1	1	2	2	.	.	.	.	.	1	1	.	1	.	.	.	.	5	.	6	.					
"	No. 6	4	2	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	1	.	.	.	.	3	.	3	1					
CLONDALKIN, PART OF		.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.					
CRUMLIN, PART OF		8	2	.	1	1	.	.	3	1	.	.	.	.	.	1	.	.	.	.	.	.	.	7	.	8	.					
DONNYBROOK, NOS. 1 AND 2		7	2	.	.	.	.	.	.	5	.	.	.	.	.	1	.	.	.	.	.	.	.	6	.	2	.					
RATHFARNHAM, PART OF		1	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.					
RATHMINES, NOS. 1 AND 2		12	1	.	2	1	1	.	2	6	.	.	.	.	.	.	.	1	2	.	.	1	1	7	.	8	.					
TERENURE, PART OF		1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.					
TOTAL		189	35	2	4	5	3	11	34	45	.	.	1	1	.	9	10	5	.	17	4	2	2	88	1	84	3					
CORK.		2	1	.	.	.	.	.	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	3	.					
CORK URBAN, No. 1	No. 1	6	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	.	4	.	1	.					
"	No. 2	2	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.					
"	No. 3	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.					
"	No. 4	2	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	2	.	.	.	.	1	.	1	.					
"	No. 5	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.					
"	No. 6	4	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.	5	.					
"	No. 7	2	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.					
TOTAL		24	1	.	.	.	1	1	12	9	.	.	.	.	.	.	2	1	.	4	1	.	2	14	2	12	.					

TABLE III.—Cases of infectious diseases notified in the undermentioned urban areas during the week ended Saturday, 26th June, 1943, and during each of the three preceding weeks.

AREAS	Week ended	Typhoid fever	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis	Smallpox	Measles	Typhus	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Other diseases*	TOTAL
Dublin City	June 5	.	16	4	28	13	.	2	.	4	2B, 3C, 1L, 31M	104
	June 12	.	12	5	14	18	.	5	.	1	2B, 3C, 2L, 19M	81
	June 19	.	5	5	18	5	.	4	.	2	4C, 7L, 17M, 1N	74
	June 26	.	13	11	26	12	.	3	.	9	2C, 8L, 31M, 1N	116
Dun Laoghaire Borough	June 5	.	.	.	3	.	.	.	.	.		3
	June 12	.	.	.	3	.	.	.	.	.	1M	4
	June 19	.	3	.	3	.	.	.	.	.	1M	7
	June 26	.	1	.	2	.	.	1	.	.		4
Cork C. B.	June 5	.	5	.	4	5	.	.	.	1	1C, 2K, 1M	19
	June 12	.	4	.	2	1	.	.	.	.	2K, 2M, 1P	12
	June 19	.	1	.	2	7	.	.	.	.	4K, 5M	19
	June 26	.	5	.	5	.	.	.	.	.		10
Limerick C. B.	June 5	.	.	.	.	.	.	.	.	.		.
	June 12	.	.	.	1	.	.	.	.	.		1
	June 19	.	.	.	1	.	.	.	.	.		1
	June 26	.	1	.	1	.	.	.	.	.	1C	3
Waterford C. B.	June 5	.	.	.	.	.	.	.	.	.		.
	June 12	.	1	.	1	1	.	.	.	.		3
	June 19	.	.	.	1	.	.	.	.	.	1C	2
	June 26	.	.	.	1	3	.	.	.	.		4

\*The letters in this column denote the following diseases:— (A) Undulant fever, (B) Cerebro-spinal fever, (C) Erysipelas, (D) Ophthalmia neonatorum, (E) Dysentery, (F) Malaria, (G) Relapsing fever, (H) Acute poliomyelitis, (J) Encephalitis lethargica, (K) Varicella, (L) Trachoma, (M) Diarrhoeal diseases, (N) Puerperal fever, (O) Puerperal pyrexia, (P) Pemphigus neonatorum, (Q) Pyrexia.

TABLE IV.—Cases of the undermentioned diseases treated in Dublin hospitals during the week ended Saturday, 26th June, 1943, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of cases in hospital at close of week ended			Week ended 26th June, 1943.			
	June 5	June 12	June 19	No. admitted	Discharged	Died	No. under treatment at close of week
Typhoid fever	4	4	3	.	.	.	3
Typhus	.	.	.	.	.	.	.
Smallpox	.	.	.	.	.	.	.
Measles	3	2	1	.	.	.	1
Scarlet fever	92	73	70	10	12	.	68
Diphtheria	280	260	261	23	38	3	243
Pneumonia	36	33	38	7	5	1	39
Diarrhoea and Enteritis	39	37	40	6	1	4	41



# EIRE

LE hAGHAIDH NA SEIRBHISE PUIBLI

## CUNNTAS SEACHTMHAINÉAMHAIL na mBREITH agus na mBÁS

### WEEKLY RETURNS OF BIRTHS AND DEATHS

#### FOR THE PRINCIPAL TOWNS

*By Authority of the Registrar-General.*



To be purchased through any Bookseller or directly from  
THE GOVERNMENT PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN.

No. 26. Vol. LXXX.]

WEEK ENDING SATURDAY, 3rd July, 1943.

PRICE 1½d. NET.

*Oifig an Árd-Chláradóra,*

*Baile Átha Cliath.*

### PRINCIPAL TOWNS

Particulars of the Births and Deaths recorded for the **Principal Towns** are given in Table I. Deaths have been assigned so far as possible to the area of residence and those of non-residents of Eire have been excluded.

The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were represented by the following annual rates per 1,000 of the population :—

Principal Towns 11.5 and 12.1; City of Dublin 10.8 and 12.0; Borough of Dun Laoghaire 9.9 and 9.9; Cork 14.9 and 15.3; Limerick 13.5 and 8.3; and Waterford 12.8 and 12.8.

The deaths from the principal epidemic diseases\* recorded for the thirteen principal towns last week were represented by an annual rate of 0.9 per 1,000. One death from diphtheria is included in the 7 deaths recorded for Waterford and also in the 6 deaths for Sligo.

**City of Dublin.**—The number of births registered during the week was 363—172 boys and 191 girls. Exclusive of those, numbering 60, occurring in institutions, of infants whose mothers were admitted from other localities, the number was 303, representing a rate of 31.6 per 1,000.

The number of deaths registered was 120—56 males and 64 females. Of the total, 16 related to persons belonging to other localities, so that the actual number of deaths for the City was 104, representing a rate of 10.8 per 1,000.

There was one death from scarlet fever, 2 from diphtheria, and 8 from diarrhoea and enteritis (under 2 years). In the three preceding weeks deaths from diphtheria numbered one, 0 and one, and deaths from diarrhoea and enteritis (under 2 years) 13, 6 and 9. There were no deaths from scarlet fever recorded during the three previous weeks.

Tuberculosis caused 16 deaths (15 of which were from pulmonary tuberculosis, and one from tuberculous enteritis), as against 20, 19 and 15 from all forms of tuberculosis in the three preceding weeks.

Eight deaths were caused by cancer, and 27 by diseases of the heart.

There were 2 deaths from pneumonia, comprising one from broncho-pneumonia, and one from pneumonia (unspecified), and there were 3 deaths from bronchitis.

There was one death caused by a fall from a bicycle recorded.

Among the deaths of infants under one year of age, one was due to diphtheria, one to pulmonary tuberculosis, one to pneumonia, 7 to diarrhoea and enteritis, 5 to congenital debility, 4 to premature birth, and 3 to injury at birth.

Thirty of the deaths recorded during the week for the City were those of children under five years of age, 25 being infants under one year, 12 of whom were under one month old, and 33 were those of persons aged 65 years and upwards, of whom 22 were aged 70 years or over.

**CASES OF INFECTIOUS DISEASES.**—Table III shows the numbers notified in the City of Dublin and in the Boroughs; and Table IV the number of cases of certain diseases treated in Dublin Hospitals.

\* Typhoid fever, typhus, smallpox, dysentery, scarlet fever, whooping cough, diphtheria, measles and diarrhoea and enteritis (under 2 years of age).

TABLE I.—BIRTHS and DEATHS registered during the week ended Saturday, 3rd July, 1943, for the Principal Towns of Eire, with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	COLS.	POPULATION (a)	Annual Rate (b) per 1,000 persons		DEATHS CAUSED BY																In public institutions	Inquest Cases	Number uncertified				
					CAUSED BY																						
			BIRTHS		DEATHS		Principal epidemic diseases										Tuber- culosis		Diseases respiratory system					Violence	Other Causes		
							From all Causes		From Principal epidemic diseases		Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)			Pulmonary	Other forms						Influenza	Cancer
			(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)				(19)	(20)	(21)	(22)
TOTAL 13 TOWNS	...	793,217	31.4	11.5	0.9	478	175	34	57	1	1	4	1	9	22	4	1	13	5	7	5	105	12	99	4		
CITY OF DUBLIN (c)	...	500,300	31.6	10.8	1.1	303	104	25	33	1	1	2	1	8	15	1	1	8	2	4	1	62	3	65	4		
BOROUGH OF DUN LAOGHAIRE	...	42,200	22.2	9.9	1	18	8	1	4	1	1	1	1	1	1	1	1	1	1	1	1	5	1	3	1		
CORK COUNTY BOROUGH	...	76,800	31.9	14.9	1	47	22	4	8	1	1	1	1	1	2	1	2	1	1	2	16	2	11	1			
LIMERICK COUNTY BOROUGH	...	42,500	56.4	13.5	1.2	46	11	2	3	1	1	1	1	1	1	1	1	1	1	1	6	2	6	1			
WATERFORD COUNTY BOROUGH	...	28,500	32.9	12.8	1.8	18	7	1	2	1	1	1	1	1	1	1	1	1	1	1	2	1	4	1			
GALWAY URBAN DISTRICT	...	18,294	—	—	—	16	5	1	1	1	1	1	1	1	1	1	1	1	1	1	4	3	2	1			
DUNDALK URBAN DISTRICT	...	14,684	—	—	—	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1			
DROGHEDA URBAN DISTRICT	...	14,494	—	—	—	9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1			
SLIGO URBAN DISTRICT	...	12,565	—	—	—	4	6	1	1	1	1	1	1	1	1	1	1	1	1	1	5	1	5	1			
WEXFORD URBAN DISTRICT	...	12,247	—	—	—	4	4	1	4	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1			
TRALEE URBAN DISTRICT	...	10,285	—	—	—	3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1			
KILKENNY URBAN DISTRICT	...	10,237	—	—	—	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1			
BRAY URBAN DISTRICT	...	10,111	—	—	—	3	3	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1			
BELFAST COUNTY BOROUGH	...	444,500	—	—	—	219	99	25	35	1	1	1	1	5	4	3	1	12	8	3	1	1	1	1			
DERRY COUNTY BOROUGH	...	47,813	—	—	—	31	7	1	2	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1			

(a) According to the Census of 1936, but in the case of the Cities of Cork, Limerick, and Waterford, the populations given are those according to the Register of Population 1941. The population given for the City of Dublin and for the Borough of Dun Laoghaire is that estimated to the middle of 1943. The population for Belfast is that estimated to the 1st January, 1940, and that for Derry is according to the Census of 1937. (b) The annual rates for the urban districts will be shown in the quarterly return. (c) The figures for the City of Dublin include those for the former urban district of Howth.



TABLE II.—Deaths registered during the week ended Saturday, 3rd July, 1943, for the City of Dublin and the County Borough of Cork by Registrars' Districts

REGISTRARS' DISTRICTS, &c.		AGES AT DEATH														DEATHS FROM													Inquest cases	In public institutions	Number uncertified
									Principal epidemic diseases							Tuber- culosis		Influenza	Cancer	Diseases of respi- ratory system		Violence	Other causes								
									Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Pulmonary	Other forms	Pneumonia			Other											
		Under 1 year	1—2	2—5	5—15	15—25	25—45	45—65													65 years and upwards										
TOTAL DEATHS		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)				
DUBLIN.		COLS.																													
NORTH CITY NO. 1 EAST		5	3	1	1	1	1	1	1	2	1	1	1	1	1	2	1	1	1	2	1	1	1	1	1	3	1				
" NO. 1 WEST		9	6	1	1	1	1	1	1	2	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	7	1				
" NO. 2		8	1	1	1	1	1	1	1	2	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1				
" NO. 3		4	1	1	1	1	1	1	1	2	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1				
" NO. 4		5	1	1	1	1	1	1	1	2	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1				
BLANCHARDSTOWN AND CASTLEKNOCK, PT. OF																															
CLONTARF AND HOWTH, NOS. 1 & 2, PT. OF		5	1	1	1	1	1	1	1	2	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	2	1				
COOLOCK & DRUMCONDRA, NOS. 1 & 2, PT. OF		5	1	1	1	1	1	1	1	2	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	2	1				
FINGLAS AND GLASNEVIN, NOS. 1 & 2, PT. OF		5	1	1	1	1	1	1	1	2	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	2	1				
SOUTH CITY NO. 1		11	2	1	1	1	1	1	1	5	1	1	1	1	1	1	3	1	1	1	1	1	1	1	1	9	1				
" NO. 2		3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3	1				
" NO. 3		4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4	1				
" NO. 4		9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4	1				
" NO. 5		7	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4	1				
" NO. 6		6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4	1				
CLONDALKIN, PART OF																															
CRUMLIN, PART OF		6	2	1	1	1	1	1	1	1	1	1	1	1	1	1	3	1	1	1	1	1	1	1	1	4	1				
DUNYBROOK, NOS. 1 AND 2		4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4	1				
RATHFARNHAM, PART OF		8	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4	1				
RATHMINES, NOS. 1 AND 2		8	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4	1				
TERENURE, PART OF		8	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4	1				
TOTAL		104	25	2	3	8	12	20	33	1	1	1	2	2	1	8	15	1	1	8	2	4	1	62	3	65	4				
CORK.																															
CORK URBAN, No. 1		5	2	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3	1				
" NO. 2		3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1				
" NO. 3		2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1				
" NO. 4		2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1				
" NO. 5		2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1				
" NO. 6		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1				
" NO. 7		6	2	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3	1				
TOTAL		22	4	1	1	1	2	5	8	1	1	1	1	1	1	1	2	1	1	1	2	16	2	11	1	1	1				

TABLE III.—Cases of infectious diseases notified in the undermentioned urban areas during the week ended Saturday, 3rd July, 1943, and during each of the three preceding weeks.

AREAS	Week ended		Typhoid fever	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis	Smallpox	Measles	Typhus	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Other diseases*	TOTAL
Dublin City	June	12	.	12	5	14	18	.	5	.	1	2B, 3C, 2L, 19M	81
	June	19	.	5	5	18	5	.	4	.	3	4C, 7L, 17M, 1N	74
	June	26	.	13	11	26	12	.	3	.	9	2C, 8L, 31M, 1N	116
	July	3	1	9	6	13	13	.	1	.	5	1B, 2C, 1H, 1L, 44M	97
Dun Laoghaire Borough	June	12	.	.	.	3	.	.	.	.	.	1M	4
	June	19	.	3	.	3	.	.	.	.	.	1M	7
	June	26	.	1	.	2	.	.	1	.	.		4
	July	3	.	.	.	1	.	.	.	.	.		1
Cork C. B.	June	12	.	4	.	2	1	.	.	.	.	2K, 2M, 1P	12
	June	19	.	1	.	2	7	.	.	.	.	4K, 5M	19
	June	26	.	5	.	5	.	.	.	.	.		10
	July	3	.	2	.	1	3	.	.	.	.	1C, 3K, 2M, 1N	13
Limerick C. B.	June	12	.	.	.	1	.	.	.	.	.		1
	June	19	.	.	.	1	.	.	.	.	.		1
	June	26	.	1	.	1	.	.	.	.	.	1C	3
	July	3	1	.	.	.	.	.	.	.	1		2
Waterford C. B.	June	12	.	1	.	1	1	.	.	.	.		3
	June	19	.	.	.	1	.	.	.	.	.	1C	2
	June	26	.	.	.	1	3	.	.	.	.		4
	July	3	.	.	.	2	.	.	.	.	.		2

\*The letters in this column denote the following diseases :— (A) Undulant fever, (B) Cerebro-spinal fever, (C) Erysipelas, (D) Ophthalmia neonatorum, (E) Dysentery, (F) Malaria, (G) Relapsing fever, (H) Acute poliomyelitis, (J) Encephalitis lethargica, (K) Varicella, (L) Trachoma, (M) Diarrhoeal diseases, (N) Puerperal fever, (O) Puerperal pyrexia, (P) Pemphigus neonatorum, (Q) Pyrexia.

TABLE IV.—Cases of the undermentioned diseases treated in Dublin hospitals during the week ended Saturday, 3rd July, 1943, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of cases in hospital at close of week ended			Week ended 3rd July, 1943.			
	June 12	June 19	June 26	No. admitted	Discharged	Died	No. under treatment at close of week
Typhoid fever	4	3	3	1	.	.	4
Typhus	.	.	.	.	.	.	.
Smallpox	.	.	.	.	.	.	.
Measles	2	1	1	.	.	.	1
Scarlet fever	73	70	68	11	22	1	56
Diphtheria	260	261	243	14	40	.	217
Pneumonia	33	38	39	4	1	.	42
Diarrhoea and Enteritis	37	40	41	20	12	7	42



## CUNNTAS SEACHTMHAINÉAMHAIL na mBREITH agus na mBÁS

## WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE  
PRINCIPAL TOWNS*By Authority of the Registrar-General.*

To be purchased through any Bookseller or directly from.  
THE GOVERNMENT PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN.



No. 27. Vol. LXXX.]

WEEK ENDING SATURDAY, 10th July, 1943.

PRICE 1½d. NET.

*Oifig an Árd-Chláradóra,**Baile Átha Cliath.*

## PRINCIPAL TOWNS

Particulars of the Births and Deaths recorded for the **Principal Towns** are given in Table I. Deaths have been assigned so far as possible to the area of residence and those of non-residents of Éire have been excluded.

The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were represented by the following annual rates per 1,000 of the population :—

Principal Towns 12.8 and 12.2; City of Dublin 14.2 and 12.6; Borough of Dun Laoghaire 12.4 and 11.5; Cork 10.2 and 14.6; Limerick 2.5 and 6.2; and Waterford 14.6 and 11.0.

The deaths from the principal epidemic diseases\* recorded for the thirteen principal towns last week were represented by an annual rate of 1.1 per 1,000.

**City of Dublin.**—The number of births registered during the week was 313—145 boys and 168 girls. Exclusive of those, numbering 47, occurring in institutions, of infants whose mothers were admitted from other localities, the number was 266, representing a rate of 27.7 per 1,000.

The number of deaths registered was 152—79 males and 73 females. Of the total, 16 related to persons belonging to other localities, so that the actual number of deaths for the City was 136, representing a rate of 14.2 per 1,000.

There was one death from each of scarlet fever, whooping cough and diphtheria, and 14 from diarrhoea and enteritis (under 2 years). In the three preceding weeks deaths from scarlet fever numbered 0, 0 and one; deaths from whooping cough 0, one and 0; from diphtheria 0, one and 2 and deaths from diarrhoea and enteritis (under 2 years) 6, 9 and 8.

Tuberculosis caused 19 deaths (16 of which were from pulmonary tuberculosis, 2 from tuberculous meningitis and one from disseminated tuberculosis), as against 19, 15 and 16 from all forms of tuberculosis in the three preceding weeks.

Thirteen deaths were caused by cancer, and 28 by diseases of the heart.

There were 5 deaths from pneumonia, comprising 2 from broncho-pneumonia, one from lobar pneumonia, and 2 from pneumonia (unspecified), and there was one death from bronchitis.

There were 9 deaths from violence recorded, including one caused by a motor lorry, one by accidental drowning, and one by suicide.

Among the deaths of infants under one year of age, one was due to whooping cough, one to meningitis, 14 to diarrhoea and enteritis, one to congenital malformation, 4 to premature birth, and 2 to injury at birth.

Twenty-eight of the deaths recorded during the week for the City were those of children under five years of age, 25 being infants under one year, 10 of whom were under one month old, and 43 were those of persons aged 65 years and upwards, of whom 31 were aged 70 years or over.

**CASES OF INFECTIOUS DISEASES.**—Table III shows the numbers notified in the City of Dublin and in the Boroughs; and Table IV the number of cases of certain diseases treated in Dublin Hospitals.

\* Typhoid fever, typhus, smallpox, dysentery, scarlet fever, whooping cough, diphtheria, measles and diarrhoea and enteritis (under 2 years of age).

TABLE I.—BIRTHS and DEATHS registered during the week ended Saturday, 10th July, 1943, for the Principal Towns of Éire, with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION (a)	Annual Rate (b) per 1,000 persons		DEATHS		BIRTHS	DEATHS	Under 1 year of age	65 years and upwards	Principal epidemic diseases										Tuber- culosis		Influenza	Cancer	Diseases respiratory system		Violence	Other Causes	Inquest Cases	In public institutions	Number uncertified																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
		DEATHS		From all Causes	From Principal epidemic diseases					Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Pulmonary	Other forms	Pneumonia	Other																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
		BIRTHS	From all Causes																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
																				(1)	(2)			(3)	(4)						(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
COLS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				

(a) According to the Census of 1933, but in the case of the Cities of Cork, Limerick, and Waterford, the populations given are those according to the Register of Population 1941. The population given for the City of Dublin and for the Borough of Dun Laoghaire is that estimated to the middle of 1943. The population for Belfast is that estimated to the 1st January, 1940, and that for Derry is according to the Census of 1937. (b) The annual rates for the urban districts will be shown in the quarterly return. (c) The figures for the City of Dublin include those for the former urban district of Howth.



TABLE II.—Deaths registered during the week ended Saturday, 10th July, 1943, for the City of Dublin and the County Borough of Cork by Registrars' Districts

REGISTRARS' DISTRICTS, &c.		AGES AT DEATH										DEATHS FROM										Inquest cases	In public institutions	Number uncertified			
		Principal epidemic diseases								Tuberculosis		Influenza	Cancer	Diseases of respi- ratory system		Violence	Other causes										
		Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Pulmonary	Other forms	Pneumonia	Other																
TOTAL DEATHS		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
DUBLIN.																											
NORTH CITY	No. 1	5	1	1	1	1	1	1	2	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	5	1
"	No. 2	10	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4	9
"	No. 3	11	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	7	1
"	No. 4	7	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4	3
BLANCHARDSTOWN AND CASTLEKNOCK, PT. OF																											
CLONTARF AND HOWTH,	Nos. 1 & 2, PT. OF	4	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3	4
COOLOCK & DRUMCONDRA,	Nos. 1 & 2, PT. OF	9	1	1	1	1	1	1	2	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4	3
FINGLAS AND GLASNEVIN,	Nos. 1 & 2, PT. OF	6	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3	4
SOUTH CITY																											
"	No. 1	7	1	1	1	1	1	1	3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4	2
"	No. 2	6	1	1	1	1	1	1	2	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	8
"	No. 3	9	2	1	1	1	1	1	2	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	8	9
"	No. 4	9	3	1	1	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	9	6
"	No. 5	13	5	1	1	1	1	1	3	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	6	2
"	No. 6	12	3	1	1	1	1	1	2	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	9	6
CLONDALKIN, PART OF																											
CRUMLIN, PART OF		3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2
DONNYBROOK,	Nos. 1 AND 2	5	1	1	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2
RATHFARNHAM,	PART OF	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2
RATHMINES,	Nos. 1 AND 2	10	2	1	1	1	1	1	2	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	5	5
TERENURE, PART OF		10	2	1	1	1	1	1	2	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	5	5
TOTAL		136	25	2	1	4	8	12	41	43	1	1	1	1	1	14	16	3	13	5	1	1	9	72	11	81	1
CORK.																											
CORK URBAN, No. 1		4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3	1
"	No. 2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
"	No. 3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
"	No. 4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
"	No. 5	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
"	No. 6	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
"	No. 7	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
TOTAL		15	1	1	1	1	1	1	6	3	1	1	1	1	1	1	2	1	1	1	1	1	1	10	1	12	1

TABLE III.—Cases of infectious diseases notified in the undermentioned urban areas during the week ended Saturday, 10th July, 1943, and during each of the three preceding weeks.

AREAS	Week ended		Typhoid fever	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis	Smallpox	Measles	Typhus	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Other diseases*	TOTAL
Dublin City	June 19	19	.	5	5	18	5	.	4	.	8	4C, 7L, 17M, 1N	74
	June 26	26	.	13	11	26	12	.	33	.	9	2C, 8L, 31M, 1N	116
	July 3	3	1	9	6	13	13	.	1	.	5	1B, 2C, 1H, 1L, 44M	97
	July 10	10	.	10	13	13	10	.	.	.	9	2C, 1E, 44M	102
Dun Laoghaire Borough	June 19	19	.	3	.	3	.	.	.	.	.	1M	7
	June 26	26	.	1	.	2	.	.	1	.	.		4
	July 3	3	.	.	.	1	.	.	.	.	.		1
	July 10	10	.	4	.	3	.	.	.	.	.		7
Cork C. B.	June 19	19	.	1	.	2	7	.	.	.	.	4K, 5M	19
	June 26	26	.	5	.	5	.	.	.	.	.		10
	July 3	3	.	2	.	1	3	.	.	.	.	1C, 3K, 2M, 1N	13
	July 10	10	.	2	2	2	.	.	.	.	.	1B, 1M	8
Limerick C. B.	June 19	19	.	.	.	1	.	.	.	.	.		1
	June 26	26	.	1	.	1	.	.	.	.	.	1C	3
	July 3	3	1	.	.	.	.	.	.	.	1		2
	July 10	10	1	1	.	.	.	.	.	.	.		2
Waterford C. B.	June 19	19	.	.	.	1	.	.	.	.	.	1C	2
	June 26	26	.	.	.	1	3	.	.	.	.		4
	July 3	3	.	.	.	2	.	.	.	.	.		2
	July 10	10	.	.	.	.	4	.	.	.	.		4

\*The letters in this column denote the following diseases :— (A) Undulant fever, (B) Cerebro-spinal fever, (C) Erysipelas, (D) Ophthalmia neonatorum, (E) Dysentery, (F) Malaria, (G) Relapsing fever, (H) Acute poliomyelitis, (J) Encephalitis lethargica, (K) Varicella, (L) Trachoma, (M) Diarrhoeal diseases, (N) Puerperal fever, (O) Puerperal pyrexia, (P) Pemphigus neonatorum, (Q) Pyrexia.

TABLE IV.—Cases of the undermentioned diseases treated in Dublin hospitals during the week ended Saturday, 10th July, 1943, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of cases in hospital at close of week ended			Week ended 10th July, 1943.			
	June 19	June 26	July 3	No. admitted	Dis-charged	Died	No. under treatment at close of week
Typhoid fever	3	3	4	.	.	.	4
Typhus	.	.	.	.	.	.	.
Smallpox	.	.	.	.	.	.	.
Measles	1	1	1	2	1	.	2
Scarlet fever	70	68	56	13	9	.	60
Diphtheria	261	243	217	23	25	1	214
Pneumonia	33	39	42	2	4	1	39
Diarrhoea and Enteritis	40	41	42	24	10	10	46



# ÉIRE

*LE hAGHAIDH NA SEIRBHISE PUIBLI*

## GUNNTAS SEACHTMHAINÉAMHAIL na mBREITH agus na mBAS

### WEEKLY RETURNS OF BIRTHS AND DEATHS

#### FOR THE PRINCIPAL TOWNS

*By Authority of the Registrar-General.*

To be purchased through any Bookseller or directly from  
THE GOVERNMENT PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN.



No. 28. Vol. LXXX.]

WEEK ENDING SATURDAY, 17th July, 1943.

PRICE 1½d. NET.

*Oifig an Árd-Chláradóra,*

*Baile Átha Cliath.*

### PRINCIPAL TOWNS

Particulars of the Births and Deaths recorded for the **Principal Towns** are given in Table I. Deaths have been assigned so far as possible to the area of residence and those of non-residents of Éire have been excluded.

The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were represented by the following annual rates per 1,000 of the population :—

Principal Towns 10.8 and 12.2; City of Dublin 9.9 and 12.4; Borough of Dun Laoghaire 7.4 and 10.2; Cork 14.9 and 14.1; Limerick 19.6 and 10.4; and Waterford 12.8 and 12.3.

The deaths from the principal epidemic diseases\* recorded for the thirteen principal towns last week were represented by an annual rate of 0.7 per 1,000.

**City of Dublin.**—The number of births registered during the week was 297—160 boys and 137 girls. Exclusive of those, numbering 45, occurring in institutions of infants whose mothers were admitted from other localities, the number was 252, representing a rate of 26.3 per 1,000.

The number of deaths registered was 113—67 males and 46 females. Of the total, 18 related to persons belonging to other localities, so that the actual number of deaths for the City was 95, representing a rate of 9.9 per 1,000.

There was one death from whooping cough, 2 from diphtheria, and 7 from diarrhoea and enteritis (under 2 years). In the three preceding weeks deaths from whooping cough were one, 0 and one; from diphtheria one, 2 and one; and deaths from diarrhoea and enteritis (under 2 years) 9, 8 and 14.

Tuberculosis caused 22 deaths (20 of which were from pulmonary tuberculosis, and 2 from disseminated tuberculosis), as against 15, 16 and 19 from all forms of tuberculosis in the three preceding weeks.

Eleven deaths were caused by cancer, and 15 by diseases of the heart.

There were 3 deaths from pneumonia, comprising 2 from broncho-pneumonia, and one from pneumonia (unspecified), and there were 4 deaths from bronchitis.

There were 4 deaths from violence recorded, including one by accidental drowning.

Among the deaths of infants under one year of age, one was due to whooping cough, one to bronchitis, one to broncho-pneumonia, 7 to diarrhoea and enteritis, one to congenital malformation, and 4 to premature birth.

Twenty-one of the deaths recorded during the week for the City were those of children under five years of age, 19 being infants under one year, 8 of whom were under one month old, and 27 were those of persons aged 65 years and upwards, of whom 18 were aged 70 years or over.

**CASES OF INFECTIOUS DISEASES.**—Table III shows the numbers notified in the City of Dublin and in the Boroughs; and Table IV the number of cases of certain diseases treated in Dublin Hospitals.

\* Typhoid fever, typhus, smallpox, dysentery, scarlet fever, whooping cough, diphtheria, measles and diarrhoea and enteritis (under 2 years of age).





TABLE II.—Deaths registered during the week ended Saturday, 17th July, 1943, for the City of Dublin and the County Borough of Cork by Registrars' Districts

REGISTRARS' DISTRICTS, &c.		AGES AT DEATH														DEATHS FROM												Inquest cases		In public institutions		Number uncertified
		Principal epidemic diseases								Tuber- culosis																						
		Principal epidemic diseases								Tuber- culosis																						
		Principal epidemic diseases								Tuber- culosis																						
TOTAL DEATHS		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)					
DUBLIN.																																
NORTH CITY	No. 1 EAST	6	1	1	1	1	1	1	2	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4	6	1				
"	No. 1 WEST	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4	6	1				
"	No. 2	6	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4	6	1				
"	No. 3	8	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4	6	1				
"	No. 4	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4	6	1				
BLANCHARDSTOWN AND CASTLEKNOCK, PT. OF																																
CLONTARF AND HOWTH, NOS. 1 & 2, PT. OF		4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4	6	1				
COOLOCK & DRUMCONDRA, NOS. 1 & 2, PT. OF		5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4	6	1				
FINGLAS AND GLASNEVIN, NOS. 1 & 2, PT. OF		11	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4	6	1				
SOUTH CITY																																
"	No. 1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4	6	1				
"	No. 2	5	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4	6	1				
"	No. 3	9	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4	6	1				
"	No. 4	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4	6	1				
"	No. 5	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4	6	1				
"	No. 6	6	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4	6	1				
CLONDALKIN, PART OF																																
CRUMLIN, PART OF		2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4	6	1				
DONNYBROOK, NOS. 1 AND 2		5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4	6	1				
RATHFARNHAM, PART OF		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4	6	1				
RATHMINES, NOS. 1 AND 2		6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4	6	1				
TERENURE, PART OF																																
TOTAL		95	19	1	1	6	12	12	17	27			1	2		7	20	2		11	3	6	4	39	4	66	1					
CORK.																																
CORK URBAN, No. 1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
"	No. 2	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
"	No. 3	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
"	No. 4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
"	No. 5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
"	No. 6	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
"	No. 7	8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
TOTAL		22	4		1		3	1	5	8							2			3	1		1	15	1	15						

TABLE III.—Cases of infectious diseases notified in the undermentioned urban areas during the week ended Saturday, 17th July, 1943, and during each of the three preceding weeks.

AREAS	Week ended		Typhoid fever	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis	Smallpox	Measles	Typhus	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Other diseases*	TOTAL
Dublin City	June	26	.	13	11	26	12	.	3	.	9	2C, 8L, 31M, 1N	116
	July	3	1	9	6	13	13	.	1	.	5	1B, 2C, 1H, 1L, 44M	97
	July	10	.	10	13	13	10	.	.	.	9	2C, 1E, 44M	102
	July	17	.	10	4	14	10	.	20	.	2	1B, 4C, 1L	66
Dun Laoghaire Borough	June	26	.	1	.	2	.	.	1	.	.		4
	July	3	.	.	.	1	.	.	.	.	.		1
	July	10	.	4	.	3	.	.	.	.	.		7
	July	17	.	1	2	2	.	.	.	.	.		5
Cork C. B.	June	26	.	5	.	5	.	.	.	.	.		10
	July	3	.	2	.	1	3	.	.	.	.	1C, 3K, 2M, 1N	13
	July	10	.	2	2	2	.	.	.	.	.	1B, 1M	8
	July	17	.	10	.	2	4	.	.	.	.	3C, 7M	26
Limerick C. B.	June	26	.	1	.	1	.	.	.	.	.	1C	3
	July	3	1	.	.	.	.	.	.	.	1		2
	July	10	1	1	.	.	.	.	.	.	.		2
	July	17	.	1	.	.	.	.	.	.	.		1
Waterford C. B.	June	26	.	.	.	1	3	.	.	.	.		4
	July	3	.	.	.	2	.	.	.	.	.		2
	July	10	.	.	.	.	4	.	.	.	.		4
	July	17	.	.	.	1	5	.	1	.	.		7

\*The letters in this column denote the following diseases :— (A) Undulant fever, (B) Cerebro-spinal fever, (C) Erysipelas, (D) Ophthalmia neonatorum, (E) Dysentery, (F) Malaria, (G) Relapsing fever, (H) Acute poliomyelitis, (J) Encephalitis lethargica, (K) Varicella, (L) Trachoma, (M) Diarrhoeal diseases, (N) Puerperal fever, (O) Puerperal pyrexia, (P) Pemphigus neonatorum, (Q) Pyrexia.

TABLE IV.—Cases of the undermentioned diseases treated in Dublin hospitals during the week ended Saturday, 17th July, 1943, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of cases in hospital at close of week ended			Week ended 17th July, 1943.			
	June 26	July 3	July 10	No. admitted	Discharged	Died	No. under treatment at close of week
Typhoid fever	3	4	4	1	3	.	2
Typhus	.	.	.	.	.	.	.
Smallpox	.	.	.	.	.	.	.
Measles	1	1	2	.	.	.	2
Scarlet fever	68	56	60	9	9	.	60
Diphtheria	243	217	214	17	25	1	205
Pneumonia	39	42	39	3	20	.	22
Diarrhoea and Enteritis	41	42	46	31	16	7	54



# EIRE

LE hAGHAIDH NA SEIRBHISE PUIBLI

## CUNNTAS SEACHTMHAINÉAMHAIL na mBREITH agus na mBAS

### WEEKLY RETURNS OF BIRTHS AND DEATHS

#### FOR THE PRINCIPAL TOWNS

*By Authority of the Registrar-General.*

To be purchased through any Bookseller or directly from  
THE GOVERNMENT PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN.

No. 29. Vol. LXXX.]

WEEK ENDING SATURDAY, 24th July, 1943.

PRICE 1½d. NET.

*Oifig an Árd-Chláradóra,*

*Baile Átha Cliath.*

### PRINCIPAL TOWNS

Particulars of the Births and Deaths recorded for the **Principal Towns** are given in Table I. Deaths have been assigned so far as possible to the area of residence and those of non-residents of Eire have been excluded.

The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were represented by the following annual rates per 1,000 of the population:—

Principal Towns 11.5 and 11.7; City of Dublin 11.5 and 11.6; Borough of Dun Laoghaire 9.9 and 9.9; Cork 15.6 and 13.9; Limerick 12.3 and 12.0; and Waterford 12.8 and 13.3.

The deaths from the principal epidemic diseases\* recorded for the thirteen principal towns last week were represented by an annual rate of 1.4 per 1,000.

**City of Dublin.**—The number of births registered during the week was 271—137 boys and 134 girls. Exclusive of those, numbering 51, occurring in institutions, of infants whose mothers were admitted from other localities, the number was 220, representing a rate of 22.9 per 1,000.

The number of deaths registered was 128—66 males and 62 females. Of the total, 18 related to persons belonging to other localities, so that the actual number of deaths for the City was 110, representing a rate of 11.5 per 1,000.

There was one death from whooping cough, 3 from diphtheria, and 14 from diarrhoea and enteritis (under 2 years). In the three preceding weeks deaths from whooping cough were one, one and 0; from diphtheria 2, one and 2; and deaths from diarrhoea and enteritis (under 2 years) 8, 14 and 8.

Tuberculosis caused 11 deaths (9 of which were from pulmonary tuberculosis, and 2 from tuberculous meningitis), as against 16, 19 and 22 from all forms of tuberculosis in the three preceding weeks.

Sixteen deaths were caused by cancer, and 19 by diseases of the heart.

There were 5 deaths from pneumonia, comprising 4 from broncho-pneumonia, and one from pneumonia (unspecified), and there were 3 deaths from bronchitis.

There were 3 deaths from violence recorded, including one by drowning.

Among the deaths of infants under one year of age, one was due to whooping cough, one to broncho-pneumonia, 14 to diarrhoea and enteritis, one to diphtheria, one to convulsions, and one to premature birth.

Thirty-one of the deaths recorded during the week for the City were those of children under five years of age, 28 being infants under one year, 12 of whom were under one month old, and 31 were those of persons aged 65 years and upwards, of whom 18 were aged 70 years or over.

**CASES OF INFECTIOUS DISEASES.**—Table III shows the numbers notified in the City of Dublin and in the Boroughs; and Table IV the number of cases of certain diseases treated in Dublin Hospitals.

\* Typhoid fever, typhus, smallpox, dysentery, scarlet fever, whooping cough, diphtheria, measles and diarrhoea and enteritis (under 2 years of age).







TABLE II.—Deaths registered during the week ended Saturday, 24th July, 1943, for the City of Dublin and the County Borough of Cork by Registrars' Districts

REGISTRARS' DISTRICTS, &c.		DEATHS																									
		AGES AT DEATH										DEATHS FROM															
												Principal epidemic diseases						Tuber- culosis		Diseases of respi- ratory system							
		Under 1 year	1-2	2-5	5-15	15-25	25-45	45-65	65 years and upwards	Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Pulmonary	Other forms	Influenza	Cancer	Pneumonia	Other	Violence	Other causes	Inquest cases	In public institutions	Number uncertified	
TOTAL DEATHS		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
DUBLIN.																											
NORTH CITY NO. 1 EAST		7	3	1	1	1	1	3	2	2	1	1	1	1	1	1	1	1	1	2	1	1	4	1	3	1	
" NO. 1 WEST		12	4	1	1	1	1	4	2	2	1	1	1	1	1	1	1	1	1	2	1	1	6	5	7	8	
" NO. 2		11	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
" NO. 3		8	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
" NO. 4		3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
BLANCHARDSTOWN AND CASTLEKNOCK, PT. OF		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
CLONTARF AND HOWTH, NOS. 1 & 2, PT. OF		4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
COOLOCK & DRUMCONDRA, NOS. 1 & 2, PT. OF		4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
FINGLAS AND GLASNEVIN, NOS. 1 & 2, PT. OF		3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
SOUTH CITY NO. 1		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
" NO. 2		4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
" NO. 3		4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
" NO. 4		6	3	1	1	1	1	3	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
" NO. 5		3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
" NO. 6		8	3	1	1	1	1	3	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
CLONDALKIN, PART OF		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
CRUMLIN, PART OF		2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
DONNYBROOK, NOS. 1 AND 2		12	4	1	1	1	1	4	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
RATHFARNHAM, PART OF		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
RATHMINES, NOS. 1 AND 2		11	1	1	1	1	1	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
TERENURE, PART OF		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
TOTAL		110	28	1	2	3	6	33	31	31	1	3	1	1	14	9	2	1	16	5	5	3	52	4	73	1	
CORK.																											
CORK URBAN, No. 1		4	1	1	1	1	1	3	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
" No. 2		5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
" No. 3		2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
" No. 4		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
" No. 5		3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
" No. 6		4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
" No. 7		4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
TOTAL		23	3	2	1	2	1	7	8	8	1	1	1	1	2	2	1	1	2	1	1	1	15	1	15	1	

TABLE III.—Cases of infectious diseases notified in the undermentioned urban areas during the week ended Saturday, 24th July, 1943, and during each of the three preceding weeks.

AREAS	Week ended	Typhoid fever	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis	Smallpox	Measles	Typhus	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Other diseases*	TOTAL
Dublin City	July 3	1	9	6	13	13	.	1	.	5	1B, 2C, 1H, 1L, 44M	97
	July 10	.	10	13	13	10	.	.	.	9	2C, 1E, 44M	102
	July 17	.	10	4	14	10	.	20	.	2	1B, 4C, 1L	66
	July 24	1	9	7	15	8	.	8	.	2	2C, 1L, 34M,	87
Dun Laoghaire Borough	July 3	.	.	.	1	.	.	.	.	.		1
	July 10	.	4	.	3	.	.	.	.	.		7
	July 17	.	1	2	2	.	.	.	.	.		5
	July 24	.	1	.	4	.	.	.	.	.		5
Cork C. B.	July 3	.	2	.	1	3	.	.	.	.	1C, 3K, 2M, 1N	13
	July 10	.	2	2	2	.	.	.	.	.	1B, 1M	8
	July 17	.	10	.	2	4	.	.	.	.	3C, 7M	26
	July 24	.	1	.	3	2	.	.	.	.	2K, 7M	15
Limerick C. B.	July 3	1	.	.	.	.	.	.	.	1		2
	July 10	1	1	.	.	.	.	.	.	.		2
	July 17	.	1	.	.	.	.	.	.	.		1
	July 24	4	1	.	.	.	.	.	.	.	1H	6
Waterford C. B.	July 3	.	.	.	2	.	.	.	.	.		2
	July 10	.	.	.	.	4	.	.	.	.		4
	July 17	.	.	.	1	5	.	1	.	.		7
	July 24	.	.	.	.	2	.	.	.	.		2

\*The letters in this column denote the following diseases:— (A) Undulant fever, (B) Cerebro-spinal fever, (C) Erysipelas, (D) Ophthalmia neonatorum, (E) Dysentery, (F) Malaria, (G) Relapsing fever, (H) Acute poliomyelitis, (J) Encephalitis lethargica, (K) Varicella, (L) Trachoma, (M) Diarrhoeal diseases, (N) Puerperal fever, (O) Puerperal pyrexia, (P) Pemphigus neonatorum, (Q) Pyrexia.

TABLE IV.—Cases of the undermentioned diseases treated in Dublin hospitals during the week ended Saturday, 24th July, 1943, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of cases in hospital at close of week ended			Week ended 24th July, 1943.			
	July 3	July 10	July 17	No. admitted	Discharged	Died	No. under treatment at close of week
Typhoid fever	4	4	2	1	.	.	3
Typhus	.	.	.	.	.	.	.
Smallpox	.	.	.	.	.	.	.
Measles	1	2	2	5	.	.	7
Scarlet fever	56	60	60	14	10	.	64
Diphtheria	217	214	205	28	41	2	190
Pneumonia	42	39	22	3	7	1	17
Diarrhoea and Enteritis	42	46	54	24	10	16	52



## ÉIRE Library.

LE hAGHAIDH NA SEIRBHISE PUIBLI**CUNNTAS SEACHTMHAINÉAMHAIL na mBREITH agus na mBÁS****WEEKLY RETURNS OF BIRTHS AND DEATHS****FOR THE  
PRINCIPAL TOWNS***By Authority of the Registrar-General.*

To be purchased through any Bookseller or directly from  
THE GOVERNMENT PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN.

No. 30. Vol. LXXX.]

WEEK ENDING SATURDAY, 31st July, 1943.

PRICE 1½d. NET.

*Oifig an Árd-Chláradóra,**Baile Átha Cliath.***PRINCIPAL TOWNS**

Particulars of the Births and Deaths recorded for the **Principal Towns** are given in Table I. Deaths have been assigned so far as possible to the area of residence and those of non-residents of Eire have been excluded.

The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were represented by the following annual rates per 1,000 of the population :—

Principal Towns 9.4 and 11.1; City of Dublin 9.3 and 11.2; Borough of Dun Laoghaire 9.9 and 9.9; Cork 8.8 and 12.4; Limerick 18.4 and 13.2; and Waterford 11.0 and 12.8.

The deaths from the principal epidemic diseases\* recorded for the thirteen principal towns last week were represented by an annual rate of 0.9 per 1,000.

**City of Dublin.**—The number of births registered during the week was 227—117 boys and 110 girls. Exclusive of those, numbering 27, occurring in institutions, of infants whose mothers were admitted from other localities, the number was 200, representing a rate of 20.8 per 1,000.

The number of deaths registered was 103—47 males and 56 females. Of the total, 14 related to persons belonging to other localities, so that the actual number of deaths for the City was 89, representing a rate of 9.3 per 1,000.

There were 12 deaths from diarrhoea and enteritis (under 2 years). In the three preceding weeks deaths from diarrhoea and enteritis (under 2 years) were 14, 8 and 14.

Tuberculosis caused 14 deaths (10 of which were from pulmonary tuberculosis, and 4 from tuberculous meningitis), as against 19, 22 and 11 from all forms of tuberculosis in the three preceding weeks.

Twelve deaths were caused by cancer, and 17 by diseases of the heart.

There were 3 deaths from pneumonia, comprising 2 from broncho-pneumonia, and one from lobar pneumonia, and there were 2 deaths from bronchitis.

There were 2 deaths from violence recorded.

Among the deaths of infants under one year of age, 12 were due to diarrhoea and enteritis, one to broncho-pneumonia, and 3 to premature birth.

Twenty-one of the deaths recorded during the week for the City were those of children under five years of age, 18 being infants under one year, 6 of whom were under one month old, and 30 were those of persons aged 65 years and upwards, of whom 26 were aged 70 years or over.

**CASES OF INFECTIOUS DISEASES.**—Table III shows the numbers notified in the City of Dublin and in the Boroughs; and Table IV the number of cases of certain diseases treated in Dublin Hospitals.

\* Typhoid fever, typhus, smallpox, dysentery, scarlet fever, whooping cough, diphtheria, measles and diarrhoea and enteritis (under 2 years of age).

TABLE I.—BIRTHS and DEATHS registered during the week ended **Saturday, 31st July, 1943**, for the **Principal Towns of Éire**, with similar particulars for **BELFAST** and **DERRY**.

PRINCIPAL TOWNS	POPULATION (a)	Annual Rate (b) per 1,000 persons		DEATHS	BIRTHS	DEATHS	CAUSED BY														Inquest Cases	In public institutions	Number uncertified																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
		DEATHS					Principal epidemic diseases																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
		From all Causes	From Principal epidemic diseases				Under 1 year of age	65 years and upwards	Typhoid fever, Typhus, Smallpox, Dysentery								Scarlet fever	Whooping cough	Diphtheria	Measles				Diarrhoea and enteritis (under 2 years of age)		Tuber-culosis		Influenza	Cancer	Diseases respiratory system			Violence	Other Causes																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
									(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)								(9)	(10)	(11)	(12)			(13)	(14)	Pulmonary			Other forms	(17)	(18)	(19)	Other	(20)	(21)	(22)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
																																											(25)	(24)	(23)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
COIS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										

(a) According to the Census of 1936, but in the case of the Cities of Cork, Limerick, and Waterford, the populations given are those according to the Register of Population 1941. The population given for the City of Dublin and for the Borough of Dun Laoghaire is that estimated to the middle of 1943. The population for Belfast is that estimated to the 1st January, 1940, and that for Derry is according to the Census of 1937. (b) The annual rates for the urban districts will be shown in the quarterly return. (c) The figures for the City of Dublin include those for the former urban district of Howth.



TABLE II.—Deaths registered during the week ended Saturday, 31st July, 1943, for the City of Dublin and the County Borough of Cork by Registrars' Districts

[illegible]

TABLE III.—Cases of infectious diseases notified in the undermentioned urban areas during the week ended Saturday, 31st July, 1943, and during each of the three preceding weeks.

AREAS	Week ended		Typhoid fever	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis	Smallpox	Measles	Typhus	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Other diseases*	TOTAL
Dublin City	July 10	10	.	10	13	13	10	.	.	.	9	2C, 1E, 44M	102
	July 17	17	.	10	4	14	10	.	20	.	2	1B, 4C, 1L	66
	July 24	24	1	9	7	15	8	.	8	.	2	2C, 1L, 34M,	87
	July 31	31	2	17	4	12	27	.	16	.	4	1B, 1C, 1L, 36M	121
Dun Laoghaire Borough	July 10	10	.	4	.	3	.	.	.	.	.		7
	July 17	17	.	1	2	2	.	.	.	.	.		5
	July 24	24	.	1	.	4	.	.	.	.	.		5
	July 31	31	.	1	.	.	.	.	.	.	.		1
Cork C. B.	July 10	10	.	2	2	2	.	.	.	.	.	1B, 1M	8
	July 17	17	.	10	.	2	4	.	.	.	.	3C, 7M	26
	July 24	24	.	1	.	3	2	.	.	.	.	2K, 7M	15
	July 31	31	.	.	1	5	.	.	.	.	.	1C, 2K, 8M	17
Limerick C. B.	July 10	10	1	1	.	.	.	.	.	.	.		2
	July 17	17	.	1	.	.	.	.	.	.	.		1
	July 24	24	4	1	.	.	.	.	.	.	.	1H	6
	July 31	31	2	2	1	.	.	.	.	.	.	1H	6
Waterford C. B.	July 10	10	.	.	.	.	4	.	.	.	.		4
	July 17	17	.	.	.	1	5	.	1	.	.		7
	July 24	24	.	.	.	.	2	.	.	.	.		2
	July 31	31	.	.	.	.	1	.	.	.	.	1C	2

\*The letters in this column denote the following diseases :— (A) Undulant fever, (B) Cerebro-spinal fever, (C) Erysipelas, (D) Ophthalmia neonatorum, (E) Dysentery, (F) Malaria, (G) Relapsing fever, (H) Acute poliomyelitis, (J) Encephalitis lethargica, (K) Varicella, (L) Trachoma, (M) Diarrhoeal diseases, (N) Puerperal fever, (O) Puerperal pyrexia, (P) Pemphigus neonatorum, (Q) Pyrexia.

TABLE IV.—Cases of the undermentioned diseases treated in Dublin hospitals during the week ended Saturday, 31st July, 1943, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of cases in hospital at close of week ended			Week ended 31st July, 1943.			
	July 10	July 17	July 24	No. admitted	Discharged	Died	No. under treatment at close of week
Typhoid fever	4	2	3	2	.	.	5
Typhus	.	.	.	.	.	.	.
Smallpox	.	.	.	.	.	.	.
Measles	2	2	7	2	1	.	8
Scarlet fever	60	60	64	21	20	.	65
Diphtheria	214	205	190	13	29	.	174
Pneumonia	39	22	17	12	6	1	22
Diarrhoea and Enteritis	46	54	52	33	7	14	64



# ÉIRE

LE RAGHAIDH NA SEIRBHISE PUIBLI

## CUNNTAS SEACHTMHAINÉAMHAIL na mBREITH agus na mBÁS

### WEEKLY RETURNS OF BIRTHS AND DEATHS

#### FOR THE PRINCIPAL TOWNS

*By Authority of the Registrar-General.*

To be purchased through any Bookseller or directly from  
THE GOVERNMENT PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN.



No. 31. Vol. LXXX.]

WEEK ENDING SATURDAY, 7th August, 1943.

PRICE 1½d. NET.

*Oifig an Árd-Chláradóra,*

*Baile Átha Cliath.*

### PRINCIPAL TOWNS

Particulars of the Births and Deaths recorded for the **Principal Towns** are given in Table I. Deaths have been assigned so far as possible to the area of residence and those of non-residents of Eire have been excluded.

The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were represented by the following annual rates per 1,000 of the population :—

Principal Towns 12.8 and 11.1; City of Dublin 14.0 and 11.2; Borough of Dun Laoghaire 9.9 and 9.3; Cork 14.3 and 13.4; Limerick 7.4 and 14.4; and Waterford 12.8 and 12.4.

The deaths from the principal epidemic diseases\* recorded for the thirteen principal towns last week were represented by an annual rate of 1.1 per 1,000.

**City of Dublin.**—The number of births registered during the week was 354—188 boys and 166 girls. Exclusive of those, numbering 80, occurring in institutions, of infants whose mothers were admitted from other localities, the number was 274, representing a rate of 28.6 per 1,000.

The number of deaths registered was 151—89 males and 62 females. Of the total, 17 related to persons belonging to other localities, so that the actual number of deaths for the City was 134, representing a rate of 14.0 per 1,000.

There was one death from whooping cough and 15 from diarrhoea and enteritis (under 2 years). In the three preceding weeks deaths from whooping cough were 0, one and one and from diarrhoea and enteritis (under 2 years) 8, 14, and 12.

Tuberculosis caused 19 deaths (18 of which were from pulmonary tuberculosis, and one from disseminated tuberculosis), as against 22, 11 and 14 from all forms of tuberculosis in the three preceding weeks.

Ten deaths were caused by cancer, and 21 by diseases of the heart.

There were 3 deaths from pneumonia, comprising one from broncho-pneumonia, one from lobar pneumonia, and one from pneumonia (unspecified). There were 3 deaths from bronchitis.

There were 4 deaths from violence recorded.

Among the deaths of infants under one year of age, 15 were due to diarrhoea and enteritis, 2 to congenital debility, one to congenital malformation, and 2 to premature birth.

Thirty-four of the deaths recorded during the week for the City were those of children under five years of age, 31 being infants under one year, 10 of whom were under one month old, and 35 were those of persons aged 65 years and upwards, of whom 23 were aged 70 years or over.

**CASES OF INFECTIOUS DISEASES.**—Table III shows the numbers notified in the City of Dublin and in the Boroughs: and Table IV the number of cases of certain diseases treated in Dublin Hospitals.

\* Typhoid fever, typhus, smallpox, dysentery, scarlet fever, whooping cough, diphtheria, measles and diarrhoea and enteritis (under 2 years of age).

TABLE I.—BIRTHS and DEATHS registered during the week ended Saturday, 7th August, 1943, for the Principal Towns of Éire, with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION (a)	Annual Rate (b) per 1,000 persons		DEATHS										BIRTHS	DEATHS	BIRTHS	DEATHS	CAUSED BY										Inquest Cases	In public institutions	Number uncertified																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
		BIRTHS	(1)	DEATHS		(4)	(5)	(6)	(7)	(8)	Principal epidemic diseases								(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)				(25)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
				From all Causes	From Principal epidemic diseases						Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough					Diphtheria														Measles	Diarrhoea and enteritis (under 2 years of age)	Tuber- culosis		Influenza	Cancer	Diseases respiratory system		Violence	Other Causes																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
																																		Pulmonary	Other forms			Pneumonia	Other																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
																																										Under 1 year of age	65 years and upwards																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
COIS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													

(a) According to the Census of 1936, but in the case of the Cities of Cork, Limerick, and Waterford, the populations given are those according to the Register of Population 1941. The population given for the City of Dublin and for the Borough of Dun Laoghaire is that estimated to the middle of 1943. The population for Belfast is that estimated to the 1st January, 1940, and that for Derry is according to the Census of 1937. (b) The annual rates for the urban districts will be shown in the quarterly return. (c) The figures for the City of Dublin include those for the former urban district of Howth.



TABLE II.—Deaths registered during the week ended Saturday, 7th August, 1943, for the City of Dublin and the County Borough of Cork by Registrars' Districts

REGISTRARS' DISTRICTS, &c.		AGES AT DEATH														DEATHS FROM													Inquest cases		In public institutions		Number uncertified	
		Principal epidemic diseases							Diseases of respiratory system																									
		Tuberculosis							Other																									
		Violence							Other causes																									
TOTAL DEATHS		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)							
DUBLIN.																																		
NORTH CITY	No. 1 EAST	10	2			1		3	2	1						1	1	1	1	1				6		5	1							
"	No. 1 WEST	9	4		2				1							3	1							4		7								
"	No. 2	7	1						1							1	2							3		6								
"	No. 3	13	1			1		1	4	5						1	2			3	1			5	1	9								
"	No. 4	8	5						1							2			1					5		6	1							
BLANCHARDSTOWN AND CASTLEKNOCK, PT. OF																																		
CLONTARF AND HOWTH, NOS. 1 & 2, PT. OF		1	1																					1		2								
COOLOCK & DRUMCONDRA, NOS. 1 & 2, PT. OF		2	1					3	1	2							4			1				2		2								
FINGLAS AND GLASNEVIN, NOS. 1 & 2, PT. OF		7	2						2															4		2								
SOUTH CITY																																		
No. 1		6	2					1	3	3										1				5		5	1							
"	No. 2	5	1						1	2						1								5		1								
"	No. 3																																	
"	No. 4	14	4					1	2	6						3	1							3		4								
"	No. 5	4							1	2										2				6		9								
"	No. 6	3								1														2		2								
CLONDALKIN, PART OF																																		
CRUMLIN, PART OF		8	3					3	2							2										7								
DONNYBROOK, NOS. 1 AND 2		8	1					1	2	3						1										6								
RATHFARNHAM, PART OF																																		
RATHMINES, NOS. 1 AND 2		12	1					2	3	5							2			1						1								
TERENURE, PART OF		2	1							1																12								
TOTAL		134	31		3	2	11	19	33	35		1				15	18	1		10	3	3	4	79	5	91	6							
CORK.																																		
CORK URBAN, No. 1		6			1				3	2							1					1		5		4								
"	No. 2	1							1	2																1								
"	No. 3	3							1	1							1									2								
"	No. 4	2							1	1																1								
"	No. 5	1																																
"	No. 6		2						2	3																								
"	No. 7	8																																
TOTAL		21	2		1	1	1	1	7	8							2			2		1		16		14								

TABLE III.—Cases of infectious diseases notified in the undermentioned urban areas during the week ended Saturday, 7th August, 1943, and during each of the three preceding weeks.

AREAS	Week ended	Typhoid fever	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis	Smallpox	Measles	Typhus	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Other diseases*	TOTAL
Dublin City	July 17	.	10	4	14	10	.	20	.	2	1B, 4C, 1L	66
	July 24	1	9	7	15	8	.	8	.	2	2C, 1L, 34M,	87
	July 31	2	17	4	12	27	.	16	.	4	1B, 1C, 1L, 36M	121
	August 7	.	14	5	15	9	.	16	.	6	1C, 1H, 79M	146
Dun Laoghaire Borough	July 17	.	1	2	2	.	.	.	.	.		5
	July 24	.	1	.	4	.	.	.	.	.		5
	July 31	.	1	.	.	.	.	.	.	.		1
	August 7	.	.	.	2	.	.	.	.	1		3
Cork C. B.	July 17	.	10	.	2	4	.	.	.	.	3C, 7M	26
	July 24	.	1	.	3	2	.	.	.	.	2K, 7M	15
	July 31	.	.	1	5	.	.	.	.	.	1C, 2K, 8M	17
	August 7	.	.	1	4	3	.	.	.	.	2C, 1M	11
Limerick C. B.	July 17	.	1	.	.	.	.	.	.	.		1
	July 24	4	1	.	.	.	.	.	.	.	1H	6
	July 31	2	2	1	.	.	.	.	.	.	1H	6
	August 7	.	.	.	.	.	.	.	.	.		.
Waterford C. B.	July 17	.	.	.	1	5	.	1	.	.		7
	July 24	.	.	.	.	2	.	.	.	.		2
	July 31	.	.	.	.	1	.	.	.	.	1C	2
	August 7	.	.	.	.	.	.	.	.	.		.

\*The letters in this column denote the following diseases :— (A) Undulant fever, (B) Cerebro-spinal fever, (C) Erysipelas, (D) Ophthalmia neonatorum, (E) Dysentery, (F) Malaria, (G) Relapsing fever, (H) Acute poliomyelitis, (J) Encephalitis lethargica, (K) Varicella, (L) Trachoma, (M) Diarrhoeal diseases, (N) Puerperal fever, (O) Puerperal pyrexia, (P) Pemphigus neonatorum, (Q) Pyrexia.

TABLE IV.—Cases of the undermentioned diseases treated in Dublin hospitals during the week ended Saturday, 7th August, 1943, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of cases in hospital at close of week ended			Week ended 7th August, 1943.			
	July 17	July 24	July 31	No. admitted	Discharged	Died	No. under treatment at close of week
Typhoid fever	2	3	5	.	.	1	4
Typhus	.	.	.	.	.	.	.
Smallpox	.	.	.	.	.	.	.
Measles	2	7	8	1	.	.	9
Scarlet fever	60	64	65	14	14	1	64
Diphtheria	205	190	174	19	22	.	171
Pneumonia	22	17	22	8	6	3	21
Diarrhoea and Enteritis	54	52	64	37	16	11	74



# ÉIRE

LE hAGHAIDH NA SEIRBHISE PUIBLI

## CUNNTAS SEACHTMHAINÉAMHAIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

*By Authority of the Registrar-General.*

To be purchased through any Bookseller or directly from  
THE GOVERNMENT PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN.

No. 32. Vol. LXXX.]

WEEK ENDING SATURDAY, 14th August, 1943.

PRICE 1½d. NET.

*Oifig an Árd-Chláradóra,*

*Baile Átha Cliath.*

### PRINCIPAL TOWNS

Particulars of the Births and Deaths recorded for the Principal Towns are given in Table I. Deaths have been assigned so far as possible to the area of residence and those of non-residents of Éire have been excluded.

The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were represented by the following annual rates per 1,000 of the population:—

Principal Towns 11.1 and 11.2; City of Dublin 12.8 and 11.9; Borough of Dun Laoghaire 6.2 and 9.0; Cork 10.9 and 12.4; Limerick 13.5 and 12.9; and Waterford 1.8 and 9.6.

The deaths from the principal epidemic diseases\* recorded for the thirteen principal towns last week were represented by an annual rate of 1.8 per 1,000. Included in the 11 deaths recorded for Limerick was one from typhoid fever.

**City of Dublin.**—The number of births registered during the week was 274—132 boys and 142 girls. Exclusive of those, numbering 63, occurring in institutions, of infants whose mothers were admitted from other localities, the number was 211, representing a rate of 22.0 per 1,000.

The number of deaths registered was 142—76 males and 66 females. Of the total, 19 related to persons belonging to other localities, so that the actual number of deaths for the City was 123, representing a rate of 12.8 per 1,000.

There were 3 deaths from diphtheria and 18 from diarrhoea and enteritis (under 2 years). In the three preceding weeks deaths from diphtheria were 0, 0 and 3 and from diarrhoea and enteritis (under 2 years) 15, 12 and 14.

Tuberculosis caused 15 deaths (11 of which were from pulmonary tuberculosis, and 4 from tuberculous meningitis), as against 19, 14 and 11 from all forms of tuberculosis in the three preceding weeks.

Nine deaths were caused by cancer, and 18 by diseases of the heart.

There were 6 deaths from pneumonia, comprising 3 from broncho-pneumonia and 3 from pneumonia (unspecified). There were 4 deaths from bronchitis.

There were 3 deaths from violence recorded; one death was due to a fall from bicycle, one was due to homicide and one to suicide.

Among the deaths of infants under one year of age, 2 were due to diphtheria, one to tuberculous meningitis, 18 to diarrhoea and enteritis, 5 to congenital debility, 3 to congenital malformation, and 5 to premature birth.

Forty-nine of the deaths recorded during the week for the City were those of children under five years of age, 45 being infants under one year, 15 of whom were under one month old, and 38 were those of persons aged 65 years and upwards, of whom 31 were aged 70 years or over.

**CASES OF INFECTIOUS DISEASES.**—Table III shows the numbers notified in the City of Dublin and in the Boroughs; and Table IV the number of cases of certain diseases treated in Dublin Hospitals.

\* Typhoid fever, typhus, smallpox, dysentery, scarlet fever, whooping cough, diphtheria, measles and diarrhoea and enteritis (under 2 years of age).



TABLE I.—BIRTHS and DEATHS registered during the week ended Saturday, 14th August, 1943, for the Principal Towns of Éire, with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULA- TION (a)	Annual Rate (b) per 1,000 persons		DEATHS		BIRTHS		DEATHS		BIRTHS		DEATHS													
		From all Causes		From Principal epidemic diseases		From all Causes		From Principal epidemic diseases		From all Causes		CAUSED BY													
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Pulmonary	Other forms	Influenza	Cancer	Diseases respiratory system		Violence	Other Causes	Inquest Cases	In public institutions	Number uncertified
									(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
COIS.																									
TOTAL 13 TOWNS	793,217	24.4	11.1	1.8	371	169	56	56	1	.	.	3	.	24	15	5	.	13	7	4	6	91	7	105	3
CITY OF DUBLIN (c)	500,300	22.0	12.8	2.2	211	123	45	38	.	.	.	3	.	18	11	4	.	9	6	4	3	65	4	84	2
BOROUGH OF DUN LAOGHAIRE	42,200	19.8	6.2	.	16	5	.	2	.	.	.	.	.	.	.	.	.	.	1	.	1	3	.	2	.
CORK COUNTY BOROUGH	76,800	33.3	10.9	1.4	49	16	6	4	*	.	.	.	.	2	.	1	.	1	.	.	1	11	3	10	.
LIMERICK COUNTY BOROUGH	42,500	23.3	13.5	2.5	19	11	1	4	1d	.	.	.	.	1	3	.	.	.	.	.	.	6	.	6	.
WATERFORD COUNTY BOROUGH	28,500	38.4	1.8	1.8	21	1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
GALWAY URBAN DISTRICT	18,294	—	—	—	13	2	1	1	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	1	.
DUNDALK URBAN DISTRICT	14,684	—	—	—	5	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
DROGHEDA URBAN DISTRICT	14,494	—	—	—	11	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.
SLIGO URBAN DISTRICT	12,565	—	—	—	7	2	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.
WEXFORD URBAN DISTRICT	12,247	—	—	—	5	2	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.
TRALEE URBAN DISTRICT	10,285	—	—	—	6	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	1
KILKENNY URBAN DISTRICT	10,237	—	—	—	5	2	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	.	.
BRAY URBAN DISTRICT	10,111	—	—	—	3	3	2	1	.	.	.	.	.	1	.	.	.	.	.	.	.	2	.	.	.
BELFAST COUNTY BOROUGH	444,500	—	—	—	188	86	33	23	.	.	1	.	.	13	5	4	.	7	12	2	—	—	—	—	—
DERRY COUNTY BOROUGH	47,813	—	—	—	25	7	1	2	.	.	.	.	.	1	.	.	.	.	.	.	—	—	—	—	—

(a) According to the Census of 1936, but in the case of the Cities of Cork, Limerick, and Waterford, the populations given are those according to the Register of Population 1941. The population given for the City of Dublin and for the Borough of Dun Laoghaire is that estimated to the middle of 1943. The population for Belfast is that estimated to the 1st January, 1940, and that for Derry is according to the Census of 1937. (b) The annual rates for the urban districts will be shown in the quarterly return. (c) The figures for the City of Dublin include those for the former urban district of Howth. (d) Typhoid fever.



TABLE II.—Deaths registered during the week ended Saturday, 14th August, 1943, for the City of Dublin and the County Borough of Cork by Registrars' Districts

REGISTRARS' DISTRICTS, &c.		AGES AT DEATH										DEATHS FROM										Inquest cases	In public institutions	Number uncertified				
		Principal epidemic diseases							Tuber- culosis			Cancer	Diseases of respi- ratory system		Violence	Other causes												
		Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Pulmonary	Other forms	Influenza	Pneumonia		Other															
														(10)			(11)	(12)	(13)	(14)	(15)				(16)	(17)	(18)	(19)
TOTAL DEATHS		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	
DUBLIN.		COLS.																										
NORTH CITY	NO. 1 EAST	5	1			1	1	2								1	1							3	10			
"	NO. 1 WEST	11	9					1								4									6	2		
"	NO. 2	4	1														1								3	6		
"	NO. 3	4	4																						2	3		
"	NO. 4	4	4													1									5	3		
BLANCHARDSTOWN AND CASTLEKNOCK, PT. OF																												
CLONTARF AND HOWTH, NOS. 1 & 2, PT. OF		6	3													2									1	6		
COOLOCK & DRUMCONDRA, NOS. 1 & 2, PT. OF		9	1					1								1	1									5	3	
FINGLAS AND GLASNEVIN, NOS. 1 & 2, PT. OF		4	2														2									4	4	
SOUTH CITY		6	3			1	1						1			2	1									3	7	
"	NO. 1	7	4													1	1									7	7	
"	NO. 2	10	2													1	1									6	4	
"	NO. 3	17	1													1	1									7	6	
"	NO. 4	8	2														1									4	4	
"	NO. 5	8	1														1									4	4	
"	NO. 6	8	1														1									4	4	
CLONDALKIN, PART OF		3	1																							1	1	
CRUMLIN, PART OF		11	2										1													9	9	
DUNNYBROOK, NOS. 1 AND 2		12	3														2									3	3	
RATHFARNHAM, PART OF		2																								2	2	
RATHMINES, NOS. 1 AND 2																												
TERENURE, PART OF																												
TOTAL		123	45	2	2	1	7	9	19	38			3			18	11	4		9	6	4	3	65	4	84	2	
CORK.		1	1							1						1				1						1	3	
CORK URBAN, No. 1		4	2					2		1																		
"	2	2	1																									
"	3	1																										
"	4	1																										
"	5	1																										
"	6	1																										
"	7	4	2					1	1									1										
TOTAL		16	6	1			3	2	4							2		1		1			1	11	3	10		

TABLE III.—Cases of infectious diseases notified in the undermentioned urban areas during the week ended Saturday, 14th August, 1943, and during each of the three preceding weeks.

AREAS	Week ended	Typhoid fever	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis	Smallpox	Measles	Typhus	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Other diseases*	TOTAL
Dublin City	July 24	1	9	7	15	8	.	8	.	2	2C, 1L, 34M,	87
	July 31	2	17	4	12	27	.	16	.	4	1B, 1C, 1L, 36M	121
	August 7	.	14	5	15	9	.	16	.	6	1C, 1H, 79M	146
	August 14	.	6	9	13	11	.	11	.	9	6C, 111M	176
Dun Laoghaire Borough	July 24	.	1	.	4	.	.	.	.	.		5
	July 31	.	1	.	.	.	.	.	.	.		1
	August 7	.	.	.	2	.	.	.	.	1		3
	August 14	.	4	.	2	.	.	1	.	.	4M	11
Cork C. B.	July 24	.	1	.	3	2	.	.	.	.	2K, 7M	15
	July 31	.	.	1	5	.	.	.	.	.	1C, 2K, 8M	17
	August 7	.	.	1	4	3	.	.	.	.	2C, 1M	11
	August 14	.	1	.	1	1	.	.	.	1	9M;	13
Limerick C. B.	July 24	4	1	.	.	.	.	.	.	.	1H	6
	July 31	2	2	1	.	.	.	.	.	.	1H	6
	August 7	.	.	.	.	.	.	.	.	.		.
	August 14	.	.	.	1	.	.	.	.	.	5M	6
Waterford C. B.	July 24	.	.	.	.	2	.	.	.	.		2
	July 31	.	.	.	.	1	.	.	.	.	1C	2
	August 7	.	.	.	.	.	.	.	.	.		.
	August 14	.	.	.	1	1	.	.	.	.		2

\*The letters in this column denote the following diseases :— (A) Undulant fever, (B) Cerebro-spinal fever, (C) Erysipelas, (D) Ophthalmia neonatorum, (E) Dysentery, (F) Malaria, (G) Relapsing fever, (H) Acute poliomyelitis, (J) Encephalitis lethargica, (K) Varicella, (L) Trachoma, (M) Diarrhoeal diseases, (N) Puerperal fever, (O) Puerperal pyrexia, (P) Pemphigus neonatorum, (Q) Pyrexia.

TABLE IV.—Cases of the undermentioned diseases treated in Dublin hospitals during the week ended Saturday, 14th August, 1943, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of cases in hospital at close of week ended			Week ended 14th August, 1943.			
	July 24	July 31	August 7	No. admitted	Discharged	Died	No. under treatment at close of week
Typhoid fever	3	5	4	.	.	.	4
Typhus	.	.	.	.	.	.	.
Smallpox	.	.	.	.	.	.	.
Measles	7	8	9	1	1	.	9
Scarlet fever	64	65	64	20	10	.	74
Diphtheria	190	174	171	19	17	4	169
Pneumonia	17	22	21	4	4	.	21
Diarrhoea and Enteritis	52	64	74	50	5	13	106



# ÉIRE

LE HAGHAIDH NA SEIRBHISE PUIBLI

## CUNNTAS SEACHTMHAINÉAMHAIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE  
PRINCIPAL TOWNS

*By Authority of the Registrar-General.*

To be purchased through any Bookseller or directly from  
THE GOVERNMENT PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN.



No. 33. Vol. LXXX.]

WEEK ENDING SATURDAY, 21st August, 1943.

PRICE 1½d. NET.

*Oifig an Árd-Chláradóra,*

*Baile Átha Cliath.*

### PRINCIPAL TOWNS

Particulars of the Births and Deaths recorded for the **Principal Towns** are given in Table I. Deaths have been assigned so far as possible to the area of residence and those of non-residents of Éire have been excluded.

The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were represented by the following annual rates per 1,000 of the population :—

Principal Towns 12.2 and 11.4; City of Dublin 11.7 and 12.0; Borough of Dun Laoghaire 9.9 and 9.0; Cork 18.3 and 13.1; Limerick 14.7 and 13.5; and Waterford 11.0 and 9.2.

The deaths from the principal epidemic diseases\* recorded for the thirteen principal towns last week were represented by an annual rate of 2.0 per 1,000.

**City of Dublin.**—The number of births registered during the week was 322—167 boys and 155 girls. Exclusive of those, numbering 50, occurring in institutions, of infants whose mothers were admitted from other localities, the number was 272, representing a rate of 28.3 per 1,000.

The number of deaths registered was 134—65 males and 69 females. Of the total, 22 related to persons belonging to other localities, so that the actual number of deaths for the City was 112, representing a rate of 11.7 per 1,000.

There was one death from whooping cough, one from diphtheria and 24 from diarrhoea and enteritis (under 2 years). In the three preceding weeks deaths from diphtheria were 3, 0 and 0 and from diarrhoea and enteritis (under 2 years) 18, 15 and 12.

Tuberculosis caused 14 deaths (13 of which were from pulmonary tuberculosis, and one from miliary tuberculosis), as against 15, 19 and 14 from all forms of tuberculosis in the three preceding weeks.

Nine deaths were caused by cancer, and 22 by diseases of the heart.

There were 3 deaths from pneumonia, comprising 2 from broncho-pneumonia and one from pneumonia (unspecified). There were 4 deaths from bronchitis.

There was one death by suicide.

Among the deaths of infants under one year of age, one was due to whooping cough, one to broncho-pneumonia, one to pneumonia (unspecified), 24 to diarrhoea and enteritis, 4 to congenital malformation, and 5 to premature birth.

Forty-five of the deaths recorded during the week for the City were those of children under five years of age, 44 being infants under one year, 16 of whom were under one month old, and 26 were those of persons aged 65 years and upwards, of whom 18 were aged 70 years or over.

**CASES OF INFECTIOUS DISEASES.**—Table III shows the numbers notified in the City of Dublin and in the Boroughs; and Table IV the number of cases of certain diseases treated in Dublin Hospitals.

\* Typhoid fever, typhus, smallpox, dysentery, scarlet fever, whooping cough, diphtheria, measles and diarrhoea and enteritis (under 2 years of age).

TABLE I.—BIRTHS and DEATHS registered during the week ended Saturday, 21st August, 1943, for the Principal Towns of Éire, with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULA- TION (a)	Annual Rate (b) per 1,000 persons		DEATHS		BIRTHS	DEATHS	BIRTHS	DEATHS	CAUSED BY													Inquest Cases	In public institutions	Number uncertified
				Principal epidemic diseases																					
		From all Causes		From Principal epidemic diseases		Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Tuber- culosis		Influenza	Cancer	Diseases respiratory system		Violence	Other Causes						
		(1)	(2)	(3)	(4)							(5)	(6)			(7)	(8)			(9)	(10)	(11)	(12)	(13)	(14)
TOTAL 13 TOWNS	793,217	24.3	12.2	2.0	2.0	370	186	56	54	.	1	1	.	28	23	5	.	20	7	3	4	89	6	121	.
CITY OF DUBLIN (c)	500,300	28.3	11.7	2.7	2.7	272	112	44	26	.	1	1	.	24	13	1	.	9	3	4	1	55	2	76	.
BOROUGH OF DUN LAOGHAIRE	42,200	13.6	9.9	.	.	11	8	.	5	.	.	.	.	.	2	.	.	1	1	.	.	5	1	5	.
CORK COUNTY BOROUGH	76,800	21.0	18.3	2.0	2.0	31	27	9	9	.	.	.	.	3	3	1	.	3	2	3	.	14	.	18	.
LIMERICK COUNTY BOROUGH	42,500	12.3	14.7	1.2	1.2	10	12	2	2	.	.	.	.	1	1	.	.	4	2	.	1	3	1	8	.
WATERFORD COUNTY BOROUGH	28,500	32.9	11.0	.	.	18	6	.	4	.	.	.	.	.	.	2	.	.	.	.	1	2	1	4	.
GALWAY URBAN DISTRICT	18,294	—	—	—	—	5	3	.	3	.	.	.	.	.	.	1	.	1	.	.	.	1	.	2	.
DUNDALK URBAN DISTRICT	14,684	—	—	—	—	3	4	1	1	.	.	.	.	.	1	.	.	1	1	.	.	2	1	3	.
DROGHEDA URBAN DISTRICT	14,494	—	—	—	—	8	8	.	3	.	.	.	.	.	2	.	.	.	.	.	.	6	.	5	.
SLIGO URBAN DISTRICT	12,565	—	—	—	—	3	2	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.	.	.	.
WEXFORD URBAN DISTRICT	12,247	—	—	—	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TRALEE URBAN DISTRICT	10,285	—	—	—	—	.	1	.	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.
KILKENNY URBAN DISTRICT	10,237	—	—	—	—	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
BRAY URBAN DISTRICT	10,111	—	—	—	—	1	3	.	.	.	.	.	.	.	.	.	.	.	1	1	.	1	1	.	.
BELFAST COUNTY BOROUGH	444,500	—	—	—	—	172	98	29	19	.	2	.	.	13	11	2	.	10	3	6	—	—	—	—	—
DERRY COUNTY BOROUGH	47,813	—	—	—	—	31	11	6	1	.	.	.	1	3	.	1	.	2	.	.	—	—	—	—	—

(a) According to the Census of 1936, but in the case of the Cities of Cork, Limerick, and Waterford, the populations given are those according to the Registrar of Population 1941. (b) The population given for the City of Dublin and for the Borough of Dun Laoghaire is that estimated to the middle of 1943. The population for Belfast is that estimated to the 1st January, 1940, and that for Derry is according to the Census of 1937. (c) The annual rates for the urban districts will be shown in the quarterly return. (d) The figures for the City of Dublin include those for the former urban district of Howth.



TABLE II.—Deaths registered during the week ended Saturday, 21st August, 1943, for the City of Dublin and the County Borough of Cork by Registrars' Districts

REGISTRARS' DISTRICTS, &c.		AGES AT DEATH										DEATHS FROM														Inquest cases	In public institutions	Number uncertified
		Principal epidemic diseases							Tuber- culosis			Cancer	Diseases of respi- ratory system		Violence	Other causes												
		Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Pulmonary	Other forms	Influenza	Pneumonia		Other															
TOTAL DEATHS		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	
DUBLIN.																												
NORTH CITY NO. 1 EAST	COLS.	10	2	3	3	1	2	3	1	4	.	.	.	.	.	.	3	1	.	3	.	1	1	5	1	5	8	
" NO. 1 WEST		12	3	1	1	.	1	1	4	1	.	.	.	.	.	1	1	.	.	1	1	1	.	7	.	2	8	
" NO. 2		7	1	.	.	.	1	1	1	4	.	.	.	.	.	1	2	.	.	.	1	1	3	.	.	2	2	
" NO. 3		4	2	.	.	.	1	1	1	.	.	.	.	.	.	1	2	.	.	.	.	1	3	.	.	4	4	
" NO. 4			1	.	.	.	1	1	1	.	.	.	.	.	.	1	2	.	.	.	.	1	3	.	.	2	2	
BLANCHARDSTOWN AND CASTLEKNOCK, PT. OF																												
CLONTARF AND HOWTH, NOS. 1 & 2, PT. OF		3	.	.	.	.	1	1	1	1	.	.	.	.	.	4	1	.	.	1	1	.	1	1	.	8	4	
COOLOCK & DRUMCONDRA, NOS. 1 & 2, PT. OF		10	6	.	.	1	1	.	4	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	
FINGLAS AND GLASNEVIN, NOS. 1 & 2, PT. OF		9	4	.	.	1	1	.	4	.	.	.	.	.	.	2	.	.	.	.	.	.	.	.	.	.	.	
SOUTH CITY																												
NO. 1		1	4	.	.	.	.	.	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
" NO. 2		5	5	.	.	.	.	.	1	4	.	.	.	.	.	3	.	.	.	1	.	.	.	1	1	5	9	
" NO. 3		10	2	.	.	.	1	1	1	1	.	.	.	.	.	2	.	.	1	1	.	.	.	6	1	3	4	
" NO. 4		8	2	.	.	.	1	1	1	2	.	.	.	.	.	2	.	.	.	1	1	.	.	1	2	3	4	
" NO. 5		5	1	.	.	.	1	1	1	.	.	.	.	.	.	1	.	.	.	1	.	.	.	1	1	1	1	
" NO. 6		3	1	.	.	.	.	.	1	2	.	.	.	.	.	1	.	.	.	.	.	.	.	2	1	3	4	
CLONDALKIN, PART OF																												
CRUMLIN, PART OF		9	5	1	.	.	2	1	1	1	.	.	.	1	.	3	1	.	.	1	1	.	.	3	2	7	.	
DONNYBROOK, NOS. 1 AND 2		3	.	.	.	.	.	.	3	1	.	.	.	.	.	.	.	.	.	1	.	.	.	2	1	3	9	
RATHFARNHAM, PART OF		1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
RATHMINES, NOS. 1 AND 2		11	7	.	.	.	1	1	2	.	.	.	.	.	.	4	.	.	.	1	.	.	.	6	9	1	.	
TERENURE, PART OF		3	.	.	.	.	.	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
TOTAL		112	44	1	1	5	10	25	26	.	.	1	1	.	.	24	13	1	9	3	4	4	1	55	2	76	.	
CORK.																												
CORK URBAN, No. 1		5	.	.	.	.	.	1	4	4	.	.	.	.	.	.	.	.	1	.	.	1	.	3	1	1	3	
" 2		1	1	.	.	.	.	.	1	1	.	.	.	.	.	1	.	.	1	1	.	.	.	1	.	.	.	
" 3		3	1	.	.	.	.	.	1	1	.	.	.	.	.	1	.	.	1	1	.	.	.	1	.	.	.	
" 4		2	1	.	.	.	.	.	1	1	.	.	.	.	.	1	.	.	1	1	.	.	.	1	.	.	.	
" 5		4	1	.	.	.	.	.	1	1	.	.	.	.	.	1	.	.	1	1	.	.	.	1	.	.	.	
" 6		4	2	.	.	.	.	.	1	1	.	.	.	.	.	1	.	.	1	1	.	.	.	1	.	.	.	
" 7		4	1	.	.	.	.	.	1	1	.	.	.	.	.	1	.	.	1	1	.	.	.	1	.	.	.	
TOTAL		27	9	.	.	3	2	4	9	.	.	.	.	.	.	1	3	1	3	.	3	3	.	14	.	.	18	

TABLE III.—Cases of infectious diseases notified in the undermentioned urban areas during the week ended Saturday, 21st August, 1943, and during each of the three preceding weeks.

AREAS	Week ended	Typhoid fever	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis	Smallpox	Measles	Typhus	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Other diseases*	TOTAL
Dublin City	July 31	2	17	4	12	27	.	16	.	4	1B, 1C, 1L, 36M	121
	August 7	.	14	5	15	9	.	16	.	6	1C, 1H, 79M	146
	August 14	.	6	9	13	11	.	11	.	9	6C, 111M	176
	August 21	.	20	9	22	13	.	3	.	3	1C, 65M	136
Dun Laoghaire Borough	July 31	.	1	.	.	.	.	.	.	1		1
	August 7	.	.	.	2	.	.	.	.	.		3
	August 14	.	4	.	2	.	.	1	.	.	4M	11
	August 21	.	3	.	.	.	.	.	.	.	5M, 1N	9
Cork C. B.	July 31	.	.	1	5	.	.	.	.	.	1C, 2K, 8M	17
	August 7	.	.	1	4	3	.	.	.	.	2C, 1M	11
	August 14	.	1	.	1	1	.	.	.	1	9M	13
	August 21	.	1	.	.	5	.	.	.	.	8M	14
Limerick C. B.	July 31	2	2	1	.	.	.	.	.	.	1H	6
	August 7	.	.	.	.	.	.	.	.	.		.
	August 14	.	.	.	1	.	.	.	.	.	5M	6
	August 21	1	.	.	.	.	.	.	.	1		3
Waterford C. B.	July 31	.	.	.	.	1	.	.	.	.	1C	2
	August 7	.	.	.	.	.	.	.	.	.		.
	August 14	.	.	.	1	1	.	.	.	.		2
	August 21	.	.	.	.	2	.	.	.	.	1C	3

\*The letters in this column denote the following diseases :— (A) Undulant fever, (B) Cerebro-spinal fever, (C) Erysipelas, (D) Ophthalmia neonatorum, (E) Dysentery, (F) Malaria, (G) Relapsing fever, (H) Acute poliomyelitis, (J) Encephalitis lethargica, (K) Varicella, (L) Trachoma, (M) Diarrhoeal diseases, (N) Puerperal fever, (O) Puerperal pyrexia, (P) Pemphigus neonatorum, (Q) Pyrexia.

TABLE IV.—Cases of the undermentioned diseases treated in Dublin hospitals during the week ended Saturday, 21st August, 1943, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of cases in hospital at close of week ended			Week ended 21st August, 1943.			
	July 31	August 7	August 14	No. admitted	Dis-charged	Died	No. under treatment at close of week
Typhoid fever	5	4	4	.	.	.	4
Typhus	.	.	.	.	.	.	.
Smallpox	.	.	.	.	.	.	.
Measles	8	9	9	.	2	.	7
Scarlet fever	65	64	74	13	9	.	78
Diphtheria	174	171	169	25	25	3	166
Pneumonia	22	21	21	2	3	.	20
Diarrhoea and Enteritis	64	74	106	40	8	25	113



# ÉIRE

LE MAGHAIDH NA SEIRBHISE PUIBLI

## CUNNTAS SEACHTMHAINÉAMHAIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

PRINCIPAL TOWNS

*By Authority of the Registrar-General.*

To be purchased through any Bookseller or directly from  
THE GOVERNMENT PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN.



No. 34. Vol. LXXX.]

WEEK ENDING SATURDAY, 28th August, 1943.

PRICE 1½d. NET.

*Oifig an Árd-Chláradóra,*

*Baile Átha Cliath.*

### PRINCIPAL TOWNS

Particulars of the Births and Deaths recorded for the **Principal Towns** are given in Table I. Deaths have been assigned so far as possible to the area of residence and those of non-residents of Éire have been excluded.

The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were represented by the following annual rates per 1,000 of the population:—

Principal Towns 11.4 and 11.9; City of Dublin 11.9 and 12.6; Borough of Dun Laoghaire 14.8 and 10.2; Cork 12.2 and 13.9; Limerick 4.9 and 10.1; and Waterford 7.3 and 8.2.

The deaths from the principal epidemic diseases\* recorded for the thirteen principal towns last week were represented by an annual rate of 1.8 per 1,000. Among the 5 deaths recorded for Galway was one from whooping cough.

**City of Dublin.**—The number of births registered during the week was 296—145 boys and 151 girls. Exclusive of those, numbering 50, occurring in institutions, of infants whose mothers were admitted from other localities, the number was 246, representing a rate of 25.6 per 1,000.

The number of deaths registered was 129—73 males and 56 females. Of the total, 15 related to persons belonging to other localities, so that the actual number of deaths for the City was 114, representing a rate of 11.9 per 1,000.

There were two deaths from whooping cough, 2 from diphtheria and 18 from diarrhoea and enteritis (under 2 years). In the three preceding weeks deaths from whooping cough numbered one, 0, and one, from diphtheria 0, 3, and one, and from diarrhoea and enteritis (under 2 years) 15, 18 and 24.

Tuberculosis caused 15 deaths (10 of which were from pulmonary tuberculosis, one from tuberculous meningitis and 4 from other forms of tuberculous disease), as against 19, 15, and 14 from all forms of tuberculosis in the three preceding weeks.

Sixteen deaths were caused by cancer, and 23 by diseases of the heart.

There were 2 deaths from pneumonia, comprising one from broncho-pneumonia and one from lobar pneumonia. There were 2 deaths from bronchitis.

One accidental death was registered, which was caused by burns.

Among the deaths of infants under one year of age, 2 were due to whooping cough, one to diphtheria, one to convulsions, 16 to diarrhoea and enteritis, 2 to congenital malformation, and 2 to premature birth.

Thirty-one of the deaths recorded during the week for the City were those of children under five years of age, 25 being infants under one year, 6 of whom were under one month old, and 42 were those of persons aged 65 years and upwards, of whom 27 were aged 70 years or over.

**CASES OF INFECTIOUS DISEASES.**—Table III shows the numbers notified in the City of Dublin and in the Boroughs; and Table IV the number of cases of certain diseases treated in Dublin Hospitals.

\* Typhoid fever, typhus, smallpox, dysentery, scarlet fever, whooping cough, diphtheria, measles, and diarrhoea and enteritis (under 2 years of age).

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 28th August, 1943, for the Principal Towns of Éire, with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION (a)	Annual Rate (b) per 1,000 persons		DEATHS													Under 1 year of age		65 years and upwards	CAUSED BY													Inquest Cases	In public institutions	Number uncertified
				Principal epidemic diseases																															
		BIRTHS		DEATHS		From all Causes		From Principal epidemic diseases		Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Tuber- culosis		Influenza	Cancer	Diseases respiratory system		Violence	Other Causes												
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)									
TOTAL 13 TOWNS	793,217	23.7	11.4	1.8	360	174	36	64	.	.	3	2	.	22	19	6	.	20	6	7	2	87	1	93	3										
CITY OF DUBLIN (c)	500,300	25.6	11.9	2.3	246	114	25	42	.	.	2	2	.	18	10	5	.	16	2	4	1	54	1	70	2										
BOROUGH OF DUN LAOGHAIRE	42,200	22.2	14.3	.	18	12	.	5	.	.	.	.	.	.	3	.	.	1	.	1	1	6	.	6	.										
CORK COUNTY BOROUGH	76,800	16.3	12.2	.	24	18	4	8	.	.	.	.	.	.	1	1	1	.	2	1	.	13	.	11	.										
LIMERICK COUNTY BOROUGH	42,500	13.5	4.9	.	11	4	.	1	.	.	.	.	.	.	1	1	.	.	1	1	.	1	.	.	1										
WATERFORD COUNTY BOROUGH	28,500	23.8	7.3	1.8	13	4	1	2	.	.	1	.	.	1	1	.	.	.	.	.	.	2	.	.	.										
GALWAY URBAN DISTRICT	18,294	—	—	—	6	5	1	2	.	.	1	.	.	.	1	.	.	1	1	.	.	1	.	1	.										
DUNDALK URBAN DISTRICT	14,684	—	—	—	3	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.										
DROGHEDA URBAN DISTRICT	14,494	—	—	—	17	2	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1	.	1	.										
SLIGO URBAN DISTRICT	12,565	—	—	—	3	4	1	1	.	.	.	.	.	2	1	.	.	.	.	.	.	3	.	2	.										
WEXFORD URBAN DISTRICT	12,247	—	—	—	8	3	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.										
TRALEE URBAN DISTRICT	10,285	—	—	—	4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.										
KILKENNY URBAN DISTRICT	10,237	—	—	—	1	1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.										
BRAY URBAN DISTRICT	10,111	—	—	—	6	5	1	1	.	.	.	.	.	.	.	.	.	.	.	1	.	4	.	1	.										
BELFAST COUNTY BOROUGH	444,500	—	—	—	214	84	23	27	1d	.	2	.	.	8	5	1	1	11	3	1	—	—	—	—	—										
DERRY COUNTY BOROUGH	47,813	—	—	—	18	11	3	1	.	.	.	.	.	.	1	1	.	2	1	.	—	—	—	—	—										

(a) According to the Census of 1936, but in the case of the Cities of Cork, Limerick, and Waterford, the populations given are those according to the Register of Population 1941. The population given for the City of Dublin and for the Borough of Dun Laoghaire is that estimated to the middle of 1943. The population for Belfast is that estimated to the 1st January 1940, and that for Derry is according to the Census of 1937. (b) The annual rates for the urban districts will be shown in the quarterly return. (c) The figures for the City of Dublin include those for the former urban district of Howth. (d) Typhoid fever.



TABLE II.—Deaths registered during the week ended Saturday, 28th August, 1943, for the City of Dublin and the County Borough of Cork by Registrars' Districts

REGISTRARS' DISTRICTS, &c.		AGES AT DEATH														DEATHS FROM												Inquest cases	In public institutions	Number uncertified
		Principal epidemic diseases								Tuber- culosis		Influenza	Cancer	Diseases of respi- ratory system		Violence	Other causes													
		Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Pulmonary	Other forms	Pneumonia	Other																			
														(10)	(11)			(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)			
TOTAL DEATHS		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)			
DUBLIN.																														
NORTH CITY	No. 1 EAST	12	5	1	1	1	1	2	3	2	1	1	1	1	1	3	1	1	1	1	1	1	1	6	1	8	1			
"	No. 1 WEST	4	2	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	1	4	1			
"	No. 2	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	5	1	4	1				
"	No. 3	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	5	1	4	1				
"	No. 4	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	5	1	4	1				
BLANCHARDSTOWN AND CASTLEKNOCK, PT. OF																														
CLONTARF AND HOWTH,	Nos. 1 & 2, PT. OF	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	5	2	6	1			
COOLOCK & DRUMCONDRA,	Nos. 1 & 2, PT. OF	8	4	1	1	1	1	2	1	1	1	1	1	1	1	2	1	1	1	1	1	1	2	5	2	6	1			
FINGLAS AND GLASNEVIN,	Nos. 1 & 2, PT. OF	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	5	2	6	1			
SOUTH CITY																														
"	No. 1	4	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3	5	2	6	1			
"	No. 2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3	5	2	6	1			
"	No. 3	7	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	3	5	2	6	1			
"	No. 4	8	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3	5	2	6	1			
"	No. 5	11	3	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	3	5	2	6	1			
"	No. 6	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3	5	2	6	1			
CLONDAIKIN, PART OF																														
CRUMLIN, PART OF		7	3	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	3	5	2	6	1			
DONNYBROOK,	Nos. 1 AND 2	9	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	3	5	2	6	1			
RATHFARNHAM,	PART OF	10	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3	5	2	6	1			
RATHMINES,	Nos. 1 AND 2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3	5	2	6	1			
TERENURE,	PART OF	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3	5	2	6	1			
TOTAL		114	25	4	2	1	4	15	21	42	18	10	2	2	1	18	10	5	16	2	4	1	54	1	70	2				
CORK.																														
CORK URBAN,	No. 1	3	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	3	2	2	3	1			
"	No. 2	3	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	3	2	2	3	1			
"	No. 3	3	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	3	2	2	3	1			
"	No. 4	3	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	3	2	2	3	1			
"	No. 5	3	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	3	2	2	3	1			
"	No. 6	5	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	3	2	2	3	1			
"	No. 7	2	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	3	2	2	3	1			
TOTAL		18	4	1	1	1	1	1	5	8	1	1	1	1	1	1	1	1	1	1	1	1	13	1	11	1				

TABLE III.—Cases of infectious diseases notified in the undermentioned urban areas during the week ended Saturday, 28th August, 1943, and during each of the three preceding weeks.

AREAS	Week ended	Typhoid fever	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis	Smallpox	Measles	Typhus	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Other diseases*	TOTAL
Dublin City	August 7	.	14	5	15	9	.	16	.	6	1H, 1A, 79D	146
	August 14	.	6	9	13	11	.	11	.	9	6H, 111D	176
	August 21	.	20	9	22	13	.	3	.	3	1H, 65D	136
	August 28	.	18	15	13	17	.	15	.	4	1B, 210D, 2H.	295†
Dun Laoghaire Borough	August 7	.	.	.	2	.	.	.	.	1		3
	August 14	.	4	.	2	.	.	1	.	.	4H	11
	August 21	.	3	.	.	.	.	.	.	.	5H, 1T	9
	August 28	1	1	.	.	.	.	.	.	.	3D	5
Cork C. B.	August 7	.	.	1	4	3	.	.	.	.	2H, 1D	11
	August 14	.	1	.	1	1	.	.	.	1	9D	13
	August 21	.	1	.	.	5	.	.	.	.	8D	14
	August 28	.	1	.	8	2	.	.	.	2	16D.	29
Limerick C. B.	August 7	.	.	.	.	.	.	.	.	.		.
	August 14	.	.	.	1	.	.	.	.	.	5D	6
	August 21	1	.	.	.	.	.	.	.	2		3
	August 28	.	2	.	.	.	.	.	.	.	2D	4
Waterford C. B.	August 7	.	.	.	.	.	.	.	.	.		.
	August 14	.	.	.	1	1	.	.	.	.		2
	August 21	.	.	.	.	2	.	.	.	.	1H	3
	August 28	.	.	.	1	.	.	.	.	.	10D	11

\*The letters in this column denote the following diseases :— (A) Acute Anterior Poliomyelitis, (B) Cerebro-Spinal Fever, (C) Encephalitis Lethargica, (D) Diarrhoea and Enteritis, (E) Paratyphoid A., (F) Paratyphoid B., (G) Trachoma, (H) Erysipelas, (J) Ophthalmia Neonatorum, (K) Pemphigus Neonatorum, (L) Undulant Fever, (M) Continued Fever, (N) Dysentery (Bacillary), (O) Dysentery (Amoebic), (P) Malaria, (Q) Membranous Croup, (T) Puerperal Infection.

† Including 132 cases of diarrhoea and enteritis from 1st June, now notified from an institution.

TABLE IV.—Cases of the undermentioned diseases treated in Dublin hospitals during the week ended Saturday, 28th August, 1943, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of cases in hospital at close of week ended			28th Week ended August, 1943.			
	August 7	August 14	August 21	No. admitted	Discharged	Died	No. under treatment at close of week
Typhoid fever	4	4	4	1	1	.	4
Typhus	.	.	.	.	.	.	.
Smallpox	.	.	.	.	.	.	.
Measles	9	9	7	1	5	.	3
Scarlet fever	64	74	78	17	13	.	82
Diphtheria	171	169	166	22	15	.	173
Pneumonia	21	21	20	5	7	2	16
Diarrhoea and Enteritis	74	106	113	49	20	14	128



# ÉIRE

LE hAGHAIDH NA SEIRBHISE PUIBLI

## CUNNTAS SEACHTMHAINÉAMHAIL na mBREITH agus na mBÁS

### WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

### PRINCIPAL TOWNS

*By Authority of the Registrar-General.*



To be purchased through any Bookseller or directly from  
THE GOVERNMENT PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN.

No. 35. Vol. LXXX.]

WEEK ENDING SATURDAY, 4th September, 1943.

PRICE 1½d. NET.

*Oifig an Árd-Chláradóra,*

*Baile Átha Cliath.*

### PRINCIPAL TOWNS

Particulars of the Births and Deaths recorded for the **Principal Towns** are given in Table I. Deaths have been assigned so far as possible to the area of residence and those of non-residents of Éire have been excluded.

The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were represented by the following annual rates per 1,000 of the population :—

Principal Towns 11.6 and 11.6; City of Dublin 12.6 and 12.3; Borough of Dun Laoghaire 9.9 and 10.2; Cork 10.2 and 12.9; Limerick 9.8 and 10.7; and Waterford 18.3 and 9.6.

The deaths from the principal epidemic diseases\* recorded for the thirteen principal towns last week were represented by an annual rate of 1.6 per 1,000. Among the 15 deaths recorded for Cork were 2 from diphtheria, and one from diarrhoea and enteritis (under 2 years), and the one death for Galway was from whooping cough.

**City of Dublin.**—The number of births registered during the week was 298—159 boys and 139 girls. Exclusive of those, numbering 49, occurring in institutions, of infants whose mothers were admitted from other localities, the number was 249, representing a rate of 26.0 per 1,000.

The number of deaths registered was 138—74 males and 64 females. Of the total, 17 related to persons belonging to other localities, so that the actual number of deaths for the City was 121, representing a rate of 12.6 per 1,000.

There were two deaths from whooping cough, and 17 from diarrhoea and enteritis (under 2 years). In the three preceding weeks deaths from whooping cough numbered 0, one and 2, and from diarrhoea and enteritis (under 2 years) 18, 24 and 18.

Tuberculosis caused 12 deaths (11 of which were from pulmonary tuberculosis, and one from disseminated tuberculosis), as against 15, 14 and 15 from all forms of tuberculosis in the three preceding weeks.

Fifteen deaths were caused by cancer, and 18 by diseases of the heart.

There were 6 deaths from pneumonia, comprising 2 from broncho-pneumonia, one from lobar pneumonia, and 3 from pneumonia unspecified. There were 5 deaths from bronchitis.

One accidental death was registered, caused by burns.

Among the deaths of infants under one year of age, 2 were due to whooping cough, one to convulsions, 17 to diarrhoea and enteritis, 3 to congenital malformation, and 2 to premature birth.

Thirty-six of the deaths recorded during the week for the City were those of children under five years of age, 30 being infants under one year, 10 of whom were under one month old, and 44 were those of persons aged 65 years and upwards, of whom 28 were aged 70 years or over.

**CASES OF INFECTIOUS DISEASES.**—Table III shows the numbers notified in the City of Dublin and in the Boroughs; and Table IV the number of cases of certain diseases treated in Dublin Hospitals.

\* Typhoid fever, typhus, smallpox, dysentery, scarlet fever, whooping cough, diphtheria, measles, and diarrhoea and enteritis (under 2 years of age).

TABLE I.—BIRTHS and DEATHS registered during the week ended Saturday, 4th September, 1943, for the Principal Towns of Éire, with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION (a)	Annual Rate (b) per 1,000 persons		BIRTHS		DEATHS		BIRTHS		DEATHS		CAUSED BY																	In public institutions	Inquest Cases	Number uncertified				
		DEATHS		BIRTHS		DEATHS		BIRTHS		BIRTHS		DEATHS		Principal epidemic diseases										Diseases respiratory system		Violence	Other Causes								
		From all Causes	From Principal epidemic diseases	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	Tuber- culosis		Influenza	Cancer	(19)	(20)	(21)	(22)											
																	Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever							Whooping cough			Diphtheria				Measles	Diarrhoea and enteritis (under 2 years of age)	Pulmonary	Other forms
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)											
TOTAL 13 TOWNS	793,217	25.7	11.6	1.6	391	177	73	.	.	3	2	.	.	.	20	16	1	.	.	.	22	10	7	4	92	5	97	4	.						
CITY OF DUBLIN (c)	500,300	26.0	12.6	2.0	249	121	44	.	.	2	.	.	.	.	17	11	1	.	.	.	15	6	7	1	61	.	74	2	.						
BOROUGH OF DUN LAOGHAIRE	42,200	21.0	9.9	.	17	8	7	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	.	.	5	.	5	.	.						
CORK COUNTY BOROUGH	76,800	11.5	10.2	2.0	17	15	4	.	.	.	2	.	.	.	1	1	.	.	.	4	2	.	.	5	.	10	.	.							
LIMERICK COUNTY BOROUGH	42,500	50.3	9.8	1.2	41	8	2	.	.	.	.	.	.	.	1	1	.	.	.	1	.	.	.	1	4	2	5	.	.						
WATERFORD COUNTY BOROUGH	28,500	18.3	18.3	.	10	10	8	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	9	2	2	.	.						
GALWAY URBAN DISTRICT	18,294	—	—	—	6	1	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.						
DUNDALK URBAN DISTRICT	14,684	—	—	—	6	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.						
DROGHEDA URBAN DISTRICT	14,494	—	—	—	15	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.						
SLIGO URBAN DISTRICT	12,565	—	—	—	5	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.						
WEXFORD URBAN DISTRICT	12,247	—	—	—	16	6	4	.	.	.	.	.	.	.	.	.	2	.	.	.	.	.	.	.	4	.	.	.	1						
TRALEE URBAN DISTRICT	10,285	—	—	—	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.						
KILKENNY URBAN DISTRICT	10,237	—	—	—	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	1						
BRAY URBAN DISTRICT	10,111	—	—	—	1	3	2	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	1	.	1	.	.						
BELFAST COUNTY BOROUGH	444,500	—	—	—	193	91	32	1d	.	.	.	.	1	12	12	12	.	.	1	11	6	2	.	.	.	.	.	.	.						
DERRY COUNTY BOROUGH	47,813	—	—	—	38	10	2	.	.	.	.	.	.	2	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.						

(a) According to the Census of 1936, but in the case of the Cities of Cork, Limerick, and Waterford, the populations given are those according to the Register of Population 1941. The population given for the City of Dublin and for the Borough of Dun Laoghaire is that estimated to the middle of 1943. The population for Belfast is that estimated to the 1st January 1940, and that for Derry is according to the Census of 1937. (b) The annual rates for the urban districts will be shown in the quarterly return. (c) The figures for the City of Dublin include those for the former urban district of Howth. (d) Typhoid fever.



TABLE II.—Deaths registered during the week ended Saturday, 4th September, 1943, for the City of Dublin and the County Borough of Cork by Registrars' Districts

REGISTRARS' DISTRICTS, &c.		DEATHS																										
		AGES AT DEATH										DEATHS FROM																
												Principal epidemic diseases						Tuber- culosis		Influenza	Cancer	Diseases of respi- ratory system		Violence	Other causes	Inquest cases	In public institutions	Number uncertified
		Under 1 year	1—2	2—5	5—15	15—25	25—45	45—65	65 years and upwards	Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Pulmonary	Other forms	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)		
DUBLIN.		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	
NORTH CITY No. 1 EAST		6	4	1	1	1	1	2	4	4	1	1	1	1	3	2	1	1	1	1	1	1	1	4	4	11	4	
" No. 1 WEST		14	2	1	1	1	1	3	4	4	1	1	1	1	2	1	1	1	1	1	1	1	1	6	1	2	1	
" No. 2		3	4	1	1	1	1	1	4	4	1	1	1	1	2	1	1	1	1	1	1	1	1	4	5	11	1	
" No. 3		10	4	1	1	1	1	2	4	4	1	1	1	1	3	1	1	1	1	1	1	1	1	4	2	2	2	
" No. 4		3	2	1	1	1	1	1	4	4	1	1	1	1	1	4	1	1	1	1	1	1	1	2	5	2	2	
BLANCHARDSTOWN AND CASTLEKNOCK, PT. OF		1	1	1	1	1	2	1	1	2	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	2	2	
CLONTARF AND HOWTH, NOS. 1 & 2, PT. OF		5	1	1	1	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	5	2	2	2	
COOLOCK & DRUMCONDRA, NOS. 1 & 2, PT. OF		5	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	
FINGLAS AND GLASNEVIN, NOS. 1 & 2, PT. OF		7	4	1	1	1	1	2	2	2	1	2	1	1	1	4	1	1	1	1	1	1	1	3	1	2	7	
SOUTH CITY No. 1		12	4	1	1	1	3	2	2	2	1	2	1	1	1	4	1	1	1	1	1	1	1	3	1	2	7	
" No. 2		2	4	1	1	1	1	2	2	2	1	2	1	1	1	1	1	1	1	1	1	1	1	2	2	7	2	
" No. 3		9	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	7	2	
" No. 4		6	1	1	1	1	1	3	3	5	1	1	1	1	1	1	1	1	1	1	1	1	1	4	3	3	3	
" No. 5		8	1	1	1	1	1	1	3	4	1	1	1	1	1	1	1	1	1	1	1	1	1	6	1	3	3	
" No. 6		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
CLONDALKIN, PART OF		6	2	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3	2	2	2	
CRUMLIN, PART OF		6	2	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3	2	2	2	
DUNYBROOK, NOS. 1 AND 2		8	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4	2	2	2	
RATHFARNHAM, PART OF		14	1	1	1	1	1	3	9	9	1	1	1	1	1	1	1	1	1	5	5	1	1	1	2	2	2	
RATHMINES, NOS. 1 AND 2		14	1	1	1	1	1	3	9	9	1	1	1	1	1	1	1	1	1	5	5	1	1	1	2	2	2	
TERENURE, PART OF		14	1	1	1	1	1	3	9	9	1	1	1	1	1	1	1	1	1	5	5	1	1	1	2	2	2	
TOTAL		121	30	3	3	3	10	24	44	44	1	2	2	1	1	17	11	1	1	15	6	7	1	61	74	2	2	
CORK.		3	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
CORK URBAN, No. 1		3	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
" No. 2		3	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
" No. 3		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
" No. 4		3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
" No. 5		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
" No. 6		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
" No. 7		3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
TOTAL		15	2	1	1	1	2	5	4	4	1	1	2	2	1	1	1	1	1	4	2	1	1	5	10	10	10	

TABLE III.—Cases of infectious diseases notified in the undermentioned urban areas during the week ended Saturday, 4th September, 1943, and during each of the three preceding weeks.

AREAS	Week ended	Typhoid fever	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis	Smallpox	Measles	Typhus	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Other diseases*	TOTAL
Dublin City	August 14	.	6	9	13	11	.	11	.	9	6H, 111D	176
	August 21	.	20	9	22	13	.	3	.	3	1H, 65D	136
	August 28	.	18	15	13	17	.	15	.	4	1B, 210D, 2H.	295†
	Sept. 4	1	11	8	17	21	.	4	.	7	1A, 1B, 84D, 2G, 2H, 1T	160
Dun Laoghaire Borough	August 14	.	4	.	2	.	.	1	.	.	4H	11
	August 21	.	3	.	.	.	.	.	.	.	5H, 1T	9
	August 28	1	1	.	.	.	.	.	.	.	3D	5
	Sept. 4	.	1	.	1	.	.	.	.	.	3D	5
Cork C. B.	August 14	.	1	.	1	1	.	.	.	1	9D	13
	August 21	.	1	.	.	5	.	.	.	.	8D	14
	August 28	.	1	.	8	2	.	.	.	2	16D.	29
	Sept. 4	.	1	1	13	2	.	.	.	1	4D, 1H	23
Limerick C. B.	August 14	.	.	.	1	.	.	.	.	.	5D	6
	August 21	1	.	.	.	.	.	.	.	2		3
	August 28	.	2	.	.	.	.	.	.	.	2D	4
	Sept. 4	.	1	.	.	.	.	.	.	.	1M	2
Waterford C. B.	August 14	.	.	.	1	1	.	.	.	.		2
	August 21	.	.	.	.	2	.	.	.	.	1H	3
	August 28	.	.	.	1	.	.	.	.	.	10D	11
	Sept. 4	.	.	1	.	.	.	.	.	.	3D	4

\*The letters in this column denote the following diseases :— (A) Acute Anterior Poliomyelitis, (B) Cerebro-Spinal Fever, (C) Encephalitis Lethargica, (D) Diarrhoea and Enteritis, (E) Paratyphoid A., (F) Paratyphoid B., (G) Trachoma, (H) Erysipelas, (J) Ophthalmia Neonatorum, (K) Pemphigus Neonatorum, (L) Undulant Fever, (M) Continued Fever, (N) Dysentery (Bacillary), (O) Dysentery (Amoebic), (P) Malaria, (Q) Membranous Croup, (T) Puerperal Infection.

† Including 132 cases of diarrhoea and enteritis from 1st June, now notified from an institution.

TABLE IV.—Cases of the undermentioned diseases treated in Dublin hospitals during the week ended Saturday, 4th September, 1943, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of cases in hospital at close of week ended			Week ended 4th September, 1943.			
	August 14	August 21	August 28	No. admitted	Discharged	Died	No. under treatment at close of week
Typhoid fever	4	4	4	1	1	.	4
Typhus	.	.	.	.	.	.	.
Smallpox	.	.	.	.	.	.	.
Measles	9	7	3	.	2	.	1
Scarlet fever	64	78	82	9	14	.	77
Diphtheria	169	166	173	18	12	1	178
Pneumonia	21	20	16	1	4	.	13
Diarrhoea and Enteritis	106	113	128	40	15	19	134



# ÉIRE

*LE hAGHAIDH NA SEIRBHISE PUIBLI*

## GUNNTAS SEACHTMHAINÉAMHAIL na mBREITH agus na mBÁS

### WEEKLY RETURNS OF BIRTHS AND DEATHS

#### FOR THE PRINCIPAL TOWNS

*By Authority of the Registrar-General.*



To be purchased through any Bookseller or directly from  
THE GOVERNMENT PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN.

No. 36. Vol. LXXX.]

WEEK ENDING SATURDAY, 11th September, 1943.

PRICE 1½d. NET.

*Oifig an Árd-Chláradóra,*

*Baile Átha Cliath.*

### PRINCIPAL TOWNS

Particulars of the Births and Deaths recorded for the **Principal Towns** are given in Table I. Deaths have been assigned so far as possible to the area of residence and those of non-residents of Eire have been excluded.

The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were represented by the following annual rates per 1,000 of the population :—

Principal Towns 11.6 and 11.7; City of Dublin 11.7 and 12.0; Borough of Dun Laoghaire 13.6 and 12.1; Cork 12.2 and 13.2; Limerick 14.7 and 11.0; and Waterford 12.8 and 12.4.

The deaths from the principal epidemic diseases\* recorded for the thirteen principal towns last week were represented by an annual rate of 2.0 per 1,000.

**City of Dublin.**—The number of births registered during the week was 228—128 boys and 100 girls. Exclusive of those, numbering 32, occurring in institutions, of infants whose mothers were admitted from other localities, the number was 196, representing a rate of 20.4 per 1,000.

The number of deaths registered was 128—63 males and 65 females. Of the total, 16 related to persons belonging to other localities, so that the actual number of deaths for the City was 112, representing a rate of 11.7 per 1,000.

There was one death from whooping cough, 2 from diphtheria, and 23 from diarrhoea and enteritis (under 2 years). In the three preceding weeks deaths from whooping cough numbered one, 2 and 2, from diphtheria one, 3 and 0, and from diarrhoea and enteritis (under 2 years) 24, 18 and 17.

Tuberculosis caused 14 deaths (9 of which were from pulmonary tuberculosis, 4 from tuberculous meningitis, and one from tuberculous arthritis), as against 14, 15 and 12 from all forms of tuberculosis in the three preceding weeks.

Ten deaths were caused by cancer, and 20 by diseases of the heart.

There was one death from pneumonia. There were 4 deaths from bronchitis.

Two accidental deaths were registered, one of which was caused by burns.

Among the deaths of infants under one year of age, one was due to whooping cough, one to diphtheria, 2 to convulsions, 23 to diarrhoea and enteritis, 3 to congenital debility, and 2 to premature birth.

Forty-one of the deaths recorded during the week for the City were those of children under five years of age, 38 being infants under one year, 9 of whom were under one month old, and 36 were those of persons aged 65 years and upwards, of whom 30 were aged 70 years or over.

**CASES OF INFECTIOUS DISEASES.**—Table III shows the numbers notified in the City of Dublin and in the Boroughs; and Table IV the number of cases of certain diseases treated in Dublin Hospitals.

\* Typhoid fever, typhus, smallpox, dysentery, scarlet fever, whooping cough, diphtheria, measles and diarrhoea and enteritis (under 2 years of age).

TABLE I.—BIRTHS and DEATHS registered during the week ended Saturday, 11th September, 1943, for the Principal Towns of Éire, with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULA- TION (a)	Annual Rate (b) per 1,000 persons		BIRTHS	DEATHS	BIRTHS	DEATHS	CAUSED BY														In public institutions	Number uncertified			
		Deaths						Principal epidemic diseases												Tuber- culosis				Inquest Cases		
		From all Causes	From Principal epidemic diseases					Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Pulmonary		Other forms	Influenza	Cancer	Diseases respiratory system		Violence				Other Causes	
														(1)	(2)				(3)	(4)						(5)
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
COIS.																										
TOTAL 13 TOWNS	793,217	20.9	11.6	2.0	318	177	38	52	59	.	.	1	2	.	28	12	7	.	14	4	7	4	98	3	93	2
CITY OF DUBLIN (c)	500,300	20.4	11.7	2.7	196	112	38	36	36	.	.	1	2	.	23	9	5	.	10	1	5	2	54	.	64	2
BOROUGH OF DUN LAOGHAIRE	42,200	7.4	13.6	2.5	6	11	4	3	3	.	.	.	.	.	2	.	.	.	.	.	.	1	8	1	7	.
CORK COUNTY BOROUGH	76,800	31.9	12.2	0.7	47	18	3	7	7	.	.	.	.	.	1	1	1	.	3	1	1	.	10	.	11	.
LIMERICK COUNTY BOROUGH	42,500	15.9	14.7	.	13	12	1	5	5	.	.	.	.	.	.	.	.	.	.	.	.	.	12	1	5	.
WATERFORD COUNTY BOROUGH	28,500	23.8	12.8	1.8	13	7	3	3	3	.	.	.	.	.	1	2	.	.	1	.	.	5	.	3	.	.
GALWAY URBAN DISTRICT	18,294	—	—	—	6	5	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	1	.	.
DUNDALK URBAN DISTRICT	14,684	—	—	—	7	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DROGHEDA URBAN DISTRICT	14,494	—	—	—	9	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
SLIGO URBAN DISTRICT	12,565	—	—	—	6	2	.	2	2	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.	.
WEXFORD URBAN DISTRICT	12,247	—	—	—	10	5	1	2	2	.	.	.	.	.	.	.	1	.	.	.	1	2	.	1	.	.
TRALEE URBAN DISTRICT	10,285	—	—	—	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.
KILKENNY URBAN DISTRICT	10,237	—	—	—	2	2	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	1	.
BRAY URBAN DISTRICT	10,111	—	—	—	1	2	1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.
BELFAST COUNTY BOROUGH	444,500	—	—	—	189	99	19	36	36	1(d)	.	.	1	.	8	6	1	1	10	4	6	—	—	—	—	—
DERRY COUNTY BOROUGH	47,813	—	—	—	20	7	1	2	2	.	.	.	.	.	.	.	.	.	1	.	.	—	—	—	—	—

(a) According to the Census of 1936, but in the case of the Cities of Cork, Limerick, and Waterford, the populations given are those according to the Register of Population 1941. The population given for the City of Dublin and for the Borough of Dun Laoghaire is that estimated to the middle of 1943. The population for Belfast is that estimated to the 1st January 1940, and that for Derry is according to the Census of 1937. (b) The annual rates for the urban districts will be shown in the quarterly return. (c) The figures for the City of Dublin include those for the former urban district of Howth. (d) Typhoid fever.





TABLE III.—Cases of infectious diseases notified in the undermentioned urban areas during the week ended Saturday, 11th September, 1943, and during each of the three preceding weeks.

AREAS	Week ended	Typhoid fever	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis	Smallpox	Measles	Typhus	Acute Primary Pneumonia and Acute Influenza Pneumonia	Other diseases*	TOTAL
Dublin City	August 21 August 28 Sept. 4 Sept. 11	. . 1 . 1 . 1	20 18 11 6	9 15 8 9	22 13 17 15	13 17 21 15	. . . . . . .	3 15 4 .	. . . . . . .	3 4 7 2	1H, 65D 1B, 210D, 2H. 1A, 1B, 84D, 2G, 2H, 1T 1A, 121D, 4H	136 295† 160 173‡
Dun Laoghaire Borough	August 21 August 28 Sept. 4 Sept. 11	. 1 . . . .	3 1 1 3	. . . . . . .	. . . 1 1	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	5H, 1T 3D 3D 2D, 1H	9 5 5 7
Cork C. B.	August 21 August 28 Sept. 4 Sept. 11	. . . . . . .	1 1 1 4	. . . 1 2	. 8 13 6	5 2 2 2	. . . . . . .	. . . . . . .	. . . . . . .	. 2 1 1	8D 16D. 4D, 1H 7D	14 29 23 22
Limerick C. B.	August 21 August 28 Sept. 4 Sept. 11	1 . . . . 1	. 2 1 .	. . . . . 1	. . . . . 2	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	2 . . . . . .	2D 1M 1D, 1H	3 4 2 6
Waterford C. B.	August 21 August 28 Sept. 4 Sept. 11	. . . . . . .	. . . . . . .	. . . 1 1	. 1 . . . .	2 . . . . 2	. . . . . . .	. . . . . . .	. . . . . . .	. . . . . . .	1H 10D 3D 11D, 1H	3 11 4 15

\*The letters in this column denote the following diseases:— (A) Acute Anterior Poliomyelitis, (B) Cerebro-Spinal Fever, (C) Encephalitis Lethargica, (D) Diarrhoea and Enteritis, (E) Paratyphoid A., (F) Paratyphoid B., (G) Trachoma, (H) Erysipelas, (J) Ophthalmia Neonatorum, (K) Pemphigus Neonatorum, (L) Undulant Fever, (M) Continued Fever, (N) Dysentery (Bacillary), (O) Dysentery (Amoebic), (P) Malaria, (Q) Membranous Croup, (T) Puerperal Infection.

† Including 132 cases of diarrhoea and enteritis from 1st June, now notified from an institution.

‡ Including 46 cases of diarrhoea and enteritis from 16th August now notified from an institution.

TABLE IV.—Cases of the undermentioned diseases treated in Dublin hospitals during the week ended Saturday, 11th September, 1943, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of cases in hospital at close of week ended			Week ended 11th September, 1943.			
	August 21	August 28	Sept. 4	No. admitted	Discharged	Died	No. under treatment at close of week
Typhoid fever	4	4	4	.	.	.	4
Typhus	.	.	.	.	.	.	.
Smallpox	.	.	.	.	.	.	.
Measles	7	3	1	1	.	.	2
Scarlet fever	78	82	77	18	14	.	81
Diphtheria	166	173	178	20	17	1	180
Pneumonia	20	16	13	5	7	.	11
Diarrhoea and Enteritis	113	128	134	38	21	21	130



# EIRE

*LE hAGHAIDH NA SEIRBHISE PUIBLI*

## CUNNTAS SEACHTMHAINÉAMHAIL na mBREITH agus na mBÁS

### WEEKLY RETURNS OF BIRTHS AND DEATHS

#### FOR THE PRINCIPAL TOWNS

*By Authority of the Registrar-General.*

To be purchased through any Bookseller or directly from  
THE GOVERNMENT PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN.



No. 37. Vol. LXXX.]

WEEK ENDING SATURDAY, 18th September, 1943.

PRICE 1½d. NET.

*Oifig an Árd-Chláradóra,*

*Baile Átha Cliath.*

### PRINCIPAL TOWNS

Particulars of the Births and Deaths recorded for the Principal Towns are given in Table I. Deaths have been assigned so far as possible to the area of residence and those of non-residents of Eire have been excluded.

The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were represented by the following annual rates per 1,000 of the population :—

Principal Towns 13.0 and 11.9; City of Dublin 14.3 and 12.6; Borough of Dun Laoghaire 8.6 and 11.7; Cork 14.9 and 12.4; Limerick 6.1 and 8.9; and Waterford 14.6 and 13.3.

The deaths from the principal epidemic diseases\* recorded for the thirteen principal towns last week were represented by an annual rate of 2.2 per 1,000. Included in the 22 deaths registered for Cork was one from diphtheria, and 2 from diarrhoea and enteritis (under 2 years).

City of Dublin.—The number of births registered during the week was 334—167 boys and 167 girls. Exclusive of those, numbering 52, occurring in institutions, of infants whose mothers were admitted from other localities, the number was 282, representing a rate of 29.4 per 1,000.

The number of deaths registered was 153—72 males and 81 females. Of the total, 16 related to persons belonging to other localities, so that the actual number of deaths for the City was 137, representing a rate of 14.3 per 1,000.

There was one death from whooping cough, one from diphtheria, and 27 from diarrhoea and enteritis (under 2 years). In the three preceding weeks deaths from whooping cough numbered 2, 2 and one, from diphtheria 2, 0 and 2, and from diarrhoea and enteritis (under 2 years) 18, 17 and 23.

Tuberculosis caused 15 deaths (12 of which were from pulmonary tuberculosis, one from tuberculous meningitis, and 2 from other forms of tuberculous disease), as against 15, 12, and 14 from all forms of tuberculosis in the three preceding weeks.

Sixteen deaths were caused by cancer, and 23 by diseases of the heart.

There were 2 deaths from pneumonia, comprising one from lobar pneumonia and one from pneumonia (unspecified). There were 3 deaths from bronchitis.

Among the deaths of infants under one year of age, one was due to influenza, one to meningitis, 2 to convulsions, 27 to diarrhoea and enteritis, 2 to congenital debility, and 9 to premature birth.

Fifty-one of the deaths recorded during the week for the City were those of children under five years of age, 47 being infants under one year, 16 of whom were under one month old, and 38 were those of persons aged 65 years and upwards, of whom 29 were aged 70 years or over.

CASES OF INFECTIOUS DISEASES.—Table III shows the numbers notified in the City of Dublin and in the Boroughs; and Table IV the number of cases of certain diseases treated in Dublin Hospitals.

\* Typhoid fever, typhus, smallpox, dysentery, scarlet fever, whooping cough, diphtheria, measles and diarrhoea and enteritis (under 2 years of age).

TABLE I.—BIRTHS and DEATHS registered during the week ended Saturday, 18th September, 1943, for the Principal Towns of Éire, with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULA- TION (a)	Annual Rate (b) per 1,000 persons		BIRTHS	DEATHS		DEATHS	BIRTHS	DEATHS	CAUSED BY																Inquest Cases	In public institutions	Number uncertified																								
		BIRTHS	DEATHS		Under 1 year of age	65 years and upwards				Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Tuber- culosis		Influenza	Cancer	Diseases respiratory system		Violence	Other Causes																													
			From all Causes													From Principal epidemic diseases	Pulmonary			Other forms	Pneumonia			Other																												
																									(1)				(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)																											
TOTAL 13 TOWNS	793,217	27.4	13.0	2.2	417	198	52	66	.	.	1	2	.	30	16	3	1	22	5	7	2	112	7	119	3																											
CITY OF DUBLIN (c)	500,300	29.4	14.3	3.0	282	137	47	38	.	.	1	1	.	27	12	3	1	16	2	4	.	70	1	83	2																											
BOROUGH OF DUN LAOGHAIRE	42,200	23.5	8.6	.	19	7	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	6	1	5	.																											
CORK COUNTY BOROUGH	76,800	15.6	14.9	2.0	23	22	4	12	.	.	.	1	.	2	1	.	.	2	.	3	1	12	1	16	.																											
LIMERICK COUNTY BOROUGH	42,500	25.8	6.1	.	21	5	.	5	.	.	.	.	.	.	.	.	.	1	.	.	.	4	1	3	1																											
WATERFORD COUNTY BOROUGH	28,500	34.8	14.6	1.8	19	8	1	4	.	.	.	.	.	1	.	.	.	.	.	.	1	6	2	4	.																											
GALWAY URBAN DISTRICT	18,294	—	—	—	17	4	.	1	.	.	.	.	.	.	1	.	.	.	.	.	.	3	.	2	.																											
DUNDALK URBAN DISTRICT	14,684	—	—	—	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	2	.																											
DROGHEDA URBAN DISTRICT	14,494	—	—	—	13	3	.	1	.	.	.	.	.	.	1	.	.	1	.	.	.	1	1	1	.																											
SILIGO URBAN DISTRICT	12,565	—	—	—	5	4	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	3	.	2	.																											
WEXFORD URBAN DISTRICT	12,247	—	—	—	11	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.	2	.																											
TRALEE URBAN DISTRICT	10,285	—	—	—	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.																											
KILKENNY URBAN DISTRICT	10,237	—	—	—	3	2	.	1	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	.																											
BRAY URBAN DISTRICT	10,111	—	—	—	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.																											
BELFAST COUNTY BOROUGH	444,500	—	—	—	189	77	22	27	.	.	.	.	.	10	2	3	.	9	9	5	—	—	—	—	—																											
DERRY COUNTY BOROUGH	47,813	—	—	—	20	9	3	3	.	.	.	.	.	1	.	.	.	2	.	.	—	—	—	—	—																											

(a) According to the Census of 1936, but in the case of the Cities of Cork, Limerick, and Waterford, the populations given are those according to the Register of Population 1941. The population given for the City of Dublin and for the Borough of Dun Laoghaire is that estimated to the middle of 1943. The population for Belfast is that estimated to the 1st January 1940, and that for Derry is according to the Census of 1937. (b) The annual rates for the urban districts will be shown in the quarterly return. (c) The figures for the City of Dublin include those for the former urban district of Howth.



TABLE II.—Deaths registered during the week ended Saturday, 18th September, 1943, for the City of Dublin and the County Borough of Cork by Registrars' Districts

REGISTRARS' DISTRICTS, &c.		DEATHS																										
		AGES AT DEATH										DEATHS FROM																
		Principal epidemic diseases										Tuberculosis		Influenza	Cancer	Diseases of respiratory system		Violence	Other causes	Inquest cases	In public institutions	Number uncertified						
		Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Pulmonary	Other forms	(20)	(21)	(22)	(23)			(24)	(25)						(26)					
TOTAL DEATHS		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	
DUBLIN.																												
NORTH CITY No. 1 EAST	COLS.	11	2	1	2	1	1	4	2	5	•	•	•	1	•	•	2	1	1	1	•	•	•	6	•	3	•	•
" No. 1 WEST		14	2	•	•	•	•	•	3	3	•	•	•	•	•	1	2	•	•	3	•	•	•	7	•	6	•	•
" No. 2		8	5	•	•	•	•	2	1	1	•	•	•	•	•	3	1	•	2	1	•	1	•	3	•	5	•	•
" No. 3		15	8	•	•	•	•	3	3	1	•	•	•	•	•	6	1	•	1	•	•	•	5	•	5	•	•	•
" No. 4		3	1	•	•	•	•	2	•	•	•	•	•	•	•	1	•	•	1	•	1	•	•	•	•	2	•	•
BLANCHARDSTOWN AND CASTLEKNOCK, PT. OF		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
CLONTARF AND HOWTH, NOS. 1 & 2, PT. OF		1	2	•	•	•	•	1	1	3	•	•	•	•	•	3	•	•	1	•	•	•	•	4	•	5	•	•
COOLOCK & DRUMCONDRA, NOS. 1 & 2, PT. OF		6	2	•	•	•	•	•	3	3	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
FINGLAS AND GLASNEVIN, NOS. 1 & 2, PT. OF		11	4	•	•	•	•	1	3	3	•	•	•	•	•	•	2	1	•	2	•	•	•	2	•	4	•	•
SOUTH CITY No. 1		5	3	•	•	•	•	1	3	1	•	•	•	•	•	2	1	•	1	•	•	•	•	2	•	8	•	•
" No. 2		8	5	•	•	•	•	•	2	2	•	•	•	•	•	4	•	•	1	•	•	•	•	1	•	2	•	•
" No. 3		3	1	•	•	•	•	•	1	2	•	•	•	•	•	1	•	•	1	•	•	•	•	1	•	6	•	•
" No. 4		6	1	•	2	•	•	•	1	2	•	•	•	•	•	1	•	•	1	•	•	•	•	1	•	2	•	•
" No. 5		5	2	•	•	•	•	•	3	2	•	•	•	•	•	•	•	•	•	•	•	•	•	3	•	6	•	•
" No. 6		3	•	•	•	•	•	1	1	1	•	•	•	•	•	•	•	•	•	•	•	•	•	8	•	2	•	•
CLONDALKIN, PART OF		1	1	•	•	•	•	•	•	3	•	•	•	•	•	•	•	•	•	•	•	•	•	1	•	6	•	•
CRUMLIN, PART OF		9	3	1	•	•	1	3	1	2	•	•	1	•	•	1	1	2	1	•	•	1	•	5	•	7	•	•
DUNNYBROOK, NOS. 1 AND 2		11	3	•	•	•	•	1	1	2	•	•	•	•	•	•	•	•	•	•	•	•	•	8	•	1	•	•
RATHFARNHAM, PART OF		12	3	•	•	•	•	•	2	2	•	•	•	•	•	2	•	1	•	1	•	•	•	1	•	6	•	•
RATHMINES, NOS. 1 AND 2		13	3	•	•	•	•	2	1	7	•	•	•	•	•	2	•	1	•	2	•	•	•	1	•	1	•	•
TERENURE, PART OF		2	1	•	•	•	•	•	1	1	•	•	•	•	•	•	•	•	•	•	•	•	•	2	•	1	•	•
TOTAL		137	47	2	2	2	3	17	26	38	•	•	1	1	•	27	12	3	16	2	4	•	70	1	33	2	•	•
CORK.																												
CORK URBAN, No. 1		4	1	•	•	•	•	•	1	2	•	•	•	•	•	1	•	•	•	•	•	1	•	2	•	3	•	•
" No. 2		4	1	•	•	•	•	1	1	1	•	•	•	•	•	1	•	•	•	•	•	•	•	•	•	2	•	•
" No. 3		2	•	•	•	•	•	•	•	1	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	2	•	•
" No. 4		3	•	•	•	•	•	•	1	1	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	2	•	•
" No. 5		2	2	•	•	•	•	•	1	1	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	2	•	•
" No. 6		4	•	•	•	•	•	1	•	3	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	2	•	•
" No. 7		3	•	•	•	•	•	•	•	2	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	2	•	•
TOTAL		22	4	•	•	1	•	2	3	12	•	•	•	1	•	•	2	1	•	2	•	8	•	12	1	16	•	•

TABLE III.—Cases of infectious diseases notified in the undermentioned urban areas during the week ended Saturday, 18th September, 1943, and during each of the three preceding weeks.

AREAS	Week ended	Typhoid fever	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis	Smallpox	Measles	Typhus	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Other diseases*	TOTAL
Dublin City	August 28	.	18	15	13	17	.	15	.	4	1B, 210D, 2H.	295†
	Sept. 4	1	11	8	17	21	.	4	.	7	1A, 1B, 84D, 2G, 2H, 1T	160
	Sept. 11	.	6	9	15	15	.	.	.	2	1A, 121D, 4H	173†
	Sept. 18	.	12	19	19	16	.	4	.	8	84D, 6H, 1T	169†
Dun Laoghaire Borough	August 28	1	1	.	.	.	.	.	.	.	3D	5
	Sept. 4	.	1	.	1	.	.	.	.	.	3D	5
	Sept. 11	.	3	.	1	.	.	.	.	.	2D, 1H	7
	Sept. 18	.	2	.	.	.	.	.	.	.	1D	3
Cork C. B.	August 28	.	1	.	8	2	.	.	.	2	16D.	29
	Sept. 4	.	1	1	13	2	.	.	.	1	4D, 1H	23
	Sept. 11	.	4	2	6	2	.	.	.	1	7D	22
	Sept. 18	.	.	2	5	2	.	.	.	.	5D	14
Limerick C. B.	August 28	.	2	.	.	.	.	.	.	.	2D	4
	Sept. 4	.	1	.	.	.	.	.	.	.	1M	2
	Sept. 11	1	.	1	2	.	.	.	.	.	1D, 1H	6
	Sept. 18	.	1	.	.	.	.	.	.	.	3D, 1H	5
Waterford C. B.	August 28	.	.	.	1	.	.	.	.	.	10D	11
	Sept. 4	.	.	1	.	.	.	.	.	.	3D	4
	Sept. 11	.	.	1	.	2	.	.	.	.	11D, 1H	15
	Sept. 18	1	.	.	.	2	.	.	.	.	10	4

\*The letters in this column denote the following diseases:— (A) Acute Anterior Poliomyelitis, (B) Cerebro-spinal Fever, (C) Encephalitis Lethargica, (D) Diarrhoea and Enteritis, (E) Paratyphoid A., (F) Paratyphoid B., (G) Trachoma, (H) Erysipelas, (J) Ophthalmia Neonatorum, (K) Pemphigus Neonatorum, (L) Undulant Fever, (M) Continued Fever, (N) Dysentery (Bacillary), (O) Dysentery (Amoebic), (P) Malaria, (Q) Membranous Croup, (T) Puerperal Infection.

† Including 132 cases of diarrhoea and enteritis from 1st June, now notified from an institution.

‡ Including 46 cases of diarrhoea and enteritis from 16th August now notified from an institution.

TABLE IV.—Cases of the undermentioned diseases treated in Dublin hospitals during the week ended Saturday, 18th September, 1943, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of cases in hospital at close of week ended			Week ended 18th September, 1943.			
	August 28	Sept. 4	Sept. 11	No. admitted	Discharged	Died	No. under treatment at close of week
Typhoid fever	4	4	4	2	.	.	6
Typhus	.	.	.	.	.	.	.
Smallpox	.	.	.	.	.	.	.
Measles	3	1	2	.	.	.	2
Scarlet fever	82	77	81	15	19	.	77
Diphtheria	173	178	180	23	23	1	179
Pneumonia	16	13	11	8	5	1	13
Diarrhoea and Enteritis	128	134	130	42	28	13	126



# ÉIRE

LE hAGHAIDH NA SEIRBHISE PUIBLI

## CUNNTAS SEACHTMHAINÉAMHAIL na mBREITH agus na mBÁS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE  
PRINCIPAL TOWNS

*By Authority of the Registrar-General.*

To be purchased through any Bookseller or directly from  
THE GOVERNMENT PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN.



No. 38. Vol. LXXX.]

WEEK ENDING SATURDAY, 25th September, 1943.

PRICE 1½d. NET.

*Oifig an Árd-Chláradóra,*

*Baile Átha Cliath.*

### PRINCIPAL TOWNS

Particulars of the Births and Deaths recorded for the **Principal Towns** are given in Table I. Deaths have been assigned so far as possible to the area of residence and those of non-residents of Éire have been excluded.

The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were represented by the following annual rates per 1,000 of the population :—

Principal Towns 12.6 and 12.2; City of Dublin 13.0 and 12.9; Borough of Dun Laoghaire 8.6 and 10.2; Cork 17.0 and 13.6; Limerick 11.0 and 10.4; and Waterford 14.6 and 15.1.

The deaths from the principal epidemic diseases\* recorded for the thirteen principal towns last week were represented by an annual rate of 2.4 per 1,000. Included in the 25 deaths registered for Cork was one from diphtheria, 2 from whooping cough and 3 from diarrhoea and enteritis (under 2 years).

**City of Dublin.**—The number of births registered during the week was 346—174 boys and 172 girls. Exclusive of those, numbering 63, occurring in institutions, of infants whose mothers were admitted from other localities, the number was 283, representing a rate of 29.5 per 1,000.

The number of deaths registered was 139—72 males and 67 females. Of the total, 14 related to persons belonging to other localities, so that the actual number of deaths for the City was 125, representing a rate of 13.0 per 1,000.

There was one death from whooping cough, 2 from diphtheria, and 25 from diarrhoea and enteritis (under 2 years). In the three preceding weeks deaths from whooping cough numbered 2, one and one, from diphtheria 0, 2 and one, and from diarrhoea and enteritis (under 2 years) 17, 23 and 27.

Tuberculosis caused 11 deaths (9 of which were from pulmonary tuberculosis, and 2 from tuberculous meningitis), as against 12, 14 and 15 from all forms of tuberculosis in the three preceding weeks.

Twelve deaths were caused by cancer, and 15 by diseases of the heart.

There were 5 deaths from pneumonia, comprising 4 from broncho-pneumonia and one from pneumonia (unspecified). There was one death from bronchitis.

Two accidental deaths were registered.

Among the deaths of infants under one year of age, one was due to whooping cough, 3 to broncho-pneumonia, one to meningitis, 25 to diarrhoea and enteritis, 4 to congenital malformation, 4 to congenital debility, and one to premature birth.

Forty-five of the deaths recorded during the week for the City were those of children under five years of age, 43 being infants under one year, 15 of whom were under one month old, and 34 were those of persons aged 65 years and upwards, of whom 27 were aged 70 years or over.

**CASES OF INFECTIOUS DISEASES.**—Table III shows the numbers notified in the City of Dublin and in the Boroughs; and Table IV the number of cases of certain diseases treated in Dublin Hospitals.

\*Typhoid fever, typhus, smallpox, dysentery, scarlet fever, whooping cough, diphtheria, measles and diarrhoea and enteritis (under 2 years of age).

TABLE I.—BIRTHS and DEATHS registered during the week ended Saturday, 25th September, 1943, for the Principal Towns of Éire, with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULA- TION (a)	Annual Rate (b) per 1,000 persons		DEATHS		BIRTHS	DEATHS	BIRTHS	DEATHS	CAUSED BY																	Inquest Cases	In public institutions	Number uncertified							
		DEATHS		From all Causes	From Principal epidemic diseases					Under 1 year of age	65 years and upwards	Principal epidemic diseases								Tuber- culosis		Influenza	Cancer	Diseases respiratory system						Violence	Other Causes					
		BIRTHS	(2)									(3)	(4)	(5)	(6)	(7)	(8)	Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria			Measles	Diarrhoea and enteritis (under 2 years of age)	(15)						(16)	(17)	(18)	Pneumonia	Other
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)											
TOTAL 13 TOWNS	793,217	28.6	12.6	2.4	435	192	61	57	.	.	3	3	.	30	16	2	.	17	8	4	3	106	4	123	3											
CITY OF DUBLIN (c)	500,300	29.5	13.0	2.9	283	125	43	34	.	.	2	2	.	25	9	2	.	12	5	1	2	66	3	90	.											
BOROUGH OF DUN LAOGHAIRE	42,200	25.9	8.6	1.2	21	7	1	2	.	.	.	.	.	1	1	.	.	1	.	.	.	4	.	5	.											
CORK COUNTY BOROUGH	76,800	27.2	17.0	4.1	40	25	8	8	.	.	2	1	.	3	.	.	.	1	2	3	1	12	1	13	.											
LIMERICK COUNTY BOROUGH	42,500	15.9	11.0	1.2	13	9	2	3	.	.	.	.	.	1	2	.	.	1	.	.	.	5	.	5	.											
WATERFORD COUNTY BOROUGH	28,500	27.4	14.6	.	15	8	1	3	.	.	.	.	.	.	4	.	.	.	1	.	.	3	.	4	.											
GALWAY URBAN DISTRICT	18,294	—	—	—	11	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.											
DUNDALK URBAN DISTRICT	14,684	—	—	—	6	3	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.	1	1											
DROGHEDA URBAN DISTRICT	14,494	—	—	—	14	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.											
SLIGO URBAN DISTRICT	12,565	—	—	—	4	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.											
WEXFORD URBAN DISTRICT	12,247	—	—	—	3	6	2	4	.	.	.	.	.	.	.	.	.	2	.	.	.	4	.	1	1											
TRALEE URBAN DISTRICT	10,285	—	—	—	5	4	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.	3	1											
KILKENNY URBAN DISTRICT	10,237	—	—	—	9	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.											
BRAY URBAN DISTRICT	10,111	—	—	—	11	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.											
BELFAST COUNTY BOROUGH	444,500	—	—	—	198	81	12	36	.	.	.	.	.	6	7	1	.	9	7	3	—	—	—	—	—											
DEERY COUNTY BOROUGH	47,813	—	—	—	28	6	1	3	.	.	.	.	.	.	.	.	.	2	.	.	.	—	—	—	—											

(a) According to the Census of 1936, but in the case of the Cities of Cork, Limerick, and Waterford, the populations given are those according to the Register of Population 1941. The population given for the City of Dublin and for the Borough of Dun Laoghaire is that estimated to the middle of 1943. The population for Belfast is that estimated to the 1st January 1940, and that for Derry is according to the Census of 1937. (b) The annual rates for the urban districts will be shown in the quarterly return. (c) The figures for the City of Dublin include those for the former urban district of Howth.



TABLE II.—Deaths registered during the week ended Saturday, 25th September, 1943, for the City of Dublin and the County Borough of Cork by Registrars' Districts

REGISTRARS' DISTRICTS, &c.		AGES AT DEATH										DEATHS FROM										Inquest cases	In public institutions	Number uncertified				
		Principal epidemic diseases							Tuber- culosis			Influenza	Cancer	Diseases of respi- ratory system		Violence	Other causes											
		Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Pulmonary	Other forms	Pneumonia	Other																	
TOTAL DEATHS		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	
DUBLIN.																												
NORTH CITY NO. 1 EAST	COIS.	9	1					2	4	2						1	1						1	7		6		
" NO. 1 WEST		17	10		1		1	1	2	2						5	1	1					1	7		14		
" NO. 2		11	6					1	3	3						3				4				6		9		
" NO. 3		9	1					1	1	4							1							4		4		
" NO. 4		4	3						1															8		8		
BLANCHARDSTOWN AND CASTLEKNOCK, PT. OF		1	1							1							1							1		1		
CLONTARF AND HOWTH, NOS. 1 & 2, PT. OF		2	4				1	1		2						4	1			1				1		1		
COOLOCK & DRUMCONDRA, NOS. 1 & 2, PT. OF		7	3				1		1	2						2	1			1				2		5		
FINGLAS AND GLASNEVIN, NOS. 1 & 2, PT. OF																												
SOUTH CITY NO. 1		3				1			1	1								1								3		
" NO. 2		3	1						1	1																3		
" NO. 3		7	4						2	1							1			1						6		
" NO. 4		6	3					1	1	1							1			1						6		
" NO. 5		7	2						4	1										1						4		
" NO. 6		3							1	2																2		
CLONDALKIN, PART OF																												
CRUMLIN, PART OF		6	3						1	3										1						6		
DONNYBROOK, NOS. 1 AND 2		8	1					1	2	3							2			1						5		
RATHFARNHAM, PART OF									1	1							1			1						6		
RATHMINES, NOS. 1 AND 2		13						3	1	8																7		
TERENURE, PART OF		2	1						1								1			1						1		
TOTAL		125	43	2		8	6	12	25	34		1	2			25	9	2		12	5	1	2	66	3	90		
CORK.																												
CORK URBAN, No. 1		6	1						3	2		1									1						3	
" 2		3							1	1											1						1	
" 3		5	4							1						3											2	
" 4																				1							1	
" 5		2																									2	
" 6		5	1						2												1						1	
" 7		4																									3	
TOTAL		25	8					1	8			2								1		3	1	12	1	13		

TABLE III.—Cases of infectious diseases notified in the undermentioned urban areas during the week ended Saturday, 25th September, 1943, and during each of the three preceding weeks.

AREAS	Week ended	Typhoid fever	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis	Smallpox	Measles	Typhus	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Other diseases*	TOTAL
Dublin City	Sept. 4	1	11	8	17	21	.	4	.	7	1A, 1B, 84D, 2G, 2H, 1T	160
	Sept. 11	.	6	9	15	15	.	.	.	2	1A, 121D, 4H	173†
	Sept. 18	.	12	19	18	16	.	4	.	8	84D, 6H, 1T	168†
	Sept. 25	2	15	9	21	8	.	5	.	5	127D, 5H, 1K, 1T	199
Dun Laoghaire Borough	Sept. 4	.	1	.	1	.	.	.	.	.	3D	5
	Sept. 11	.	3	.	1	.	.	.	.	.	1A, 121D, 4H	7
	Sept. 18	.	2	.	.	.	.	.	.	.	1D	3
	Sept. 25	.	.	.	1	.	.	.	.	.	2D	3
Cork C. B.	Sept. 4	.	1	1	13	2	.	.	.	1	4D, 1H	23
	Sept. 11	.	4	2	6	2	.	.	.	1	7D	22
	Sept. 18	.	.	2	5	2	.	.	.	.	5D	14
	Sept. 25	.	3	4	9	3	.	.	.	.	7D, 1H	27
Limerick C. B.	Sept. 4	.	1	.	.	.	.	.	.	.	1M	2
	Sept. 11	1	.	1	2	.	.	.	.	.	1D, 1H	6
	Sept. 18	.	1	.	.	.	.	.	.	.	3D, 1E	5
	Sept. 25	.	1	1	.	.	.	.	.	.	.	2
Waterford C. B.	Sept. 4	.	.	1	.	.	.	.	.	.	3D	4
	Sept. 11	.	.	1	.	2	.	.	.	.	11D, 1H	15
	Sept. 18	1	.	.	.	2	.	.	.	.	10	4
	Sept. 25	1	.	.	.	4	.	.	.	1	1D, 10	8

\*The letters in this column denote the following diseases:— (A) Acute Anterior Poliomyelitis, (B) Cerebro-Spinal Fever, (C) Encephalitis Lethargica, (D) Diarrhoea and Enteritis, (E) Paratyphoid A., (F) Paratyphoid B., (G) Trachoma, (H) Erysipelas, (J) Ophthalmia Neonatorum, (K) Pemphigus Neonatorum, (L) Undulant Fever, (M) Continued Fever, (N) Dysentery (Bacillary), (O) Dysentery (Amoebic), (P) Malaria, (Q) Membranous Croup, (T) Puerperal Infection.

† Including 46 cases of diarrhoea and enteritis from 16th August now notified from an institution.

TABLE IV.—Cases of the undermentioned diseases treated in Dublin hospitals during the week ended Saturday, 25th September, 1943, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of cases in hospital at close of week ended			Week ended 25th September, 1943.			
	Sept. 4	Sept. 11	Sept. 18	No. admitted	Discharged	Died	No. under treatment at close of week
Typhoid fever ....	4	4	6	.	2	.	4
Typhus ....	.	.	.	.	.	.	.
Smallpox ....	.	.	.	.	.	.	.
Measles ....	1	2	2	1	1	.	2
Scarlet fever ....	77	81	77	9	16	.	70
Diphtheria ....	178	180	179	24	17	2	184
Pneumonia ....	13	11	13	3	2	.	14
Diarrhoea and Enteritis	134	130	126	50	11	26	139



# ÉIRE

LE HAGHAIDH NA SEIRBHISE PUBLI

## CUNNTAS SEACHTMHAINÉAMHAIL na mBREITH agus na mBÁS

### WEEKLY RETURNS OF BIRTHS AND DEATHS FOR THE PRINCIPAL TOWNS

*By Authority of the Registrar-General.*

To be purchased through any Bookseller or directly from  
THE GOVERNMENT PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN.



No. 39. Vol. LXXX.]

WEEK ENDING SATURDAY, 2nd October, 1943.

PRICE 1½d. NET.

*Gifig an Árd-Chláradóra,*

*Baile Átha Cliath.*

### PRINCIPAL TOWNS

Particulars of the Births and Deaths recorded for the Principal Towns are given in Table I. Deaths have been assigned so far as possible to the area of residence and those of non-residents of Eire have been excluded.

The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were represented by the following annual rates per 1,000 of the population:—

Principal Towns 11.0 and 12.1; City of Dublin 11.9 and 12.7; Borough of Dun Laoghaire 14.8 and 11.4; Cork 8.8 and 13.2; Limerick 8.6 and 10.1; and Waterford 9.1 and 12.8.

The deaths from the principal epidemic diseases\* recorded for the thirteen principal towns last week were represented by an annual rate of 1.9 per 1,000.

**City of Dublin.**—The number of births registered during the week was 334—173 boys and 161 girls. Exclusive of those, numbering 60, occurring in institutions, of infants whose mothers were admitted from other localities, the number was 274, representing a rate of 28.6 per 1,000.

The number of deaths registered was 127—70 males and 57 females. Of the total, 13 related to persons belonging to other localities, so that the actual number of deaths for the City was 114, representing a rate of 11.9 per 1,000.

There were 3 deaths from whooping cough, and 22 from diarrhoea and enteritis (under 2 years). In the three preceding weeks deaths from whooping cough numbered one, one and one, and from diarrhoea and enteritis (under 2 years) 23, 27 and 25.

Tuberculosis caused 13 deaths (all of which were from pulmonary tuberculosis), as against 14, 15 and 11 from all forms of tuberculosis in the three preceding weeks.

Twelve deaths were caused by cancer, and 19 by diseases of the heart.

There were 6 deaths from pneumonia, comprising 3 from broncho-pneumonia, one from lobar pneumonia and 2 from pneumonia (unspecified). There were 6 deaths from bronchitis.

One accidental death was registered.

Among the deaths of infants under one year of age, 2 were due to whooping cough, 2 to broncho-pneumonia, one to lobar pneumonia, 22 to diarrhoea and enteritis (under 2 years), and 2 to congenital debility.

Thirty-three of the deaths recorded during the week for the City were those of children under five years of age, 30 being infants under one year, 2 of whom were under one month old, and 43 were those of persons aged 65 years and upwards, of whom 26 were aged 70 years or over.

**CASES OF INFECTIOUS DISEASES.**—Table III shows the numbers notified in the City of Dublin and in the Boroughs; and Table IV the number of cases of certain diseases treated in Dublin Hospitals.

\* Typhoid fever, typhus, smallpox, dysentery, scarlet fever, whooping cough, diphtheria, measles and diarrhoea and enteritis (under 2 years of age).

TABLE I.—BIRTHS and DEATHS registered during the week ended Saturday, 2nd October, 1943, for the Principal Towns of Éire, with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULA- TION (a)	Annual Rate (b) per 1,000 persons		DEATHS															BIRTHS		DEATHS		CAUSED BY															Number un- certified			
				Principal epidemic diseases																			Tuber- culosis		Diseases respiratory system		Violence		Other Causes		Inquest Cases		In public institutions								
		DEATHS		Principal epidemic diseases														Tuber- culosis																	Diseases respiratory system		Violence		Other Causes		Inquest Cases
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)															
		From all Causes		From Principal epidemic diseases																																					

(a) According to the Census of 1936, but in the case of the Cities of Cork, Limerick, and Waterford, the populations given are those according to the Register of Population 1911. The population given for the City of Dublin and for the Borough of Dun Laoghaire is that estimated to the middle of 1943. The population for Belfast is that estimated to the 1st January 1940, and that for Derry is according to the Census of 1937. (b) The annual rates for the urban districts will be shown in the quarterly return; (c) The figures for the City of Dublin include those for the former urban district of Howth.



TABLE II.—Deaths registered during the week ended Saturday, 2nd October, 1943, for the City of Dublin and the County Borough of Cork by Registrars' Districts

REGISTRARS' DISTRICTS, &c.		DEATHS																										
		AGES AT DEATH							DEATHS FROM																			
		Principal epidemic diseases							Tuber- culosis		Influenza	Cancer	Diseases of respi- ratory system		Violence	Other causes	Inquest cases	In public institutions	Number uncertified									
		Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Pulmonary	Other forms																			
TOTAL DEATHS		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	
DUBLIN.																												
NORTH CITY	No. 1 EAST	8	2	1	.	1	1	1	1	2	.	.	.	.	.	2	2	.	.	1	.	.	.	4	1	7	.	
"	No. 1 WEST	12	4	.	.	.	.	.	.	6	.	.	.	.	.	3	1	.	.	.	.	1	.	.	6	3	6	.
"	No. 2	5	3	.	.	.	.	.	.	2	.	.	.	.	.	1	.	.	.	.	2	2	.	3	2	3	.	
"	No. 3	10	2	.	.	.	.	.	.	8	.	.	.	.	.	2	1	.	.	1	.	.	.	3	6	1	.	
"	No. 4	4	1	.	.	.	.	.	2	1	.	.	.	.	.	.	.	.	1	1	.	.	.	2	6	0	.	
BLANCHARDSTOWN AND CASTLENOCK, PT. OF																												
CLONTARF AND HOWTH,	NOS. 1 & 2, PT. OF	4	.	.	.	.	.	1	.	3	.	.	.	.	.	.	.	.	.	1	.	.	.	2	3	5	.	
COOLOCK & DRUMCONDRA,	NOS. 1 & 2, PT. OF	8	2	.	.	.	.	1	4	1	.	1	.	.	.	2	1	.	.	1	.	.	.	3	2	8	.	
TINGLAS AND GLASNEVIN,	NOS. 1 & 2, PT. OF	4	1	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	4	1	.	
SOUTH CITY		9	2	1	.	.	1	1	4	1	.	.	1	.	.	3	2	.	.	1	.	.	.	3	2	4	.	
"	No. 2	5	2	.	.	.	.	.	1	2	.	.	.	.	.	.	.	.	.	.	.	.	.	2	2	7	.	
"	No. 3	7	3	.	1	.	1	.	1	2	.	.	1	.	.	2	1	.	.	2	.	.	.	4	3	3	.	
"	No. 4	5	.	.	.	.	.	.	1	3	.	.	.	.	.	.	.	.	.	1	.	.	.	2	3	4	.	
"	No. 5	5	.	.	.	.	.	.	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	3	3	3	.	
"	No. 6	4	2	.	.	.	.	.	2	1	.	.	.	.	.	1	.	.	.	1	.	2	.	3	3	4	.	
CLONDALKIN, PART OF																												
CRUMLIN, PART OF		7	3	.	.	.	.	1	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	7	.	
DONNYBROOK,	NOS. 1 AND 2	6	.	.	.	.	1	1	4	2	.	.	.	.	.	3	1	.	.	2	.	.	.	2	2	6	.	
RATHFARNHAM, PART OF		1	1	.	.	.	.	.	2	3	.	.	.	.	.	1	.	.	.	1	.	.	.	1	1	1	.	
RATHMINES,	NOS. 1 AND 2	1	2	.	.	.	.	.	.	1	.	.	.	.	.	1	.	.	.	1	.	.	.	1	1	5	.	
TERENURE, PART OF		1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	
TOTAL		114	30	2	1	3	8	27	43		.	3	3	.	.	22	13	.	.	12	6	7	1	50	5	76	.	
CORK.																												
CORK URBAN, No. 1		1	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	
"	No. 2	1	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	
"	No. 3	3	.	1	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	
"	No. 4	1	.	.	.	.	.	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	1	1	.	
"	No. 5	3	.	.	.	.	.	1	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	3	1	2	.	
"	No. 6	2	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2	1	.	
TOTAL		13	.	1	.	.	1	4	7		.	.	.	.	.	.	1	.	.	.	.	.	.	10	.	4	.	

TABLE III.—Cases of infectious diseases notified in the undermentioned urban areas during the week ended Saturday, 2nd October, 1943, and during each of the three preceding weeks.

AREAS	Week ended	Typhoid fever	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis	Smallpox	Measles	Typhus	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Other diseases*	TOTAL
Dublin City	Sept. 11	•	6	9	15	15	•	•	•	2	1A, 121D, 4H	173†
	Sept. 18	•	12	19	18	16	•	•	•	8	84D, 6H, 1T	168†
	Sept. 25	2	15	9	21	8	•	5	•	5	127D, 5H, 1K, 1T	199
	Oct. 2	•	7	15	15	22	•	2	•	4	53D, 1G, 3H	122
Dun Laoghaire Borough	Sept. 11	•	3	•	1	•	•	•	•	•	2D, 1H	7
	Sept. 18	•	2	•	•	•	•	•	•	•	1D	3
	Sept. 25	•	•	•	1	•	•	•	•	•	2D	3
	Oct. 2	•	•	•	4	•	•	•	•	•	2D	6
Cork C. B.	Sept. 11	•	4	2	6	2	•	•	•	1	7D	22
	Sept. 18	•	•	2	5	2	•	•	•	•	5D	14
	Sept. 25	•	3	4	9	3	•	•	•	•	7D, 1H	27
	Oct. 2	•	1	•	1	5	•	•	•	1	12D	20
Limerick C. B.	Sept. 11	1	•	1	2	•	•	•	•	•	1D, 1H	6
	Sept. 18	•	1	•	•	•	•	•	•	•	3D, 1H	5
	Sept. 25	•	1	1	•	•	•	•	•	•	•	2
	Oct. 2	•	1	•	•	•	•	•	•	•	1D	2
Waterford C. B.	Sept. 11	•	•	1	•	2	•	•	•	•	11D, 1H	15
	Sept. 18	1	•	•	•	2	•	•	•	•	10	4
	Sept. 25	1	•	•	•	4	•	•	•	1	1D, 10	8
	Oct. 2	•	•	•	•	•	•	•	•	•	•	•

\*The letters in this column denote the following diseases :— (A) Acute Anterior Poliomyelitis, (B) Cerebro-Spinal Fever, (C) Encephalitis Lethargica, (D) Diarrhoea and Enteritis, (E) Paratyphoid A., (F) Paratyphoid B., (G) Trachoma, (H) Erysipelas, (J) Ophthalmia Neonatorum, (K) Pemphigus Neonatorum, (L) Undulant Fever, (M) Continued Fever, (N) Dysentery (Bacillary), (O) Dysentery (Amoebic), (P) Malaria, (Q) Membranous Croup, (T) Puerperal Infection.

† Including 46 cases of diarrhoea and enteritis from 16th August now notified from an institution.

TABLE IV.—Cases of the undermentioned diseases treated in Dublin hospitals during the week ended Saturday, 2nd October, 1943, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of cases in hospital at close of week ended			Week ended 2nd October, 1943.			
	Sept. 11	Sept. 18	Sept. 25	No. admitted	Discharged	Died	No. under treatment at close of week
Typhoid fever	4	6	4	1	•	•	5
Typhus	•	•	•	•	•	•	•
Smallpox	•	•	•	•	•	•	•
Measles	2	2	2	•	•	•	2
Scarlet fever	81	77	70	12	11	•	71
Diphtheria	180	179	184	30	26	•	188
Pneumonia	11	13	14	5	3	•	16
Diarrhoea and Enteritis	130	126	139	26	10	18	137



# ÉIRE

LE hAGHAIDH NA SEIRBHISE PUIBLI

## GUNNTAS SEACHTMHAINÉAMHAIL na mBREITH agus na mBÁS

### WEEKLY RETURNS OF BIRTHS AND DEATHS

#### FOR THE PRINCIPAL TOWNS

*By Authority of the Registrar-General.*



To be purchased through any Bookseller or directly from  
THE GOVERNMENT PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN.

No. 40. Vol. LXXX.]

WEEK ENDING SATURDAY, 9th October, 1943.

PRICE 1½d. NET.

*Oifig an Árd-Chláradóra,*

*Baile Átha Cliath.*

### PRINCIPAL TOWNS

Particulars of the Births and Deaths recorded for the Principal Towns are given in Table I. Deaths have been assigned so far as possible to the area of residence and those of non-residents of Éire have been excluded.

The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were represented by the following annual rates per 1,000 of the population:—

Principal Towns 12.0 and 12.2; City of Dublin 11.8 and 12.8; Borough of Dun Laoghaire 19.8 and 13.0; Cork 12.9 and 13.4; Limerick 7.4 and 8.3; and Waterford 12.8 and 12.8.

The deaths from the principal epidemic diseases\* recorded for the thirteen principal towns last week were represented by an annual rate of 1.2 per 1,000.

**City of Dublin.**—The number of births registered during the week was 325—170 boys and 155 girls. Exclusive of those, numbering 57, occurring in institutions, of infants whose mothers were admitted from other localities, the number was 268, representing a rate of 27.9 per 1,000.

The number of deaths registered was 136—65 males and 71 females. Of the total, 23 related to persons belonging to other localities, so that the actual number of deaths for the City was 113, representing a rate of 11.8 per 1,000.

There was one death from whooping cough, one from diphtheria, and 15 from diarrhoea and enteritis (under 2 years). In the three preceding weeks deaths from whooping cough numbered one, one and 3, from diphtheria one, 2 and 0, and from diarrhoea and enteritis (under 2 years) 27, 25 and 22.

Tuberculosis caused 10 deaths (6 of which were from pulmonary tuberculosis one from tuberculous meningitis, one from tuberculous peritonitis, and 2 from other forms of tuberculous disease), as against 15, 11 and 13 from all forms of tuberculosis in the three preceding weeks.

Eighteen deaths were caused by cancer, and 16 by diseases of the heart.

There were 9 deaths from pneumonia, comprising 6 from broncho-pneumonia, and 3 from lobar pneumonia. There were 3 deaths from bronchitis.

Two accidental deaths were registered.

Among the deaths of infants under one year of age, one was due to convulsions one to broncho-pneumonia, 15 to diarrhoea and enteritis (under 2 years), 2 to congenital malformations, one to congenital debility, 3 to premature birth, and 2 to injury at birth.

Thirty of the deaths recorded during the week for the City were those of children under five years of age, 27 being infants under one year, 7 of whom were under one month old, and 34 were those of persons aged 65 years and upwards, of whom 25 were aged 70 years or over.

**CASES OF INFECTIOUS DISEASES.**—Table III shows the numbers notified in the City of Dublin and in the Boroughs; and Table IV the number of cases of certain diseases treated in Dublin Hospitals.

\* Typhoid fever, typhus, smallpox, dysentery, scarlet fever, whooping cough, diphtheria, measles and diarrhoea and enteritis (under 2 years of age).

TABLE I.—BIRTHS and DEATHS registered during the week ended Saturday, 9th October, 1943, for the Principal Towns of Éire, with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION (a)	Annual Rate (b) per 1,000 persons		BIRTHS		DEATHS		DEATHS	Under 1 year of age	65 years and upwards	Principal epidemic diseases										Diseases respiratory system					Inquest Cases	In public institutions	Number uncertified
		DEATHS		BIRTHS	From all Causes	From Principal epidemic diseases	Typhoid fever, Typhus, Smallpox, Dysentery				Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Tuber- culosis		Cancer	Diseases respiratory system									
		From all Causes	From Principal epidemic diseases													Pulmonary	Other forms		Pneumonia	Other	Violence	Other Causes						
																							(1)	(2)	(3)			
TOTAL 13 TOWNS	793,217	26.3	12.0	1.2	400	182	35	62	17	10	6	1	1	1	1	15	6	4	18	9	4	2	53	2	4	91	2	
CITY OF DUBLIN (c)	500,300	27.9	11.8	1.8	268	113	27	34	15	6	4	1	1	1	1	1	2	1	2	2	1	1	7	2	5	5	1	
BOROUGH OF DUN LAOGHAIRE	42,200	22.2	19.8	1.2	18	16	1	9	1	2	2	2	2	2	2	1	1	1	2	1	1	1	13	2	6	6	1	
CORK COUNTY BOROUGH	76,800	17.7	12.9	0.7	26	19	2	7	1	1	1	1	1	1	1	1	1	1	1	1	1	3	1	1	1	1		
LIMERICK COUNTY BOROUGH	42,500	11.0	7.4	1	9	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
WATERFORD COUNTY BOROUGH	28,500	25.6	12.8	1	14	7	1	5	1	1	1	1	1	1	1	1	1	1	1	2	1	4	1	2	2	1		
GALWAY URBAN DISTRICT	18,294	—	—	—	12	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
DUNDALK URBAN DISTRICT	14,684	—	—	—	6	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
DROGHEDA URBAN DISTRICT	14,494	—	—	—	16	4	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
SLIGO URBAN DISTRICT	12,565	—	—	—	17	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
WEXFORD URBAN DISTRICT	12,247	—	—	—	7	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
TRALEE URBAN DISTRICT	10,285	—	—	—	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
KILKENNY URBAN DISTRICT	10,237	—	—	—	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
BRAY URBAN DISTRICT	10,111	—	—	—	1	3	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	3	1	1	1	1		
BELFAST COUNTY BOROUGH	444,500	—	—	—	214	99	19	40	4	2	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11		
DERRY COUNTY BOROUGH	47,813	—	—	—	28	7	2	4	1	8	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		

(a) According to the Census of 1936, but in the case of the Cities of Cork, Limerick, and Waterford, the populations given are those according to the Register of Population 1941. The population given for the City of Dublin and for the Borough of Dun Laoghaire is that estimated to the middle of 1943. The population for Belfast is that estimated to the 1st January 1940, and that for Derry is according to the Census of 1937. (b) The annual rates for the urban districts will be shown in the quarterly return. (c) The figures for the City of Dublin include those for the former urban district of Howth.



TABLE II.—Deaths registered during the week ended Saturday, 9th October, 1943, for the City of Dublin and the County Borough of Cork by Registrars' Districts

REGISTRARS' DISTRICTS, &c.		DEATHS																									
		AGES AT DEATH								DEATHS FROM										Inquest cases	In public institutions	Number uncertified					
		Principal epidemic diseases								Diseases of respi- ratory system																	
		Under 1 year	1—2	2—5	5—15	15—25	25—45	45—65	65 years and upwards	Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Pulmonary	Other forms	Influenza	Cancer	Pneumonia	Other	Violence	Other causes	(24)	(25)	(26)	
DUBLIN.		COLS.																									
NORTH CITY	No. 1 EAST	5	1	1	1	2	1	2	2	1	1	1	1	1	3	3	1	1	1	2	1	1	4	1	3	1	
"	No. 1 WEST	13	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	9	1	
"	No. 2	4	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	2	1	1	2	1	1	1	1	
"	No. 3	8	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	
"	No. 4	5	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	
BLANCHARDSTOWN AND CASTLEKNOCK, PT. OF		2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
CLONTARF AND HOWTH, NOS. 1 & 2, PT. OF		8	1	1	1	1	2	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
COOLOCK & DRUMCONDRA, NOS. 1 & 2, PT. OF		5	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
FINGLAS AND GLASNEVIN, NOS. 1 & 2, PT. OF		6	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
SOUTH CITY	No. 1	6	1	1	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
"	No. 2	9	1	1	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
"	No. 3	5	2	1	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
"	No. 4	6	1	1	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
"	No. 5	7	1	1	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
"	No. 6	4	2	1	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
CLONDALKIN, PART OF		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
CRUMLIN, PART OF		4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
DUNNYBROOK, NOS. 1 AND 2		13	1	1	1	1	1	4	6	1	1	1	1	1	1	1	1	1	5	1	1	1	1	1	1	1	
RATHFARNHAM, PART OF		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
RATHMINES, NOS. 1 AND 2		5	1	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
TERENURE, PART OF		5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
TOTAL		113	27	1	2	7	8	32	34	1	1	1	1	1	15	6	4	4	18	9	4	2	53	2	66	2	
CORK.		3	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
CORK URBAN, No. 1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
"	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
"	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
"	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
"	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
"	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
"	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
TOTAL		19	2	1	1	1	2	5	7	1	1	1	1	1	1	1	1	1	2	1	1	1	13	2	6	1	

TABLE III.—Cases of infectious diseases notified in the undermentioned urban areas during the week ended Saturday, 9th October, 1943, and during each of the three preceding weeks.

AREAS	Week ended	Typhoid fever	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis	Smallpox	Measles	Typhus	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Other diseases*	TOTAL
Dublin City	Sept. 18	•	12	19	18	16	•	4	•	8	84D, 6H, 1T	168
	Sept. 25	2	15	9	21	8	•	5	•	5	127D, 5H, 1K, 1T	199
	Oct. 2	•	7	15	15	22	•	2	•	4	53D, 1G, 3H	122
	Oct. 9	•	12	14	20	9	•	7	•	6	54D, 6H	128
Dun Laoghaire Borough	Sept. 18	•	2	•	•	•	•	•	•	•	1D	3
	Sept. 25	•	•	•	1	•	•	•	•	•	2D	3
	Oct. 2	•	•	•	4	•	•	•	•	•	2D	6
	Oct. 9	•	2	•	3	•	•	•	•	1		5
Cork C. B.	Sept. 18	•	•	2	5	2	•	•	•	•	5D	14
	Sept. 25	•	3	4	9	3	•	•	•	•	7D, 1H	27
	Oct. 2	•	1	•	1	5	•	•	•	1	12D	20
	Oct. 9	•	2	1	•	5	•	•	•	1	10D, 1H	20
Limerick C. B.	Sept. 18	•	1	•	•	•	•	•	•	•	3D, 1H	5
	Sept. 25	•	1	1	•	•	•	•	•	•		2
	Oct. 2	•	1	•	•	•	•	•	•	•	1D	2
	Oct. 9	1	•	•	1	•	•	•	•	•	2D,	4
Waterford C. B.	Sept. 18	1	•	•	•	2	•	•	•	•	10	4
	Sept. 25	1	•	•	•	4	•	•	•	1	1D, 10	8
	Oct. 2	•	•	•	•	•	•	•	•	•		•
	Oct. 9	•	•	•	•	•	•	•	•	1	1J	2

\*The letters in this column denote the following diseases :— (A) Acute Anterior Poliomyelitis, (B) Cerebro-Spinal Fever, (C) Encephalitis Lethargica, (D) Diarrhoea and Enteritis, (E) Paratyphoid A., (F) Paratyphoid B., (G) Trachoma, (H) Erysipelas, (J) Ophthalmia Neonatorum, (K) Pemphigus Neonatorum, (L) Undulant Fever, (M) Continued Fever, (N) Dysentery (Bacillary), (O) Dysentery (Amoebic), (P) Malaria, (Q) Membranous Croup, (T) Puerperal Infection.

TABLE IV.—Cases of the undermentioned diseases treated in Dublin hospitals during the week ended Saturday, 9th October, 1943, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of cases in hospital at close of week ended			Week ended 9th October, 1943.			
	Sept. 18	Sept. 25	Oct. 2	No. admitted	Discharged	Died	No. under treatment at close of week
Typhoid fever	6	4	5	•	2	•	3
Typhus	•	•	•	•	•	•	•
Smallpox	•	•	•	•	•	•	•
Measles	2	2	2	•	1	•	1
Scarlet fever	77	70	71	15	14	•	72
Diphtheria	179	184	188	33	16	•	205
Pneumonia	13	14	16	4	6	1	13
Diarrhoea and Enteritis	126	139	137	29	21	14	131



# ÉIRE

LE HAGHAIDH NA SEIRBHISE PUIBLI

## CUNNTAS SEACHTMHAINÉAMHAIL na mBREITH agus na mBÁS

### WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

### PRINCIPAL TOWNS

*By Authority of the Registrar-General.*



To be purchased through any Bookseller or directly from  
THE GOVERNMENT PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN.

No. 41. Vol. LXXX.]

WEEK ENDING SATURDAY, 16th October, 1943.

PRICE 1½d. NET.

*Oifig an Árd-Chláradóra,*

*Baile Átha Cliath.*

### PRINCIPAL TOWNS

Particulars of the Births and Deaths recorded for the **Principal Towns** are given in Table I. Deaths have been assigned so far as possible to the area of residence and those of non-residents of Eire have been excluded.

The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were represented by the following annual rates per 1,000 of the population:—

Principal Towns 13.0 and 12.2; City of Dublin 12.8 and 12.4; Borough of Dun Laoghaire 18.5 and 15.4; Cork 14.3 and 13.3; Limerick 11.0 and 9.5; and Waterford 7.3 and 11.0.

The deaths from the principal epidemic diseases\* recorded for the thirteen principal towns last week were represented by an annual rate of 1.8 per 1,000. The 10 deaths for Dundalk included one from whooping cough.

**City of Dublin.**—The number of births registered during the week was 292—152 boys and 140 girls. Exclusive of those, numbering 50, occurring in institutions, of infants whose mothers were admitted from other localities, the number was 242, representing a rate of 25.2 per 1,000.

The number of deaths registered was 145—76 males and 69 females. Of the total, 22 related to persons belonging to other localities, so that the actual number of deaths for the City was 123, representing a rate of 12.8 per 1,000.

There was one death from whooping cough, 2 from diphtheria, and 21 from diarrhoea and enteritis (under 2 years). In the three preceding weeks deaths from whooping cough numbered one, 3 and one, from diphtheria 2, 0 and one, and from diarrhoea and enteritis (under 2 years) 25, 22 and 15.

Tuberculosis caused 17 deaths (15 of which were from pulmonary tuberculosis, and 2 from other forms of tuberculous disease), as against 11, 13 and 10 from all forms of tuberculosis in the three preceding weeks.

Nine deaths were caused by cancer, and 22 by diseases of the heart.

There were 9 deaths from pneumonia, comprising 4 from broncho-pneumonia, one from lobar pneumonia, and 4 from pneumonia (unspecified). There were 2 deaths from bronchitis.

Seven accidental deaths were registered, two of which were due to injuries caused by motor vehicles.

Among the deaths of infants under one year of age, one was due to whooping cough one to generalised tuberculosis, 2 to meningitis, 5 to pneumonia, 21 to diarrhoea and enteritis (under 2 years), 4 to congenital debility, and 2 to premature birth.

Forty-one of the deaths recorded during the week for the City were those of children under five years of age, 38 being infants under one year, 12 of whom were under one month old, and 42 were those of persons aged 65 years and upwards, of whom 30 were aged 70 years or over.

**CASES OF INFECTIOUS DISEASES.**—Table III shows the numbers notified in the City of Dublin and in the Boroughs; and Table IV the number of cases of certain diseases treated in Dublin Hospitals.

\* Typhoid fever, typhus, smallpox, dysentery, scarlet fever, whooping cough, diphtheria, measles and diarrhoea and enteritis (under 2 years of age).

TABLE I.—BIRTHS and DEATHS registered during the week ended Saturday, 16th October, 1943, for the Principal Towns of Éire, with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULA- TION (a)	Annual Rate (b) per 1,000 persons		BIRTHS	DEATHS		BIRTHS	DEATHS	Under 1 year of age	65 years and upwards	Principal epidemic diseases										Tuber- culosis		Influenza	Cancer	Diseases respiratory system			Violence	Other Causes	Inquest Cases	In public institutions	Number uncertified																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
					From all Causes	From Principal epidemic diseases					Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Pulmonary	Other forms	Pneumonia	Other																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
		(1)	(2)																		(3)	(4)			(5)	(6)	(7)						(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
		COLS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						

(a) According to the Census of 1936, but in the case of the Cities of Cork, Limerick, and Waterford, the populations given are those according to the Register of Population 1941. The population given for the City of Dublin and for the Borough of Dun Laoghaire is that estimated to the middle of 1943. The population for Belfast is that estimated to the 1st January 1940, and that for Derry is according to the Census of 1937. (b) The annual rates for the urban districts will be shown in the quarterly return. (c) The figures for the City of Dublin include those for the former urban district of Howth.



TABLE II.—Deaths registered during the week ended Saturday, 16th October, 1943, for the City of Dublin and the County Borough of Cork by Registrars' Districts

REGISTRARS' DISTRICTS, &c.		AGES AT DEATH															DEATHS FROM										Inquest cases		In public institutions		Number uncertified	
		Principal epidemic diseases							Tuber- culosis		Diseases of respi- ratory system																					
		Principal epidemic diseases							Tuber- culosis		Diseases of respi- ratory system																					
		Principal epidemic diseases							Tuber- culosis		Diseases of respi- ratory system																					
TOTAL DEATHS		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)					
DUBLIN.																																
NORTH CITY	No. 1 EAST	9	5	•	•	1	•	•	•	2	8	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•					
"	No. 1 WEST	17	6	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•					
"	No. 2	9	3	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•					
"	No. 3	13	4	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•					
"	No. 4	4	3	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•					
BLANCHARDSTOWN AND CASTLEKNOCK, PT. OF		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•					
CLONTARF AND HOWTH, NOS. 1 & 2, PT. OF		4	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•					
COOLOCK & DRUMCONDRA, NOS. 1 & 2, PT. OF		4	3	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•					
FINGLAS AND GLASNEVIN, NOS. 1 & 2, PT. OF		3	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•					
SOUTH CITY		8	2	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•					
"	No. 1	2	1	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•					
"	No. 2	8	1	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•					
"	No. 3	9	2	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•					
"	No. 4	3	1	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•					
"	No. 5	5	1	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•					
"	No. 6	5	1	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•					
CLONDALKIN, PART OF		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•					
CRUMLIN, PART OF		6	4	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•					
DUNYBROOK, NOS. 1 AND 2		6	1	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•					
RATHFARNHAM, PART OF		1	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•					
RATHMINES, NOS. 1 AND 2		10	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•					
TERENURE, PART OF		2	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•					
TOTAL		123	38	1	2	2	5	13	20	42	•	1	2	•	21	15	2	•	9	9	5	7	52	4	75	•	•					
CORK.		6	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•					
CORK URBAN, No. 1	1	1	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•					
"	2	1	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•					
"	3	2	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•					
"	4	2	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•					
"	5	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•					
"	6	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•					
"	7	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•					
TOTAL		21	5	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•					

TABLE III.—Cases of infectious diseases notified in the undermentioned urban areas during the week ended Saturday, 16th October, 1943, and during each of the three preceding weeks.

AREAS	Week ended		Typhoid fever	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis	Smallpox	Measles	Typhus	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Other diseases*	TOTAL
Dublin City	Sept.	25	2	15	9	21	8	.	5	.	5	127D, 5H, 1K, 1T	199
	Oct.	2	.	7	15	15	22	.	2	.	4	53D, 1G, 3H	122
	Oct.	9	.	12	14	20	9	.	7	.	6	54D, 6H	128
	Oct.	16	.	17	4	26	12	.	6	.	1	35D, 2G, 2H, 1J	106
Dun Laoghaire Borough	Sept.	25	.	.	.	1	.	.	.	.	.	2D	3
	Oct.	2	.	.	.	4	.	.	.	.	.	2D	6
	Oct.	9	.	2	.	3	.	.	.	.	1	.	5
	Oct.	16	1	1	.	2	.	.	.	.	.	.	4
Cork C. B.	Sept.	25	.	3	4	9	3	.	.	.	.	7D, 1H	27
	Oct.	2	.	1	.	1	5	.	.	.	1	12D	20
	Oct.	9	.	2	1	.	5	.	.	.	1	10D, 1H	20
	Oct.	16	.	.	.	9	4	.	.	.	.	1H	14
Limerick C. B.	Sept.	25	.	1	1	.	.	.	.	.	.	.	2
	Oct.	2	.	1	.	.	.	.	.	.	.	1D	2
	Oct.	9	1	.	.	1	.	.	.	.	.	2D,	4
	Oct.	16	.	.	1	.	.	.	.	.	.	1H	2
Waterford C. B.	Sept.	25	1	.	.	.	4	.	.	.	1	1D, 1O	8
	Oct.	2	.	.	.	.	.	.	.	.	.	.	.
	Oct.	9	.	.	.	.	.	.	.	.	1	1J	2
	Oct.	16	.	.	.	.	2	.	.	.	.	.	2

\*The letters in this column denote the following diseases :— (A) Acute Anterior Poliomyelitis, (B) Cerebro-Spinal Fever, (C) Encephalitis Lethargica, (D) Diarrhoea and Enteritis, (E) Paratyphoid A., (F) Paratyphoid B., (G) Trachoma, (H) Erysipelas, (J) Ophthalmia Neonatorum, (K) Pemphigus Neonatorum, (L) Undulant Fever, (M) Continued Fever, (N) Dysentery (Bacillary), (O) Dysentery (Amoebic), (P) Malaria, (Q) Membranous Croup, (T) Puerperal Infection.

TABLE IV.—Cases of the undermentioned diseases treated in Dublin hospitals during the week ended Saturday, 16th October, 1943, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of cases in hospital at close of week ended			Week ended 16th October, 1943.			
	Sept. 25	Oct. 2	Oct. 9	No. admitted	Discharged	Died	No. under treatment at close of week
Typhoid fever	4	5	3	1	.	.	4
Typhus	.	.	.	.	.	.	.
Smallpox	.	.	.	.	.	.	.
Measles	2	2	1	1	1	.	1
Scarlet fever	70	71	72	18	19	1	70
Diphtheria	184	188	205	39	21	4	219
Pneumonia	14	16	13	14	4	1	22
Diarrhoea and Enteritis	139	137	131	23	8	17	129




# ÉIRE

*LE hAGHAIDH NA SEIRBHISE PUIBLI*

## CUNNTAS SEACHTMHAINÉAMHAIL na mBREITH agus na mBÁS

### WEEKLY RETURNS OF BIRTHS AND DEATHS FOR THE PRINCIPAL TOWNS

*By Authority of the Registrar-General.*



To be purchased through any Bookseller or directly from  
THE GOVERNMENT PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN.

No. 42. Vol. LXXX.]

WEEK ENDING SATURDAY, 23rd October, 1943.

PRICE 1½d. NET.

*Oifig an Árd-Chláradóra,*

*Baile Átha Cliath.*

### PRINCIPAL TOWNS

Particulars of the Births and Deaths recorded for the Principal Towns are given in Table I. Deaths have been assigned so far as possible to the area of residence and those of non-residents of Éire have been excluded.

The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were represented by the following annual rates per 1,000 of the population :—

Principal Towns 13.1 and 12.3; City of Dublin 14.1 and 12.7; Borough of Dun Laoghaire 13.6 and 16.7; Cork 11.5 and 11.9; Limerick 11.0 and 9.5; and Waterford 11.0 and 10.1.

The deaths from the principal epidemic diseases\* recorded for the thirteen principal towns last week were represented by an annual rate of 1.9 per 1,000. The 27 deaths for Dun Laoghaire included one from diphtheria.

**City of Dublin.**—The number of births registered during the week was 305—159 boys and 146 girls. Exclusive of those, numbering 49, occurring in institutions, of infants whose mothers were admitted from other localities, the number was 256, representing a rate of 26.7 per 1,000.

The number of deaths registered was 156—85 males and 71 females. Of the total, 21 related to persons belonging to other localities, so that the actual number of deaths for the City was 135, representing a rate of 14.1 per 1,000.

There was one death from scarlet fever, one from whooping cough, one from diphtheria, and 18 from diarrhoea and enteritis (under 2 years). In the three preceding weeks deaths from whooping cough numbered 3, one and one, from diphtheria 0, one and 2, and from diarrhoea and enteritis (under 2 years) 22, 15 and 21. There were no deaths from scarlet fever in the three preceding weeks.

Tuberculosis caused 10 deaths (8 of which were from pulmonary tuberculosis, one from tuberculous meningitis, and one from tuberculous nephritis), as against 13, 10 and 17 from all forms of tuberculosis in the three preceding weeks.

Thirteen deaths were caused by cancer, and 18 by diseases of the heart.

There were 6 deaths from pneumonia, comprising 3 from broncho-pneumonia, 2 from lobar pneumonia, and one from pneumonia (unspecified). There were 7 deaths from bronchitis.

Four accidental deaths were registered.

Among the deaths of infants under one year of age, one was due to whooping cough, one to meningitis, one to bronchitis, 2 to pneumonia, 18 to diarrhoea and enteritis (under 2 years), 3 to congenital debility, and 2 to premature birth.

Thirty-nine of the deaths recorded during the week for the City were those of children under five years of age, 34 being infants under one year, 9 of whom were under one month old, and 41 were those of persons aged 65 years and upwards, of whom 28 were aged 70 years or over.

**CASES OF INFECTIOUS DISEASES.**—Table III shows the numbers notified in the City of Dublin and in the Boroughs; and Table IV the number of cases of certain diseases treated in Dublin Hospitals.

\* Typhoid fever, typhus, smallpox, dysentery, scarlet fever, whooping cough, diphtheria, measles and diarrhoea and enteritis (under 2 years of age).

TABLE I.—BIRTHS and DEATHS registered during the week ended Saturday, 23rd October, 1943, for the Principal Towns of Éire, with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULA- TION (a)	Annual Rate (b) per 1,000 persons		BIRTHS	DEATHS		BIRTHS	DEATHS	CAUSED BY																					
		From all Causes	From Principal epidemic diseases		Under 1 year of age	65 years and upwards			Principal epidemic diseases										Tuber- culosis											
									Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Pulmonary		Other forms	Influenza	Cancer	Diseases respiratory system		Violence	Other Causes	Inquest Cases	In public institutions	Number uncertified				
															(9)	(10)				(11)	(12)						(13)	(14)	(15)	(16)
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)					
TOTAL 13 TOWNS	793,217	26.0	13.1	1.9	395	199	43	69	.	1	1	2	.	25	14	2	1	24	8	15	5	101	7	117	2					
CITY OF DUBLIN (c)	500,300	26.7	14.1	2.2	256	135	34	41	.	1	1	1	.	18	8	2	1	13	6	12	4	68	4	82	2					
BOROUGH OF DUN LAOGHAIRE	42,200	33.4	13.6	2.5	27	11	1	5	.	.	.	1	.	1	.	.	.	2	.	.	1	6	1	9	.					
CORK COUNTY BOROUGH	76,800	20.4	11.5	2.7	30	17	5	5	.	.	.	.	.	4	2	.	.	.	2	1	.	8	1	14	.					
LIMERICK COUNTY BOROUGH	42,500	19.6	11.0	1.2	16	9	1	4	.	.	.	.	.	1	2	.	.	.	.	1	.	5	.	2	.					
WATERFORD COUNTY BOROUGH	23,500	25.6	11.0	.	14	6	.	2	.	.	.	.	.	.	1	.	.	2	.	.	.	2	.	4	.					
GALWAY URBAN DISTRICT	18,294	—	—	—	9	4	.	2	.	.	.	.	.	.	.	.	.	1	.	1	.	2	.	.	.					
DUNDALK URBAN DISTRICT	14,684	—	—	—	2	3	.	1	.	.	.	.	.	.	.	.	.	2	.	.	.	1	1	.	.					
DROGHEDA URBAN DISTRICT	14,494	—	—	—	15	8	.	3	.	.	.	.	.	.	.	.	.	2	.	.	.	1	.	2	.					
SLIGO URBAN DISTRICT	12,565	—	—	—	3	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	.	.					
WEXFORD URBAN DISTRICT	12,247	—	—	—	4	3	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	3	.					
TRALEE URBAN DISTRICT	10,285	—	—	—	3	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.					
KILKENNY URBAN DISTRICT	10,237	—	—	—	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.					
BRAY URBAN DISTRICT	10,111	—	—	—	10	5	1	3	.	.	.	.	.	1	1	.	.	.	.	.	.	3	.	1	.					
BELFAST COUNTY BOROUGH	444,500	—	—	—	208	99	17	38	.	.	.	.	.	6	8	1	2	9	10	1	—	—	—	—	—					
DERRY COUNTY BOROUGH	47,813	—	—	—	34	9	2	.	.	.	.	.	.	.	.	.	.	1	.	.	—	—	—	—	—					

(a) According to the Census of 1936, but in the case of the Cities of Cork, Limerick, and Waterford, the populations given are those according to the Register of Population 1941. The population given for the City of Dublin and for the Borough of Dun Laoghaire is that estimated to the middle of 1943. The population for Belfast is that estimated to the 1st January 1949, and that for Derry is according to the Census of 1937. (b) The annual rates for the urban districts will be shown in the quarterly return. (c) The figures for the City of Dublin include those for the former urban district of Howth.



TABLE II.—Deaths registered during the week ended Saturday, 23rd October, 1943, for the City of Dublin and the County Borough of Cork by Registrars' Districts

REGISTRARS' DISTRICTS, &c.		AGES AT DEATH											DEATHS FROM										Inquest cases		In public institutions		Number uncertified						
		DEATHS											DEATHS FROM																				
		DEATHS											DEATHS FROM																				
		DEATHS											DEATHS FROM																				
TOTAL DEATHS		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)						
DUBLIN.																																	
NORTH CITY No. 1 EAST	COLS.	6	2	1	1	1	1	2	2	1	1	1	1	1	1	2	1	1	1	1	1	1	1	3	1	5	1	1	1	1	1	1	
" No. 2 WEST		14	6	1	1	1	1	1	1	2	1	1	1	1	1	4	1	1	1	1	1	1	1	7	1	3	1	1	1	1	1	1	
" No. 3		15	3	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	7	1	11	1	1	1	1	1	1	
" No. 4		8	2	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
BLANCHARDSTOWN AND CASTLEKNOCK, PT. OF																																	
CLONTARF AND HOWTH, NOS. 1 & 2, PT. OF		1	2	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
COOLOCK & DRUMCONDRA, NOS. 1 & 2, PT. OF		7	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
FINGLAS AND GLASNEVIN, NOS. 1 & 2, PT. OF		7	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
SOUTH CITY																																	
No. 1		6	1	1	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	3	1	2	1	1	1	1	1	1	
" No. 2		5	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	
" No. 3		12	3	1	1	1	1	1	1	5	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	
" No. 4		5	1	1	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
" No. 5		7	2	1	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
" No. 6		7	1	1	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
CLONDALKIN, PART OF																																	
CRUMLIN, PART OF		12	3	1	1	1	1	4	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
DONNYBROOK, NOS. 1 AND 2		9	3	1	1	1	1	1	2	2	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	
RATHFARNHAM, PART OF		11	3	1	1	1	1	1	1	3	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
RATHMINES, NOS. 1 AND 2		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
TERENURE, PART OF		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
TOTAL		135	34	4	1	3	7	14	31	41	1	1	1	1	1	18	8	2	1	13	6	12	4	68	4	82	2	1	1	14	1	1	
CORK.																																	
CORK URBAN, No. 1		2	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
" No. 2		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
" No. 3		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
" No. 4		5	1	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
" No. 5		2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
" No. 6		3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
" No. 7		4	2	1	1	1	1	1	1	2	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
TOTAL		17	5	1	1	1	1	7	7	5	1	1	1	1	1	4	2	1	1	1	1	1	1	8	1	14	1	1	1	1	1	1	1

TABLE III.—Cases of infectious diseases notified in the undermentioned urban areas during the week ended Saturday, 23rd October, 1943, and during each of the three preceding weeks.

AREAS	Week ended	Typhoid fever	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis	Smallpox	Measles	Typhus	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Other diseases*	TOTAL
Dublin City	Oct. 2	•	7	15	15	22	•	2	•	4	53D, 1G, 3H	122
	Oct. 9	•	12	14	20	9	•	7	•	6	54D, 6H	123
	Oct. 16	•	17	4	26	12	•	6	•	1	35D, 2G, 2H, 1J	106
	Oct. 23	•	14	1	37	16	•	9	•	5	1B, 81D, 3H	167
Dun Laoghaire Borough	Oct. 2	•	•	•	4	•	•	•	•	•	2D	6
	Oct. 9	•	2	•	3	•	•	•	•	1		3
	Oct. 16	1	1	•	2	•	•	•	•	•		4
	Oct. 23	•	1	•	1	•	•	•	•	•		2
Cork C. B.	Oct. 2	•	1	•	1	5	•	•	•	1	12D	20
	Oct. 9	•	2	1	•	5	•	•	•	1	10D, 1H	20
	Oct. 16	•	•	•	9	4	•	•	•	•	1H	14
	Oct. 23	•	1	•	2	2	•	•	•	•	5D, 1H, 1T	12
Limerick C. B.	Oct. 2	•	1	•	•	•	•	•	•	•	1D	2
	Oct. 9	1	•	•	1	•	•	•	•	•	2D,	4
	Oct. 16	•	•	1	•	•	•	•	•	•	1H	2
	Oct. 23	•	1	•	•	•	•	•	•	•		1
Waterford C. B.	Oct. 2	•	•	•	•	•	•	•	•	•		•
	Oct. 9	•	•	•	•	•	•	•	•	1	1J	2
	Oct. 16	•	•	•	•	2	•	•	•	•		2
	Oct. 23	•	•	•	1	2	•	•	•	•		3

\*The letters in this column denote the following diseases :— (A) Acute Anterior Poliomyelitis, (B) Cerebro-Spinal Fever, (C) Encephalitis Lethargica, (D) Diarrhoea and Enteritis, (E) Paratyphoid A., (F) Paratyphoid B., (G) Trachoma, (H) Erysipelas, (J) Ophthalmia Neonatorum, (K) Pemphigus Neonatorum, (L) Undulant Fever, (M) Continued Fever, (N) Dysentery (Bacillary), (O) Dysentery (Amoebic), (P) Malaria, (Q) Membranous Croup, (T) Puerperal Infection.

TABLE IV.—Cases of the undermentioned diseases treated in Dublin hospitals during the week ended Saturday, 23rd October, 1943, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of cases in hospital at close of week ended			Week ended 23rd October, 1943.			
	Oct. 2	Oct. 9	Oct. 16	No. admitted	Dis-charged	Died	No. under treatment at close of week
Typhoid fever	5	3	4	•	• /	•	4
Typhus	•	•	•	•	•	•	•
Smallpox	•	•	•	•	•	•	•
Measles	2	1	1	•	•	•	1
Scarlet fever	71	72	70	11	14	•	67
Diphtheria	188	205	219	40	31	1	227
Pneumonia	16	13	22	4	7	1	18
Diarrhoea and Enteritis	137	131	129	26	17	18	120



# ÉIRE

LE HAGHAIDH NA SEIRBHISE PUIBLI

## CUNNTAS SEACHTMHAINÉAMHAIL na mBREITH agus na mBAS

### WEEKLY RETURNS OF BIRTHS AND DEATHS

#### FOR THE PRINCIPAL TOWNS

*By Authority of the Registrar-General.*



To be purchased through any Bookseller or directly from  
THE GOVERNMENT PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN.

No. 48. Vol. LXXX.]

WEEK ENDING SATURDAY, 30th October, 1943.

PRICE 1½d. NET.

*Oifig an Árd-Chláradóra,*

*Baile Átha Cliath.*

### PRINCIPAL TOWNS

Particulars of the Births and Deaths recorded for the Principal Towns are given in Table I. Deaths have been assigned so far as possible to the area of residence and those of non-residents of Éire have been excluded.

The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were represented by the following annual rates per 1,000 of the population :—

Principal Towns 13.0 and 12.8; City of Dublin 13.9 and 13.2; Borough of Dun Laoghaire 14.8 and 16.7; Cork 11.5 and 12.6; Limerick 13.5 and 10.7; and Waterford 5.5 and 9.2.

The deaths from the principal epidemic diseases\* recorded for the thirteen principal towns last week were represented by an annual rate of 1.2 per 1,000. The 3 deaths for Waterford included one from typhoid fever.

**City of Dublin.**—The number of births registered during the week was 273—130 boys and 143 girls. Exclusive of those, numbering 48, occurring in institutions, of infants whose mothers were admitted from other localities, the number was 225, representing a rate of 23.5 per 1,000.

The number of deaths registered was 157—85 males and 72 females. Of the total, 24 related to persons belonging to other localities, so that the actual number of deaths for the City was 133, representing a rate of 13.9 per 1,000.

There were 2 deaths from whooping cough, 3 from diphtheria, and 11 from diarrhoea and enteritis (under 2 years). In the three preceding weeks deaths from whooping cough numbered one, one and one, from diphtheria one, 2 and one, and from diarrhoea and enteritis (under 2 years) 15, 21 and 18.

Tuberculosis caused 9 deaths (7 of which were from pulmonary tuberculosis, and 2 from tuberculous meningitis), as against 10, 17 and 10 from all forms of tuberculosis in the three preceding weeks.

Ten deaths were caused by cancer, and 19 by diseases of the heart.

There were 9 deaths from pneumonia, comprising 6 from broncho-pneumonia, one from lobar pneumonia, and 2 from pneumonia (unspecified). There were 12 deaths from bronchitis.

Three accidental deaths were registered. There was also one death by suicide.

Among the deaths of infants under one year of age, 2 were due to whooping cough, one to diphtheria, 2 to convulsions, one to bronchitis, 4 to pneumonia, 11 to diarrhoea and enteritis (under 2 years), 4 to congenital debility, and 2 to premature birth.

Forty-one of the deaths recorded during the week for the City were those of children under five years of age, 35 being infants under one year, 10 of whom were under one month old, and 42 were those of persons aged 65 years and upwards, of whom 35 were aged 70 years or over.

**CASES OF INFECTIOUS DISEASES.**—Table III shows the numbers notified in the City of Dublin and in the Boroughs; and Table IV the number of cases of certain diseases treated in Dublin Hospitals.

\* Typhoid fever, typhus, smallpox, dysentery, scarlet fever, whooping cough, diphtheria, measles and diarrhoea and enteritis (under 2 years of age).

TABLE I—BIRTHS and DEATHS registered during the week ended Saturday, 30th October, 1943, for the Principal Towns of Éire, with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULA- TION (a)	Annual Rate (b) per 1,000 persons		BIRTHS	DEATHS	Under 1 year of age	65 years and upwards	Principal epidemic diseases										CAUSED BY				Inquest Cases	In public institutions	Number unidentified	
		DEATHS																							
		From all Causes	From Principal epidemic diseases					Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Tuber- culosis		Influenza	Cancer	Diseases respiratory systems		Violence	Other Causes				
														Pulmonary	Other forms			Pneumonia	Other						
	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
Cois.																									
TOTAL 13 TOWNS	793,217	23.1	13.0	1.2	336	197	43	76	1	.	2	3	.	12	12	2	3	19	9	17	5	112	7	112	5
CITY OF DUBLIN (c)	500,300	23.5	13.9	1.7	225	133	35	42	.	.	2	3	.	11	7	2	1	10	9	14	4	70	5	83	2
BOROUGH OF DUN LAOGHAIRE	42,200	27.2	14.8	.	22	12	2	8	.	.	.	.	.	.	.	.	2	1	.	2	.	.	.	6	.
CORK COUNTY BOROUGH	76,800	9.5	11.5	.	14	17	4	7	.	.	.	.	.	.	2	.	.	2	.	1	1	11	2	7	1
LIMERICK COUNTY BOROUGH	42,500	11.0	13.5	.	9	11	.	7	.	.	.	.	.	.	.	.	.	3	.	.	.	8	.	.	.
WATERFORD COUNTY BOROUGH	28,500	23.8	5.5	1.8	13	3	.	2	1(d)	.	.	.	.	.	.	.	.	1	.	.	.	1	.	.	.
GALWAY URBAN DISTRICT	18,294	—	—	—	8	6	1	3	.	.	.	.	.	1	2	.	.	1	.	.	.	.	.	1	.
DUNDALK URBAN DISTRICT	14,684	—	—	—	6	5	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	3	.
DROGHEDA URBAN DISTRICT	14,494	—	—	—	15	4	.	3	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	2
SLIGO URBAN DISTRICT	12,565	—	—	—	8	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.
WEXFORD URBAN DISTRICT	12,247	—	—	—	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TRALEE URBAN DISTRICT	10,285	—	—	—	7	2	.	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.
KILKENNY URBAN DISTRICT	10,237	—	—	—	4	3	1	1	.	.	.	.	.	.	1	.	.	.	.	.	.	2	.	1	.
BRAY URBAN DISTRICT	10,111	—	—	—	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.
BELFAST COUNTY BOROUGH	444,500	—	—	—	183	95	12	41	.	.	.	.	.	5	7	3	2	10	3	7	.	.	.	.	.
DERRY COUNTY BOROUGH	47,813	—	—	—	16	12	.	7	.	.	.	.	.	.	.	1	.	3	.	.	.	.	.	.	.

(a) According to the Census of 1926, but in the case of the Cities of Cork, Limerick, and Waterford, the populations given are those according to the Register of Population 1911. The population given for the City of Dublin and for the Borough of Dun Laoghaire is that estimated to the middle of 1943. The population for Belfast is that estimated to the 1st January 1940, and that for Derry is according to the Census of 1937. (b) The annual rates for the urban districts will be shown in the quarterly return. (c) The figures for the City of Dublin include those for the former urban district of Howth. (d) Typhoid fever.



TABLE II.—Deaths registered during the week ended Saturday, 30th October, 1943, for the City of Dublin and the County Borough of Cork by Registrars' Districts

REGISTRARS' DISTRICTS, &c.		DEATHS																									
		AGES AT DEATH							DEATHS FROM												Inquest cases		In public institutions		Number uncertified		
									Principal epidemic diseases						Tuber- culosis		Cancer	Influenza	Diseases of respi- ratory system							Violence	Other causes
									Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles	Diphtheria and enteritis (under 2 years of age)	Pulmonary	Other forms											
TOTAL DEATHS		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
DUBLIN.		COLS.																									
NORTH CITY	No. 1 EAST	7	8	1	1	1	1	1	4	2	2	2	2	2	2	1	1	1	2	1	1	1	1	2	2	4	1
"	No. 1 WEST	14	1	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	12	1
"	No. 2	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3	1
"	No. 3	6	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3	1
"	No. 4	4	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	4	1
BLANCHARDSTOWN AND CASTLEKNOCK, PT. OF		...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
CLONTARF AND HOWTH, NOS. 1 & 2, PT. OF		8	2	1	1	1	1	1	1	3	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	2	1
COOLOCK & DRUMCONDRA, NOS. 1 & 2, PT. OF		10	3	1	1	1	1	1	3	1	2	1	1	1	1	1	1	1	3	1	2	2	4	6	1	3	1
FINGLAS AND GLASNEVIN, NOS. 1 & 2, PT. OF		12	4	1	1	1	1	1	1	2	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1
SOUTH CITY		9	2	1	1	1	1	1	3	3	2	2	2	2	2	2	1	1	1	1	2	2	4	4	1	8	1
"	No. 1	3	1	1	1	1	1	1	2	2	2	2	2	2	2	2	1	1	1	1	1	1	1	1	1	2	1
"	No. 2	7	2	1	1	1	1	1	2	2	2	2	2	2	2	2	1	1	1	1	1	1	1	1	1	7	1
"	No. 3	10	3	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	7	1
"	No. 4	10	3	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	7	1
"	No. 5	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1
"	No. 6	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1
CLONDALKIN, PART OF		...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
CRUMLIN, PART OF		5	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
DONNYBROOK, NOS. 1 AND 2		10	1	1	1	1	1	1	3	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
RATHFARNHAM, PART OF		...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
RATHMINES, NOS. 1 AND 2		18	2	1	1	1	1	1	4	10	1	1	1	1	1	1	1	1	1	1	2	2	4	8	1	10	1
TERENURE, PART OF		1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1
TOTAL		133	35	4	2	6	4	10	30	42	...	...	2	3	...	11	7	2	1	10	9	14	4	70	5	83	2
CORK.		...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
CORK URBAN, No. 1	...	5	1	1	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
"	No. 2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
"	No. 3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
"	No. 4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
"	No. 5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
"	No. 6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
"	No. 7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
TOTAL		17	4	...	...	...	...	2	4	7	...	...	...	...	...	...	2	...	...	2	...	1	1	11	2	7	1

TABLE III.—Cases of infectious diseases notified in the undermentioned urban areas during the week ended Saturday, 30th October, 1943, and during each of the three preceding weeks.

AREAS	Week ended	Typhoid fever	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis	Smallpox	Measles	Typhus	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Other diseases*	TOTAL
Dublin City	Oct. 9	.	12	14	20	9	.	7	.	6	54D, 6H	128
	Oct. 16	.	17	4	26	12	.	6	.	1	35D, 2G, 2H, 1J	106
	Oct. 23	.	14	1	37	16	.	9	.	5	1B, 81D, 3H	167
	Oct. 30	.	10	6	27	4	.	23	.	9	46D, 2H	127
Dun Laoghaire Borough	Oct. 9	.	2	.	3	.	.	.	.	1		6
	Oct. 16	1	1	.	2	.	.	.	.	.		4
	Oct. 23	.	1	.	1	.	.	.	.	.		2
	Oct. 30	.	1	.	.	.	.	.	.	.	5D	6
Cork C. B.	Oct. 9	.	2	1	.	5	.	.	.	1	10D, 1H	26
	Oct. 16	.	.	.	9	4	.	.	.	.	1H	14
	Oct. 23	.	1	.	2	2	.	.	.	.	5D, 1H, 1T	12
	Oct. 30	.	1	.	4	7	.	.	.	.	1D, 1H	14
Limerick C. B.	Oct. 9	1	.	.	1	.	.	.	.	.	2D, 1H	4
	Oct. 16	.	.	1	.	.	.	.	.	.		2
	Oct. 23	.	1	.	.	.	.	.	.	.		1
	Oct. 30	.	2	.	.	.	.	.	.	.		2
Waterford C. B.	Oct. 9	.	.	.	.	.	.	.	.	1	1J	2
	Oct. 16	.	.	.	.	2	.	.	.	.		2
	Oct. 23	.	.	.	1	2	.	.	.	.		3
	Oct. 30	.	.	.	.	.	.	.	.	.	2N, 14U	16

\*The letters in this column denote the following diseases :— (A) Acute Anterior Poliomyelitis, (B) Cerebro-Spinal Fever, (C) Encephalitis Lethargica, (D) Diarrhoea and Enteritis, (E) Paratyphoid A., (F) Paratyphoid B., (G) Trachoma, (H) Erysipelas, (J) Ophthalmia Neonatorum, (K) Pemphigus Neonatorum, (L) Undulant Fever, (M) Continued Fever, (N) Dysentery (Bacillary), (O) Dysentery (Amoebic), (P) Malaria, (Q) Membranous Croup, (T) Puerperal Infection, (U) Scabies.

TABLE IV.—Cases of the undermentioned diseases treated in Dublin hospitals during the week ended Saturday, 30th October, 1943, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of cases in hospital at close of week ended			Week ended 30th October, 1943.			
	Oct. 9	Oct. 16	Oct. 23	No. admitted	Discharged	Died	No. under treatment at close of week
Typhoid fever	3	4	4	.	1	.	3
Typhus	.	.	.	.	.	.	.
Smallpox	.	.	.	.	.	.	.
Measles	1	1	1	2	1	.	2
Scarlet fever	72	70	67	14	11	.	70
Diphtheria	205	219	227	48	25	2	248
Pneumonia	13	22	18	10	1	1	26
Diarrhoea and Enteritis	131	129	120	15	15	6	114



# EIRE

LE hAGHAIDH NA SEIRBHISE PUIBLI

## CUNNTAS SEACHTMHAINÉAMHAIL na mBREITH agus na mBAS

### WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

### PRINCIPAL TOWNS

*By Authority of the Registrar-General.*

To be purchased through any Bookseller or directly from  
THE GOVERNMENT PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN.



No. 44. Vol. LXXX.]

WEEK ENDING SATURDAY, 6th November, 1943.

PRICE 1½d. NET.

*Oifig an Árd-Chláradóra,*

*Baile Átha Cliath.*

## PRINCIPAL TOWNS

Particulars of the Births and Deaths recorded for the Principal Towns are given in Table I. Deaths have been assigned so far as possible to the area of residence and those of non-residents of Eire have been excluded.

The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were represented by the following annual rates per 1,000 of the population:—

Principal Towns 13.4 and 13.1; City of Dublin 14.6 and 13.9; Borough of Dun Laoghaire 12.4 and 14.8; Cork 17.0 and 13.6; Limerick 8.6 and 11.0; and Waterford 5.5 and 7.3.

The deaths from the principal epidemic diseases\* recorded for the thirteen principal towns last week were represented by an annual rate of 0.8 per 1,000.

**City of Dublin.**—The number of births registered during the week was 231—119 boys and 112 girls. Exclusive of those, numbering 41, occurring in institutions, of infants whose mothers were admitted from other localities, the number was 190, representing a rate of 19.8 per 1,000.

The number of deaths registered was 162—79 males and 83 females. Of the total, 22 related to persons belonging to other localities, so that the actual number of deaths for the City was 140, representing a rate of 14.6 per 1,000.

There were 11 deaths from diarrhoea and enteritis (under 2 years). In the three preceding weeks the deaths from this disease were 21, 18 and 11.

Tuberculosis caused 10 deaths (9 of which were from pulmonary tuberculosis, and one from tuberculous peritonitis), as against 17, 10 and 9 from all forms of tuberculosis in the three preceding weeks.

Fourteen deaths were caused by cancer, and 40 by diseases of the heart.

There were 13 deaths from pneumonia, comprising 10 from broncho-pneumonia, and 3 from pneumonia (unspecified). There were 9 deaths from bronchitis.

One accidental death was registered.

Among the deaths of infants under one year of age, one was due to cerebro-spinal meningitis, one to meningitis, one to convulsions, 5 to pneumonia, 11 to diarrhoea and enteritis (under 2 years); one to congenital malformation, 3 to congenital debility, and 2 to premature birth.

Thirty-three of the deaths recorded during the week for the City were those of children under five years of age, 27 being infants under one year, 7 of whom were under one month old, and 55 were those of persons aged 65 years and upwards, of whom 37 were aged 70 years or over.

**CASES OF INFECTIOUS DISEASES.**—Table III shows the numbers notified in the City of Dublin and in the Boroughs; and Table IV the number of cases of certain diseases treated in Dublin Hospitals.

\* Typhoid fever, typhus, smallpox, dysentery, scarlet fever, whooping cough, diphtheria, measles and diarrhoea and enteritis (under 2 years of age).

TABLE 1.—BIRTHS and DEATHS registered during the week ended Saturday, 6th November, 1942, for the Principal Towns of Éire, with similar particulars for Belfast and Derry.

PRINCIPAL TOWNS	POPULATION (a)	Annual Rate (b) per 1,000 persons		BIRTHS		DEATHS		Under 1 year of age		65 years and upwards		Principal epidemic diseases								Tuber- culosis		Diseases respiratory system				Inquest Cases	In public institutions	Number uncertified
				DEATHS		BIRTHS						Typhoid fever, Typhus, Smallpox, Dysentery				Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Pulmonary	Other forms	Influenza	Cancer	Pneumonia			
		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)		
		COLS.																										
TOTAL 13 TOWNS	793,217	22.1	13.4	0.8	336	204	84	35	84	.	.	.	.	12	16	2	1	23	13	14	1	122	2	110	6			
CITY OF DUBLIN (c)	500,800	19.8	14.6	1.1	190	140	55	27	55	.	.	.	.	11	9	1	1	14	13	12	1	78	2	77	5			
BOROUGH OF DUN LAOGHAIRE	42,200	18.5	12.4	.	15	10	7	.	7	.	.	.	.	.	.	.	.	1	.	.	.	9	.	6	.			
CORK COUNTY BOROUGH	76,800	23.8	17.0	.	35	25	8	2	8	.	.	.	.	.	.	.	.	2	.	1	.	22	.	18	.			
LIMERICK COUNTY BOROUGH	42,500	42.9	8.6	1.2	35	7	3	3	3	.	.	.	.	1	1	.	.	2	.	1	.	2	.	2	.			
WATERFORD COUNTY BOROUGH	23,500	23.8	5.5	.	13	3	1	1	1	.	.	.	.	.	1	.	.	1	.	.	.	1	.	2	.			
GALWAY URBAN DISTRICT	18,294	—	—	—	8	4	1	.	1	.	.	.	.	.	1	1	.	1	.	.	.	1	.	2	.			
DUNDALK URBAN DISTRICT	14,684	—	—	—	7	4	1	.	1	.	.	.	.	.	3	.	.	.	.	.	.	1	.	2	.			
DROGHEDA URBAN DISTRICT	14,494	—	—	—	9	1	1	.	1	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.			
SLIGO URBAN DISTRICT	12,565	—	—	—	8	1	.	.	.	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	.			
WEXFORD URBAN DISTRICT	12,247	—	—	—	7	6	4	2	4	.	.	.	.	.	.	.	.	.	.	.	.	6	.	1	1			
TRALEE URBAN DISTRICT	10,285	—	—	—	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
KILKENNY URBAN DISTRICT	10,237	—	—	—	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.			
BRAY URBAN DISTRICT	10,111	—	—	—	1	3	3	.	3	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.			
BELFAST COUNTY BOROUGH	444,500	—	—	—	175	101	35	20	35	.	.	.	.	3	6	1	.	13	11	5	—	—	—	—	—			
DERRY COUNTY BOROUGH	47,813	—	—	—	28	13	4	.	4	.	.	1	.	.	1	.	.	1	.	.	—	—	—	—	—			

(a) According to the Census of 1936, but in the case of the Cities of Cork, Limerick, and Waterford, the populations given are those according to the Registrar of Population 1941. The population given for the City of Dublin and for the Borough of Dun Laoghaire is that estimated to the middle of 1942. The population for Belfast is that estimated to the 1st January 1940, and that for Derry is according to the Census of 1937. (b) The annual rates for the urban districts will be shown in the quarterly return. (c) The figures for the City of Dublin include those for the former urban district of Howth.





TABLE III.—Cases of infectious diseases notified in the undermentioned urban areas during the week ended Saturday, 6th November, 1943, and during each of the three preceding weeks.

AREAS	Week ended	Typhoid fever	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis	Smallpox	Measles	Typhus	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Other diseases*	TOTAL
Dublin City	Oct. 16	.	17	4	26	12	.	6	.	1	35D, 2G, 2H, 1J	106
	Oct. 23	.	14	1	27	16	.	9	.	5	1B, 81D, 3H	167
	Oct. 30	.	10	6	27	4	.	23	.	5	46D, 2H	127
	Nov. 6	1	17	6	32	11	.	15	.	6	1B, 23D, 2G, 1H, 1T, 7U	123
Dun Laoghaire Borough	Oct. 16	1	1	.	2	.	.	.	.	.		4
	Oct. 23	.	1	.	.	.	.	.	.	.		1
	Oct. 30	.	1	.	.	.	.	.	.	.		6
	Nov. 6	.	2	.	4	.	.	2	.	.	5D, 1D, 1H	10
Cork C. B.	Oct. 16	.	.	.	9	4	.	.	.	.	1H	14
	Oct. 23	.	1	.	2	2	.	.	.	.	5D, 1H, 1T	12
	Oct. 30	.	1	.	4	1	.	.	.	.	1D, 1H	14
	Nov. 6	.	.	1	5	3	.	.	.	1	1D	11
Limerick C. B.	Oct. 16	.	.	1	.	.	.	.	.	.	1H	2
	Oct. 23	.	1	.	.	.	.	.	.	.		1
	Oct. 30	.	2	.	.	.	.	.	.	.		2
	Nov. 6	.	1	.	.	.	.	.	.	.		1
Waterford C. B.	Oct. 16	.	.	.	.	2	.	.	.	.		2
	Oct. 23	.	.	.	1	2	.	.	.	.		3
	Oct. 30	.	.	.	.	.	.	.	.	.	2N, 14U	16
	Nov. 6	.	3	.	.	.	.	.	.	.	2D, 39U	44

\*The letters in this column denote the following diseases :— (A) Acute Anterior Poliomyelitis, (B) Cerebro-Spinal Fever, (C) Encephalitis Lethargica, (D) Diarrhoea and Enteritis, (E) Paratyphoid A., (F) Paratyphoid B., (G) Trachoma, (H) Erysipelas, (J) Ophthalmia Neonatorum, (K) Pemphigus Neonatorum, (L) Undulant Fever, (M) Continued Fever, (N) Dysentery (Bacillary), (O) Dysentery (Amoebic), (P) Malaria, (Q) Membranous Croup, (T) Puerperal Infection, (U) Scabies.

TABLE IV.—Cases of the undermentioned diseases treated in Dublin hospitals during the week ended Saturday, 6th November, 1943, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of cases in hospital at close of week ended			Week ended 6th November, 1943.			
	Oct. 16	Oct. 23	Oct. 30	No. admitted	Discharged	Died	No. under treatment at close of week
Typhoid fever	4	4	3	1	.	.	4
Typhus	.	.	.	.	.	.	.
Smallpox	.	.	.	.	.	.	.
Measles	1	1	2	1	.	.	3
Scarlet fever	70	67	70	16	13	.	73
Diphtheria	219	227	248	37	17	1	267
Pneumonia	22	18	26	7	13	1	19
Diarrhoea and Enteritis	129	120	114	21	15	14	106



# ÉIRE

LE HAGHAIDH NA SEIRBHISE PUIBLI

## CUNNTAS SEACHTMHAINÉAMHAIL na mBREITH agus na mBAS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE  
PRINCIPAL TOWNS

*By Authority of the Registrar-General.*

To be purchased through any Bookseller or directly from  
THE GOVERNMENT PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN.



No. 45. Vol. LXXX.]

WEEK ENDING SATURDAY, 13th November, 1943.

PRICE 1½d. NET.

*Oifig an Árd-Chláradóra,*

*Baile Átha Cliath.*

### PRINCIPAL TOWNS

Particulars of the Births and Deaths recorded for the **Principal Towns** are given in Table I. Deaths have been assigned so far as possible to the area of residence and those of non-residents of Éire have been excluded.

The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were represented by the following annual rates per 1,000 of the population :—

Principal Towns 13.1 and 13.2; City of Dublin 14.2 and 14.2; Borough of Dun-Laoghaire 7.4 and 12.1; Cork 12.9 and 13.2; Limerick 15.9 and 12.3; and Waterford 11.0 and 8.3.

The deaths from the principal epidemic diseases\* recorded for the thirteen principal towns last week were represented by an annual rate of 1.4 per 1,000.

**City of Dublin.**—The number of births registered during the week was 286—151 boys and 135 girls. Exclusive of those, numbering 59, occurring in institutions, of infants whose mothers were admitted from other localities, the number was 227, representing a rate of 23.7 per 1,000.

The number of deaths registered was 151—65 males and 86 females. Of the total, 15 related to persons belonging to other localities, so that the actual number of deaths for the City was 136, representing a rate of 14.2 per 1,000.

There was one death from whooping cough, 5 from diphtheria, and 12 deaths from diarrhoea and enteritis (under 2 years). In the three preceding weeks the deaths from whooping cough were one, 2 and 0, from diphtheria one, 3 and 0, and from diarrhoea and enteritis (under 2 years) 18, 11 and 11.

Tuberculosis caused 19 deaths (14 of which were from pulmonary tuberculosis, 2 from tuberculous meningitis, and 3 from other forms of tuberculosis), as against 10, 9 and 10 from all forms of tuberculosis in the three preceding weeks.

Fifteen deaths were caused by cancer, and 29 by diseases of the heart.

There was one death from pneumonia and there were 5 deaths from bronchitis.

Four accidental deaths were registered.

Among the deaths of infants under one year of age, two were due to pulmonary tuberculosis, 11 to diarrhoea and enteritis (under 2 years), 3 to congenital debility, and 5 to premature birth.

Thirty-two of the deaths recorded during the week for the City were those of children under five years of age, 23 being infants under one year, 7 of whom were under one month old, and 46 were those of persons aged 65 years and upwards, of whom 25 were aged 70 years or over.

**CASES OF INFECTIOUS DISEASES.**—Table III shows the numbers notified in the City of Dublin and in the Boroughs: and Table IV the number of cases of certain diseases treated in Dublin Hospitals.

\*Typhoid fever, typhus, smallpox, dysentery, scarlet fever, whooping cough, diphtheria, measles and diarrhoea and enteritis (under 2 years of age).





TABLE II.—Deaths registered during the week ended Saturday, 13th November, 1943, for the City of Dublin and the County Borough of Cork by Registrars' Districts

REGISTRARS' DISTRICTS, &c.		AGES AT DEATH										DEATHS FROM										Inquest cases	In public institutions	Number uncertified				
		Principal epidemic diseases							Tuber- culosis			Diseases of respi- ratory system																
		Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Pulmonary	Other forms	Influenza	Cancer	Pneumonia	Other	Violence	Other causes													
TOTAL DEATHS		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	
DUBLIN.																												
NORTH CITY	No. 1 EAST	10	2	1	1	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	5	2	8	1	
"	No. 1 WEST	11	2	1	1	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	4	7	7	1	
"	No. 2	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3	3	3	1	
"	No. 3	9	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	5	7	7	1	
"	No. 4	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
BLANCHARDSTOWN AND CASTLENOCK, PT. OF		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
CLONTARF AND HOWTH, NOS. 1 & 2, PT. OF		3	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
COOLOCK & DRUMCONDRA, NOS. 1 & 2, PT. OF		13	1	1	1	1	1	1	4	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
FINGLAS AND GLASNEVIN, NOS. 1 & 2, PT. OF		2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
SOUTH CITY		10	4	1	1	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
"	No. 1	4	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
"	No. 2	10	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
"	No. 3	12	4	1	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
"	No. 4	9	1	1	1	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
"	No. 5	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
"	No. 6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
CLONDALKIN, PART OF		1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
CRUMLIN, PART OF		10	3	1	1	2	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
DONNYBROOK, NOS. 1 AND 2		5	1	1	1	1	1	1	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
RATHFARNHAM, PART OF		1	1	1	1	1	1	1	1	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
RATHMINES, NOS. 1 AND 2		12	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
TERENURE, PART OF		2	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
TOTAL		136	23	5	4	7	4	16	31	46	1	1	1	5	1	12	14	5	2	15	1	5	4	72	5	85	1	
CORK.																												
CORK URBAN, No. 1	3	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	
"	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
"	3	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
"	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
"	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
"	6	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
"	7	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
TOTAL		19	3	1	1	1	1	1	4	10	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

TABLE III.—Cases of infectious diseases notified in the undermentioned urban areas during the week ended Saturday, 13th November, 1943, and during each of the three preceding weeks.

AREAS	Week ended	Typhoid fever	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis	Smallpox	Measles	Typhus	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Other diseases*	TOTAL
Dublin City	Oct. 23	.	14	1	37	16	.	9	.	5	1B, 81D, 3H	167
	Oct. 30	.	10	6	27	4	.	23	.	9	46D, 2H	127
	Nov. 6	1	17	6	31	11	.	15	.	6	1B, 23D, 2G, 1H, 1T, 7U	122
	Nov. 13	3	12	4	32	11	.	27	.	6	14D, 1G, 3H, 40U	153
Dun Laoghaire Borough	Oct. 23	.	1	.	.	.	.	.	.	.		1
	Oct. 30	.	1	.	.	.	.	.	.	.	5D	6
	Nov. 6	.	2	.	4	.	.	2	.	.	1D, 1H	10
	Nov. 13	.	2	.	1	.	.	.	.	.	1B	4
Cork C. B.	Oct. 23	.	1	.	2	2	.	.	.	.	5D, 1H, 1T	12
	Oct. 30	.	1	.	4	7	.	.	.	.	1D, 1H	14
	Nov. 6	.	.	1	5	3	.	.	.	1	1D	11
	Nov. 13	.	.	3	5	.	.	.	.	.	2D, 115U,	125
Limerick C. B.	Oct. 23	.	1	.	.	.	.	.	.	.		1
	Oct. 30	.	2	.	.	.	.	.	.	.		2
	Nov. 6	.	1	.	.	.	.	.	.	.		1
	Nov. 13	.	.	.	1	.	.	.	.	.	1H	2
Waterford C. B.	Oct. 23	.	.	.	1	2	.	.	.	.		3
	Oct. 30	.	.	.	.	.	.	.	.	.	2N, 14U	16
	Nov. 6	.	3	.	.	.	.	.	.	.	2D, 39U	44
	Nov. 13	.	.	.	1	1	.	.	.	2	4D, 18U	26

\*The letters in this column denote the following diseases :— (A) Acute Anterior Poliomyelitis, (B) Cerebro-Spinal Fever, (C) Encephalitis Lethargica, (D) Diarrhoea and Enteritis, (E) Paratyphoid A., (F) Paratyphoid B., (G) Trachoma, (H) Erysipelas, (J) Ophthalmia Neonatorum, (K) Pemphigus Neonatorum, (L) Undulant fever, (M) Continued Fever, (N) Dysentery (Bacillary), (O) Dysentery (Amoebic), (P) Malaria, (Q) Membranous Croup, (T) Puerperal Infection, (U) Scabies.

TABLE IV.—Cases of the undermentioned diseases treated in Dublin hospitals during the week ended Saturday, 13th November, 1943, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of cases in hospital at close of week ended			Week ended 13th November, 1943.			
	Oct. 23	Oct. 30	Nov. 6	No. admitted	Discharged	Died	No. under treatment at close of week
Typhoid fever	4	3	4	3	1	.	6
Typhus	.	.	.	.	.	.	.
Smallpox	.	.	.	.	.	.	.
Measles	1	2	3	1	1	.	3
Scarlet fever	67	70	73	16	11	.	78
Diphtheria	227	248	267	41	40	4	264
Pneumonia	18	26	19	12	6	.	25
Diarrhoea and Enteritis	120	114	106	16	11	9	102



# ÉIRE

LE HAGHAIDH NA SEIRBHISE PUIBLI

## CUNNTAS SEACHTMHAINÉAMHAIL na mBREITH agus na mBAS

### WEEKLY RETURNS OF BIRTHS AND DEATHS

#### FOR THE PRINCIPAL TOWNS

*By Authority of the Registrar-General.*

To be purchased through any Bookseller or directly from  
THE GOVERNMENT PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN



No. 46. Vol. LXXX.]

WEEK ENDING SATURDAY, 20th November, 1943.

PRICE 1½d. NET.

*Oifig an Árd-Chláradóra,*

*Baile Átha Cliath.*

### PRINCIPAL TOWNS

Particulars of the Births and Deaths recorded for the Principal Towns are given in Table I. Deaths have been assigned so far as possible to the area of residence and those of non-residents of Éire have been excluded.

The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were represented by the following annual rates per 1,000 of the population:—

Principal Towns 15.0 and 13.6; City of Dublin 15.9 and 14.7; Borough of Dun Laoghaire 11.1 and 11.4; Cork 13.6 and 13.8; Limerick 8.6 and 11.7; and Waterford 16.5 and 9.6.

The deaths from the principal epidemic diseases\* recorded for the thirteen principal towns last week were represented by an annual rate of 1.2 per 1,000. Included in the 8 deaths from all causes for Kilkenny was one from whooping cough.

**City of Dublin.**—The number of births registered during the week was 221—114 boys and 107 girls. Exclusive of those, numbering 50, occurring in institutions, of infants whose mothers were admitted from other localities, the number was 171, representing a rate of 17.8 per 1,000.

The number of deaths registered was 169—89 males and 80 females. Of the total, 16 related to persons belonging to other localities, so that the actual number of deaths for the City was 153, representing a rate of 15.9 per 1,000.

There were 3 deaths from whooping cough, one from diphtheria, and 10 from diarrhoea and enteritis (under 2 years). In the three preceding weeks the deaths from whooping cough were 2, 0 and one, from diphtheria 3, 0 and 5, and from diarrhoea and enteritis (under 2 years) 11, 11 and 12.

Tuberculosis caused 19 deaths (16 of which were from pulmonary tuberculosis, 2 from tuberculous meningitis, and one from tuberculous enteritis), as against 9, 10 and 19 from all forms of tuberculosis in the three preceding weeks.

Fourteen deaths were caused by cancer, and 26 by diseases of the heart.

There were 15 deaths from pneumonia comprising 9 from broncho-pneumonia, one from lobar pneumonia, and 5 from pneumonia (unspecified), and there were 8 deaths from bronchitis.

Three accidental deaths were registered, one of which was by drowning.

Among the deaths of infants under one year of age, 3 were due to whooping cough, one to tuberculous meningitis, one to meningitis, 4 to broncho-pneumonia, 10 to diarrhoea and enteritis, 2 to congenital malformations, 5 to congenital debility, and 3 to premature birth.

Thirty-seven of the deaths recorded during the week for the City were those of children under five years of age, 35 being infants under one year, 12 of whom were under one month old, and 55 were those of persons aged 65 years and upwards, of whom 43 were aged 70 years or over.

**CASES OF INFECTIOUS DISEASES.**—Table III shows the numbers notified in the City of Dublin and in the Boroughs; and Table IV the number of cases of certain diseases treated in Dublin Hospitals.

\* Typhoid fever, typhus, smallpox, dysentery, scarlet fever, whooping cough, diphtheria, measles, and diarrhoea and enteritis (under 2 years of age).

TABLE I.—BIRTHS and DEATHS registered during the week ended Saturday, 20th November, 1943, for the Principal Towns of Eire, with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION (a)	Annual Rate (b) per 1,000 persons		DEATHS CAUSED BY																		In public institutions	Inquest Cases	Number uncertified		
		BIRTHS	DEATHS	Principal epidemic diseases																						
				65 years and upwards										Diseases respiratory system												
				Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Tuber- culosis		Influenza	Cancer	Pneumonia	Other	Violence	Other Causes									
										(9)	(10)							(11)	(12)	(13)	(14)				(15)	(16)
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)		
TOTAL 13 TOWNS	793,217	18.7	15.0	1.2	284	228	51	83	.	.	4	1	.	.	.	21	3	.	25	19	15	4	123	4	123	3
CITY OF DUBLIN (c)	500,390	17.8	15.9	1.5	171	153	35	55	.	.	3	1	.	10	16	3	.	14	15	14	3	74	1	93	2	
BOROUGH OF DUN LAOGHAIRE	42,200	19.8	11.1	1.2	16	9	2	4	.	.	.	.	.	1	.	.	.	.	.	.	.	8	.	4	.	
CORK COUNTY BOROUGH	76,800	13.2	13.6	.	18	20	6	6	.	.	.	.	.	.	1	1	.	5	1	1	.	13	1	12	.	
LIMERICK COUNTY BOROUGH	42,500	28.2	8.6	1.2	23	7	2	4	.	.	.	.	.	1	1	.	.	1	.	.	.	4	.	2	.	
WATERFORD COUNTY BOROUGH	28,500	14.6	16.5	.	8	9	.	3	.	.	.	.	.	1	1	.	.	2	1	.	.	5	1	2	1	
GALWAY URBAN DISTRICT	18,294	—	—	—	11	5	3	1	.	.	.	.	.	1	1	.	.	.	.	.	.	3	.	2	.	
DUNDALK URBAN DISTRICT	14,684	—	—	—	2	2	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	1	.	
DROGHEDA URBAN DISTRICT	14,494	—	—	—	9	5	.	3	.	.	.	.	.	.	1	.	.	2	.	.	.	2	.	1	.	
SLIGO URBAN DISTRICT	12,565	—	—	—	3	3	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	3	1	.	.	
WEXFORD URBAN DISTRICT	12,247	—	—	—	2	1	.	1	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	.	
TRALEE URBAN DISTRICT	10,285	—	—	—	5	2	.	.	.	.	.	.	.	.	.	.	.	1	1	.	.	.	.	2	.	
KILKENNY URBAN DISTRICT	10,237	—	—	—	13	8	3	2	.	.	1	.	.	.	1	.	.	.	.	.	.	6	.	3	.	
BRAY URBAN DISTRICT	10,111	—	—	—	3	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	4	.	1	.	
BELFAST COUNTY BOROUGH	444,500	—	—	—	207	110	27	49	.	.	.	.	.	2	6	.	3	9	10	5	—	—	—	—	—	
DERRY COUNTY BOROUGH	47,813	—	—	—	30	11	2	3	.	.	1	.	.	.	.	.	.	2	1	.	—	—	—	—	—	

(a) According to the Census of 1936, but in the case of the Cities of Cork, Limerick, and Waterford, the populations given are those according to the Register of Population 1941. The population given for the City of Dublin and for the Borough of Dun Laoghaire is that estimated to the middle of 1943. The population for Belfast is that estimated to the 1st January 1940, and that for Derry is according to the Census of 1937. (b) The annual rates for the urban districts will be shown in the quarterly return. (c) The figures for the City of Dublin include those for the former urban district of Howth.



TABLE II.—Deaths registered during the week ended Saturday, 20th November, 1943, for the City of Dublin and the County Borough of Cork by Registrars' Districts

REGISTRARS' DISTRICTS, &c.		DEATHS														Inquest cases		In public institutions		Number uncertified							
		AGES AT DEATH							DEATHS FROM																		
TOTAL DEATHS		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
			Under 1 year	1—2	2—5	5—15	15—25	25—45	45—65	65 years and upwards	Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Pulmonary	Other forms	Influenza	Cancer	Diseases of respiratory system	Pneumonia	Other	Violence	Other causes		
DUBLIN.																											
NORTH CITY NO. 1 EAST		8	22	6	22	3	1	1	1	27	•	•	•	•	•	•	•	•	•	•	2	2	2	4	•	6	•
" NO. 1 WEST		19	6	22	3	1	1	1	5	25	•	•	•	•	•	•	2	4	•	3	3	2	10	•	10	•	
" NO. 2		14	3	3	•	1	1	•	4	6	•	•	•	•	•	1	•	1	•	1	1	2	8	•	11	•	
" NO. 3		7	1	1	•	1	•	•	3	2	•	•	•	•	•	1	3	•	•	•	•	2	2	•	5	•	
" NO. 4		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
BLANCHARDSTOWN AND CASTLEKNOCK, PT. OF		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
CLONTARF AND HOWTH, NOS. 1 & 2, PT. OF		3	•	•	•	•	•	•	1	2	•	•	•	•	•	•	1	1	•	•	•	2	2	•	•	•	
COOLOCK & DRUMCONDRA, NOS. 1 & 2, PT. OF		14	3	•	•	•	1	2	2	6	•	•	•	•	•	1	1	1	•	3	•	1	9	•	4	•	
FINGLAS AND GLASNEVIN, NOS. 1 & 2, PT. OF		6	1	•	•	•	•	1	2	2	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
SOUTH CITY NO. 1		6	3	•	•	•	•	1	1	5	•	•	1	•	•	2	•	•	•	•	1	1	1	•	•	•	
" NO. 2		11	3	•	•	•	•	1	2	3	•	•	1	•	•	1	1	•	•	1	1	1	1	•	•	•	
" NO. 3		4	•	•	•	1	•	1	3	3	•	•	•	•	•	1	•	•	•	1	1	1	•	•	•	•	
" NO. 4		10	3	•	•	•	•	1	3	3	•	•	1	•	•	1	•	•	•	•	•	•	•	•	•	•	
" NO. 5		9	1	1	•	•	1	•	1	5	•	•	•	•	•	1	•	1	•	•	•	•	•	•	•	•	
" NO. 6		9	1	•	•	•	1	•	3	4	•	•	•	•	•	1	•	•	•	2	•	•	•	•	•	•	
CLONDALKIN, PART OF		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
CRUMLIN, PART OF		7	3	•	•	•	•	1	2	1	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
DONNYBROOK, NOS. 1 AND 2		7	•	•	1	•	1	1	•	5	•	•	•	•	•	•	1	•	•	•	•	•	1	•	•	•	
RATHFARNHAM, PART OF		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
RATHMINES, NOS. 1 AND 2		13	3	•	•	•	1	1	4	•	•	•	•	•	•	•	2	•	•	•	•	2	1	•	•	•	
TERENURE, PART OF		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
TOTAL		153	35	1	1	3	6	11	41	55	•	•	3	1	•	10	16	3	•	14	15	14	3	74	1	93	2
CORK.																											
CORK URBAN, No. 1		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
" " No. 2		6	2	•	•	•	•	1	2	1	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
" " No. 3		3	1	•	•	•	•	1	2	1	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
" " No. 4		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
" " No. 5		3	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
" " No. 6		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
" " No. 7		5	3	•	•	•	•	1	1	1	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
TOTAL		20	6	•	•	•	•	3	5	6	•	•	•	•	•	•	•	•	•	•	5	1	1	13	1	12	•

TABLE III.—Cases of infectious diseases notified in the undermentioned urban areas during the week ended Saturday, 20th November, 1943, and during each of the three preceding weeks.

AREAS	Week ended		Typhoid fever	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis	Smallpox	Measles	Typhus	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Other diseases*	TOTAL
Dublin City	Oct. 30		.	10	6	27	4	.	23	.	9	46D, 2H	127
	Nov. 6		1	17	6	31	11	.	15	.	6	1B, 23D, 2G, 1H, 1T, 7U	122
	Nov. 13		3	12	4	32	11	.	27	.	6	14D, 1G, 3H, 40U	153
	Nov. 20		.	8	10	37	12	.	32	.	12	1B, 2 3D, 1G, 5H, 1J, 1T, 132U	275
Dun Laoghaire Borough	Oct. 30		.	1	.	.	.	.	.	.	.	5D	6
	Nov. 6		.	2	.	4	.	.	2	.	.	1D, 1H	10
	Nov. 13		.	2	.	1	.	.	.	.	.	1B	4
	Nov. 20		.	2	.	4	.	.	.	.	.	1D	7
Cork C. B.	Oct. 30		.	1	.	4	7	.	.	.	.	1D, 1H	14
	Nov. 6		.	.	1	5	3	.	.	.	1	1D	11
	Nov. 13		.	.	3	5	.	.	.	.	.	2D, 115U,	125
	Nov. 20		.	.	2	5	.	.	.	.	2	3H, 96U	108
Limerick C. B.	Oct. 30		.	2	.	.	.	.	.	.	.		2
	Nov. 6		.	1	.	.	.	.	.	.	.		1
	Nov. 13		.	.	.	1	.	.	.	.	.	1H	2
	Nov. 20		1	.	.	2	.	.	.	.	.	25U	28
Waterford C. B.	Oct. 30		.	.	.	.	.	.	.	.	.	2N, 14U	16
	Nov. 6		.	3	.	.	.	.	.	.	.	2D, 39U	44
	Nov. 13		.	.	.	1	1	.	.	.	2	4D, 18U	26
	Nov. 20		.	.	.	1	1	.	.	.	.	1U	3

\*The letters in this column denote the following diseases :— (A) Acute Anterior Poliomyelitis, (B) Cerebro-Spinal Fever, (C) Encephalitis Lethargica, (D) Diarrhoea and Enteritis, (E) Paratyphoid A., (F) Paratyphoid B., (G) Trachoma, (H) Erysipelas, (J) Ophthalmia Neonatorum, (K) Pemphigus Neonatorum, (L) Undulant Fever, (M) Continued Fever, (N) Dysentery (Bacillary), (O) Dysentery (Amoebic), (P) Malaria, (Q) Membranous Croup, (T) Puerperal Infection, (U) Scabies.

TABLE IV.—Cases of the undermentioned diseases treated in Dublin hospitals during the week ended Saturday, 20th November, 1943, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of cases in hospital at close of week ended			Week ended 20th November, 1943.			
	Oct. 30	Nov. 6	Nov. 13	No. admitted	Discharged	Died	No. under treatment at close of week
Typhoid fever	3	4	6	1	1	.	6
Typhus	.	.	.	.	.	.	.
Smallpox	.	.	.	.	.	.	.
Measles	2	3	3	1	2	.	2
Scarlet fever	70	73	78	7	7	.	78
Diphtheria	248	267	264	26	22	2	266
Pneumonia	26	19	25	6	7	1	23
Diarrhoea and Enteritis	114	106	102	15	14	6	97



# ÉIRE

LE HAGHAIDH NA SEIRBHISE PUIBLI

## CUNNTAS SEACHTMHAINÉAMHAIL na mBREITH agus na mBAS

### WEEKLY RETURNS OF BIRTHS AND DEATHS

#### FOR THE PRINCIPAL TOWNS

*By Authority of the Registrar-General.*



To be purchased through any Bookseller or directly from  
THE GOVERNMENT PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN.

No. 47. Vol. LXXX.]

WEEK ENDING SATURDAY, 27th November, 1943.

PRICE 1½d. NET.

*Oifig an Árd-Chlaradóra,*

*Buile Átha Cliath.*

### PRINCIPAL TOWNS

Particulars of the Births and Deaths recorded for the Principal Towns are given in Table I. Deaths have been assigned so far as possible to the area of residence and those of non-residents of Éire have been excluded.

The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were represented by the following annual rates per 1,000 of the population :—

Principal Towns 14.5 and 14.0; City of Dublin 14.1 and 14.7; Borough of Dun Laoghaire 14.8 and 11.4; Cork 14.3 and 14.5; Limerick 22.1 and 13.8; and Waterford 20.1 and 13.3.

The deaths from the principal epidemic diseases\* recorded for the thirteen principal towns last week were represented by an annual rate of 0.6 per 1,000. Included in the 2 deaths from all causes for Bray was one from diphtheria.

**City of Dublin.**—The number of births registered during the week was 320—163 boys and 157 girls. Exclusive of those, numbering 57, occurring in institutions, of infants whose mothers were admitted from other localities, the number was 263, representing a rate of 27.4 per 1,000.

The number of deaths registered was 152—69 males and 83 females. Of the total, 17 related to persons belonging to other localities, so that the actual number of deaths for the City was 135, representing a rate of 14.1 per 1,000.

There was one death from scarlet fever, one from diphtheria, and 6 from diarrhoea and enteritis (under 2 years). In the three preceding weeks the deaths from diphtheria were 0, 5 and one, and from diarrhoea and enteritis (under 2 years) 11, 12 and 10.

Tuberculosis caused 11 deaths (9 of which were from pulmonary tuberculosis, one from tuberculous meningitis, and one from spinal caries), as against 10, 19 and 19 from all forms of tuberculosis in the three preceding weeks.

There were 8 deaths from influenza.

Nine deaths were caused by cancer, and 35 by diseases of the heart.

There were 12 deaths from pneumonia comprising 8 from broncho-pneumonia, 2 from lobar pneumonia, and 2 from pneumonia, (unspecified) and there were 10 deaths from bronchitis.

One accidental death was registered.

Among the deaths of infants under one year of age, 3 were due to broncho-pneumonia, 6 to diarrhoea and enteritis, one to congenital malformation, 4 to congenital debility, and 5 to premature birth.

Twenty-seven of the deaths recorded during the week for the City were those of children under five years of age, 23 being infants under one year, 12 of whom were under one month old, and 55 were those of persons aged 65 years and upwards, of whom 41 were aged 70 years or over.

**CASES OF INFECTIOUS DISEASES.**—Table III shows the numbers notified in the City of Dublin and in the Boroughs; and Table IV the number of cases of certain diseases treated in Dublin Hospitals.

\* Typhoid fever, typhus, smallpox, dysentery, scarlet fever, whooping cough, diphtheria, measles and diarrhoea and enteritis (under 2 years of age).

TABLE I.—BIRTHS and DEATHS registered during the week ended Saturday, 27th November, 1943, for the Principal Towns of Éire, with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULA- TION (a)	Annual Rate (b) per 1,000 persons		DEATHS		BIRTHS		DEATHS		BIRTHS		DEATHS													
												CAUSED BY													
		BIRTHS		From all Causes		From Principal epidemic diseases		Principal epidemic diseases		Principal epidemic diseases		CAUSED BY													
		(2)	(3)	(4)	(5)	(6)	(7)	(8)	Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Pulmonary	Other forms	Influenza	Cancer	Pneumonia	Other	Violence	Other Causes	Inquest Cases	In public institutions	Number uncertified
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)
TOTAL 13 TOWNS	793,217	27.0	14.5	0.6	410	221	31	97	.	1	.	2	.	6	17	3	8	20	14	17	3	130	3	127	3
CITY OF DUBLIN (c)	500,300	27.4	14.1	0.8	263	135	23	55	.	1	.	1	.	6	9	2	8	9	12	12	1	74	1	85	1
BOROUGH OF DUN LAOGHAIRE	42,200	19.8	14.8	.	16	12	2	5	.	.	.	.	.	.	2	.	.	1	.	.	.	9	.	6	.
CORK COUNTY BOROUGH	76,800	22.4	14.3	.	33	21	2	14	.	.	.	.	.	.	2	.	.	1	.	.	.	18	.	11	.
LIMERICK COUNTY BOROUGH	42,500	34.4	22.1	.	28	18	2	6	.	.	.	.	.	.	2	1	.	.	3	.	2	10	.	11	.
WATERFORD COUNTY BOROUGH	28,500	38.4	20.1	.	21	11	.	5	.	.	.	.	.	.	1	.	.	2	.	.	1	7	1	6	.
GALWAY URBAN DISTRICT	18,294	—	—	—	4	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
DUNDALK URBAN DISTRICT	14,684	—	—	—	6	7	.	4	.	.	.	.	.	.	.	.	.	1	2	.	1	3	1	2	1
DROGHEDA URBAN DISTRICT	14,494	—	—	—	16	7	.	4	.	.	.	.	.	.	.	.	.	2	.	2	.	3	.	1	.
SLIGO URBAN DISTRICT	12,565	—	—	—	6	3	1	1	.	.	.	.	.	.	.	.	.	1	.	.	.	2	.	1	1
WEXFORD URBAN DISTRICT	12,247	—	—	—	6	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.
TRALEE URBAN DISTRICT	10,285	—	—	—	8	3	1	1	.	.	.	.	.	.	.	.	.	.	.	.	.	2	.	1	.
KILKENNY URBAN DISTRICT	10,237	—	—	—	3	2	.	2	.	.	.	.	.	.	1	.	.	.	.	.	.	1	.	2	.
BRAY URBAN DISTRICT	10,111	—	—	—	.	2	.	.	.	.	.	1	.	.	.	.	.	.	.	.	.	1	.	1	.
BELFAST COUNTY BOROUGH	444,500	—	—	—	191	131	28	53	.	.	.	.	.	6	11	1	3	9	17	6	—	—	—	—	—
DERRY COUNTY BOROUGH	47,813	—	—	—	31	13	4	5	.	.	.	.	.	.	.	.	.	2	1	1	—	—	—	—	—

(a) According to the Census of 1936, but in the case of the Cities of Cork, Limerick, and Waterford, the populations given are those according to the Register of Population 1941. The population given for the City of Dublin and for the Borough of Dun Laoghaire is that estimated to the middle of 1943. The population for Belfast is that estimated to the 1st January 1940, and that for Derry is according to the Census of 1937. (b) The annual rates for the urban districts will be shown in the quarterly return. (c) The figures for the City of Dublin include those for the former urban district of Howth.



TABLE II.—Deaths registered during the week ended Saturday, 27th November, 1943, for the City of Dublin and the County Borough of Cork by Registrars' Districts

REGISTRARS' DISTRICTS, &c.		DEATHS																									
		AGES AT DEATH								DEATHS FROM																	
		Principal epidemic-diseases								Tuber- culosis		Influenza		Cancer		Diseases of respi- ratory system		Violence		Other causes		Inquest cases		In public institutions		Number uncertified	

TABLE III.—Cases of infectious diseases notified in the undermentioned urban areas during the week ended Saturday, 27th November, 1943, and during each of the three preceding weeks.

AREAS	Week ended	Typhoid fever	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis	Smallpox	Measles	Typhus	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Other diseases*	TOTAL
Dublin City	Nov. 6	1	17	6	31	11	.	15	.	6	1B, 23D, 2G, 1H, 1T, 7U	122
	Nov. 13	3	12	4	32	11	.	27	.	6	14D, 1G, 3H, 40U	153
	Nov. 20	.	8	10	37	12	.	32	.	12	1B, 23D, 1G, 5H, 1J, 1T, 132U	275
	Nov. 27	1	6	12	20	12	.	26	.	4	61D, 2H, 124U	268
Dun Laoghaire Borough	Nov. 6	.	2	.	4	.	.	2	.	.	1D, 1H	10
	Nov. 13	.	2	.	1	.	.	.	.	.	1B	4
	Nov. 20	.	2	.	4	.	.	.	.	.	1D	7
	Nov. 27	.	3	.	1	.	.	.	.	.	1D	5
Cork C. B.	Nov. 6	.	.	1	5	3	.	.	.	1	1D	11
	Nov. 13	.	.	3	5	.	.	.	.	2	2D, 115U,	125
	Nov. 20	.	.	2	5	.	.	.	.	2	3H, 96U	108
	Nov. 27	.	.	3	4	5	.	.	.	3	1B, 2H, 53U	71
Limerick C. B.	Nov. 6	.	1	.	.	.	.	.	.	.	1H	1
	Nov. 13	.	.	.	1	.	.	.	.	.	25U	2
	Nov. 20	1	.	.	2	.	.	.	.	.	1D, 14U	28
	Nov. 27	.	.	.	2	.	.	.	.	1		18
Waterford C. B.	Nov. 6	.	3	.	1	1	.	.	.	2	2D, 39U	44
	Nov. 13	.	.	.	1	1	.	.	.	.	4D, 18U	26
	Nov. 20	.	.	.	1	1	.	.	.	.	1U	3
	Nov. 27	.	.	.	.	2	.	.	.	1	5D, 28U	36

\*The letters in this column denote the following diseases :— (A) Acute Anterior Poliomyelitis, (B) Cerebro-Spinal Fever, (C) Encephalitis Lethargica, (D) Diarrhoea and Enteritis, (E) Paratyphoid A., (F) Paratyphoid B., (G) Trachoma, (H) Erysipelas, (J) Ophthalmia Neonatorum, (K) Pemphigus Neonatorum, (L) Undulant Fever, (M) Continued Fever, (N) Dysentery (Bacillary), (O) Dysentery (Amoebic), (P) Malaria, (Q) Membranous Croup, (T) Puerperal Infection, (U) Scabies.

TABLE IV.—Cases of the undermentioned diseases treated in Dublin hospitals during the week ended Saturday, 27th November, 1943, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of cases in hospital at close of week ended			Week ended 27th November, 1943.			
	Nov. 6	Nov. 13	Nov. 20	No. admitted	Dis-charged	Died	No. under treatment at close of week
Typhoid fever	4	6	6	.	1	.	5
Typhus	.	.	.	.	.	.	.
Smallpox	.	.	.	.	.	.	.
Measles	3	3	2	2	1	.	3
Scarlet fever	73	78	78	11	17	1	71
Diphtheria	267	264	266	37	20	2	281
Pneumonia	19	25	23	5	5	1	22
Diarrhoea and Enteritis	106	102	97	13	14	10	86



# ÉIRE


LE hAGHAIDH NA SEIRBHISE PUIBLI

## CUNNTAS SEACHTMHAINÉAMHAIL na mBREITH agus na mBAS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE  
PRINCIPAL TOWNS

*By Authority of the Registrar-General.*



To be purchased through any Bookseller or directly from  
THE GOVERNMENT PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN.

No. 48. Vol. LXXX.]

WEEK ENDING SATURDAY, 4th December, 1943.

PRICE 1½d. NET.

*Oifig an Árd-Chláradóra,*

*Baile Átha Cliath.*

### PRINCIPAL TOWNS

Particulars of the Births and Deaths recorded for the Principal Towns are given in Table I. Deaths have been assigned so far as possible to the area of residence and those of non-residents of Éire have been excluded.

The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were represented by the following annual rates per 1,000 of the population :—

Principal Towns 16.2 and 14.7; City of Dublin 16.2 and 15.1; Borough of Dun Laoghaire 16.1 and 12.4; Cork 14.9 and 13.9; Limerick 12.3 and 14.7; and Waterford 27.4 and 18.8.

The deaths from the principal epidemic diseases\* recorded for the thirteen principal towns last week were represented by an annual rate of 1.1 per 1,000. Included in the 15 deaths from all causes for Waterford were 3 from diarrhoea and enteritis (under 2 years), the 2 deaths for Tralee included one from whooping cough, and one of the 4 deaths for Bray was from diphtheria.

**City of Dublin.**—The number of births registered during the week was 262—133 boys and 129 girls. Exclusive of those, numbering 42, occurring in institutions, of infants whose mothers were admitted from other localities, the number was 220, representing a rate of 22.9 per 1,000.

The number of deaths registered was 173—88 males and 85 females. Of the total, 18 related to persons belonging to other localities, so that the actual number of deaths for the City was 155, representing a rate of 16.2 per 1,000.

There was one death from typhoid fever, one from whooping cough, one from diphtheria, and 8 from diarrhoea and enteritis (under 2 years). In the three preceding weeks the deaths from whooping cough were one, 3 and 0, from diphtheria 5, one and one, and from diarrhoea and enteritis (under 2 years) 12, 10 and 6. There were no deaths from typhoid fever in the three preceding weeks.

Tuberculosis caused 16 deaths (12 of which were from pulmonary tuberculosis, 3 from tuberculous meningitis, and one from tuberculosis of the knee joint), as against 19, 19 and 11 from all forms of tuberculosis in the three preceding weeks.

There were 3 deaths from influenza.

Ten deaths were caused by cancer, and 37 by diseases of the heart.

There were 12 deaths from pneumonia comprising 7 from broncho-pneumonia, 4 from lobar pneumonia, and one from pneumonia, (unspecified) and there were 7 deaths from bronchitis.

Two accidental deaths were registered.

Among the deaths of infants under one year of age, one was due to meningitis, 3 to pneumonia, 8 to diarrhoea and enteritis, 6 to congenital debility, and 6 to premature birth.

Thirty-three of the deaths recorded during the week for the City were those of children under five years of age, 28 being infants under one year, 11 of whom were under one month old, and 60 were those of persons aged 65 years and upwards, of whom 40 were aged 70 years or over.

**CASES OF INFECTIOUS DISEASES.**—Table III shows the numbers notified in the City of Dublin and in the Boroughs; and Table IV the number of cases of certain diseases treated in Dublin Hospitals.

\* Typhoid fever, typhus, smallpox, dysentery, scarlet fever, whooping cough, diphtheria, measles and diarrhoea and enteritis (under 2 years of age).

TABLE I.—BIRTHS and DEATHS registered during the week ended Saturday, 4th December, 1943, for the Principal Towns of Éire, with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULA- TION (a)	Annual Rate (b) per 1,000 persons		BIRTHS		DEATHS		Under 1 year of age		65 years and upwards		Principal epidemic diseases										Tuber- culosis		Influenza		Cancer	Diseases respiratory system			Violence	Other Causes	Inquest Cases	In public institutions	Number uncertified
		BIRTHS	(2)	DEATHS		(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	Pulmonary		(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)		(24)	(25)						
				From all Causes	From Principal epidemic diseases											(3)	(4)									(15)			(15)					
																														Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)								
TOTAL 13 TOWNS	793,217	24.3	16.2	1.1	369	246	40	99	1	.	2	2	.	11	16	8	4	18	12	15	3	154	9	115	5									
CITY OF DUBLIN (c)	500,300	22.9	10.2	1.1	220	155	28	60	1(d)	.	1	1	.	8	12	4	3	10	12	11	2	90	3	87	3									
BOROUGH OF DUN LAOGHAIRE	42,200	17.3	16.1	.	14	13	1	9	.	.	.	.	.	.	.	.	.	.	1	.	1	1	10	1	3	.								
CORK COUNTY BOROUGH	76,800	12.9	14.9	.	19	22	.	11	.	.	.	.	.	.	2	2	2	1	2	1	1	14	5	11	.									
LIMERICK COUNTY BOROUGH	42,500	49.1	12.3	.	40	10	2	.	.	.	.	.	.	.	.	.	1	.	.	1	.	8	5	1	.									
WATERFORD COUNTY BOROUGH	28,500	20.1	27.4	5.5	11	15	3	6	.	.	.	.	.	3	.	.	.	.	2	.	.	10	.	4	.									
GALWAY URBAN DISTRICT	18,294	—	—	—	8	4	1	1	.	.	.	.	.	.	2	1	.	.	1	.	.	1	.	3	.									
DUNDALK URBAN DISTRICT	14,684	—	—	—	4	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	5	2	.									
DROGHEDA URBAN DISTRICT	14,494	—	—	—	26	5	.	2	.	.	.	.	.	.	.	.	.	.	.	.	.	5	2	.	.									
SLIGO URBAN DISTRICT	12,565	—	—	—	5	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	5	.	.	1									
WEXFORD URBAN DISTRICT	12,247	—	—	—	10	5	1	3	.	.	.	.	.	.	.	.	.	.	.	.	.	1	5	.	1									
TRALEE URBAN DISTRICT	10,285	—	—	—	6	2	1	1	.	.	1	.	.	.	.	.	.	.	.	.	.	1	5	.	8									
KILKENNY URBAN DISTRICT	10,287	—	—	—	5	8	1	5	.	.	.	.	.	.	.	.	.	.	2	.	1	5	.	1	.									
BRAY URBAN DISTRICT	10,111	—	—	—	1	4	1	1	.	.	.	1	.	.	.	.	1	.	.	.	.	2	.	.	.									
BELFAST COUNTY BOROUGH	444,500	—	—	—	159	112	22	47	1(d)	.	.	.	.	5	7	4	2	11	12	8	—	—	—	—	—									
DERRY COUNTY BOROUGH	47,813	—	—	—	18	11	3	4	.	.	.	.	.	.	.	.	1	.	1	.	.	—	—	—	—									

(a) According to the Census of 1936, but in the case of the Cities of Cork, Limerick, and Waterford, the populations given are those according to the Register of Population 1941. The population given for the City of Dublin and for the Borough of Dun Laoghaire is that estimated to the middle of 1941. The population for Belfast is that estimated to the 1st January 1940, and that for Derry is according to the Census of 1937. (b) The annual rates for the urban districts will be shown in the quarterly return. (c) The figures for the City of Dublin include those for the former urban district of Howth. (d) Typhoid fever.



TABLE II.—Deaths registered during the week ended Saturday, 4th December, 1943, for the City of Dublin and the County Borough of Cork by Registrars' Districts

REGISTRARS' DISTRICTS, &c.		AGES AT DEATH											DEATHS FROM											Inquest cases		In public institutions		Number uncertified
		Principal epidemic diseases							Tuber- culosis				Cancer	Influenza	Diseases of respi- ratory system		Violence	Other causes										
		Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Pulmonary	Other forms	Pneumonia	Other																	
TOTAL DEATHS		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)	
DUBLIN.																												
NORTH CITY	No. 1 EAST	7	3	1				1	6	3						3			1	1	1	2	6	1	3	1		
"	No. 1 WEST	18	5						3	6							1			1	1	1	10		2	1		
"	No. 2	5	3						3	2										1	1	1	3		7			
"	No. 3	10	3						3	4						1				1	1	1	7		6			
"	No. 4	9	3							6										1	1	1	5		7			
BLANCHARDSTOWN AND CASTLEKNOCK, PT. OF CLONTARF AND HOWTH, NOS. 1 & 2, PT. OF COOLICK & DRUMCONDRA, NOS. 1 & 2, PT. OF FINGLAS AND GLASNEVIN, NOS. 1 & 2, PT. OF																												
SOUTH CITY	No. 1	10			2			1	3	4		1						1		1	1	2	2	6		1		
"	No. 2	6					1		3	3										1	1	2	10		2			
"	No. 3	5	2				1		3	3											1	1	6		4			
"	No. 4	5	2						1	3						1					1	1	2		4			
"	No. 5	7	2	1					1	3						1					1	1	3		4			
"	No. 6	12	3						1	7											2	1	9		8			
CLONDALKIN, PART OF CRUMLIN, PART OF DONNYBROOK, NOS. 1 AND 2 RATHFARNHAM, PART OF RATHMINES, NOS. 1 AND 2 TENERURE, PART OF																												
		11	4			1	1	2	2	1	1(a)						2											
		7						4	4	1																		
		2							2	1							1	1		2			6		8			
		13				1		3	4	5			1				2	1			1		4		4			
		5							3	2							2	1		1	1		8		1			
TOTAL		155	28	3	2	3	14	43	60	1	1	1				8	12	4	3	10	12	11	2	90	3	87	3	
CORK.																												
CORK URBAN, No. 1		3					2	1	3								1					1		2	1	1		
"	No. 2	3						1	4									1										
"	No. 3	5						1	2																			
"	No. 4	4						1	1																			
"	No. 5	3						2	1																			
"	No. 6	2						2	2																			
"	No. 7	2						2	1																			
TOTAL		22		1	1		2	7	11								2	2	1	2		1		14		11		

(a) Typhoid fever.

TABLE III.—Cases of infectious diseases notified in the undermentioned urban areas during the week ended Saturday, 4th December, 1943, and during each of the three preceding weeks.

AREAS	Week ended	Typhoid fever	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis	Smallpox	Measles	Typhus	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Other diseases*	TOTAL
Dublin City	Nov. 13	3	12	4	32	11	.	27	.	6	14D, 1G, 3H, 40U	153
	Nov. 20	.	8	10	37	12	.	32	.	12	1B, 23D, 1G, 5H, 1J, 1T, 132U	275
	Nov. 27	1	6	12	20	12	.	26	.	4	61D, 2H, 124U	268
	Dec. 4	.	6	16	25	12	.	24	.	17	22D, 5H, 106U	233
Dun Laoghaire Borough	Nov. 13	.	2	.	1	.	.	.	.	.	1B	4
	Nov. 20	.	2	.	3	.	.	.	.	.	1D	7
	Nov. 27	.	3	.	1	.	.	.	.	.	1D	5
	Dec. 4	.	2	.	1	.	.	.	.	.		3
Cork C. B.	Nov. 13	.	.	3	5	.	.	.	.	.	2D, 115U,	125
	Nov. 20	.	.	2	5	.	.	.	.	2	3H, 96U	108
	Nov. 27	.	.	3	4	5	.	.	.	3	1B, 2H, 53U	71
	Dec. 4	.	.	.	3	4	.	.	.	3	1D, 33U	44
Limerick C. B.	Nov. 13	.	.	.	1	.	.	.	.	.	1H	2
	Nov. 20	1	.	.	2	.	.	.	.	.	25U	23
	Nov. 27	.	.	.	2	.	.	.	.	1	1D, 14U	18
	Dec. 4	.	.	.	1	.	.	.	.	.	1D, 20U	22
Waterford C. B.	Nov. 13	.	.	.	1	1	.	.	.	2	4D, 18U	26
	Nov. 20	.	.	.	1	1	.	.	.	.	1U	3
	Nov. 27	.	.	.	.	2	.	.	.	1	5D, 28U	36
	Dec. 4	.	1	.	.	1	.	.	.	.	2D, 5U	9

\*The letters in this column denote the following diseases:— (A) Acute Anterior Poliomyelitis, (B) Cerebro-Spinal Fever, (C) Encephalitis Lethargica, (D) Diarrhoea and Enteritis, (E) Paratyphoid A., (F) Paratyphoid B., (G) Trachoma, (H) Erysipelas, (J) Ophthalmia Neonatorum, (K) Pemphigus Neonatorum, (L) Undulant Fever, (M) Continued Fever, (N) Dysentery (Bacillary), (O) Dysentery (Amoebic), (P) Malaria, (Q) Membranous Croup, (T) Puerperal Infection, (U) Scabies.

TABLE IV.—Cases of the undermentioned diseases treated in Dublin hospitals during the week ended Saturday, 4th December, 1943, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of cases in hospital at close of week ended			Week ended 4th December, 1943.			
	Nov. 13	Nov. 20	Nov. 27	No. admitted	Discharged	Died	No. under treatment at close of week
Typhoid fever	6	6	5	.	.	1	4
Typhus	.	.	.	.	.	.	.
Smallpox	.	.	.	.	.	.	.
Measles	3	2	3	1	1	.	3
Scarlet fever	78	78	71	4	11	.	64
Diphtheria	264	266	281	53	34	1	299
Pneumonia	25	23	22	5	5	1	21
Diarrhoea and Enteritis	102	97	86	13	18	4	77



# ÉIRE

LE HAGHAIDH NA SEIRBHISE PUIBLI

## CUNNTAS SEACHTMHAINÉAMHAIL na mBREITH agus na mBAS

### WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE

### PRINCIPAL TOWNS

*By Authority of the Registrar-General.*

To be purchased through any Bookseller or directly from  
THE GOVERNMENT PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN.



No. 49. Vol. LXXX.]

WEEK ENDING SATURDAY, 11th December, 1943.

PRICE 1½d. NET.

*Oifig an Árd-Chláradóra,*

*Baile Átha Cliath.*

## PRINCIPAL TOWNS

Particulars of the Births and Deaths recorded for the **Principal Towns** are given in Table I. Deaths have been assigned so far as possible to the area of residence and those of non-residents of Éire have been excluded.

The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were represented by the following annual rates per 1,000 of the population:—

Principal Towns 16.6 and 15.6; City of Dublin 17.5 and 15.9; Borough of Dun Laoghaire 9.9 and 13.0; Cork 14.3 and 14.3; Limerick 22.1 and 16.3; and Waterford 14.6 and 19.7.

The deaths from the principal epidemic diseases\* recorded for the thirteen principal towns last week were represented by an annual rate of 0.9 per 1,000.

**City of Dublin.**—The number of births registered during the week was 271—138 boys and 133 girls. Exclusive of those, numbering 57, occurring in institutions, of infants whose mothers were admitted from other localities, the number was 214, representing a rate of 22.3 per 1,000.

The number of deaths registered was 192—94 males and 98 females. Of the total, 24 related to persons belonging to other localities, so that the actual number of deaths for the City was 168, representing a rate of 17.5 per 1,000.

There was one death from whooping cough, one from diphtheria, one from measles, and 8 from diarrhoea and enteritis (under 2 years). In the three preceding weeks the deaths from whooping cough were 3, 0 and one, from diphtheria one, one and one, and from diarrhoea and enteritis (under 2 years) 10, 6 and 8.

Tuberculosis caused 14 deaths (11 of which were from pulmonary tuberculosis, one from tuberculous meningitis, and 2 from tuberculous peritonitis), as against 19, 11 and 16 from all forms of tuberculosis in the three preceding weeks.

There was one death from influenza.

Seven deaths were caused by cancer, and 53 by diseases of the heart.

There were 16 deaths from pneumonia comprising 6 from broncho-pneumonia, 2 from lobar pneumonia, and 8 from pneumonia, (unspecified) and there were 6 deaths from bronchitis.

Among the deaths of infants under one year of age, one was due to whooping cough, one to measles, one to meningitis, 2 to convulsions, one to bronchitis, 6 to pneumonia, 7 to diarrhoea and enteritis, one to congenital malformation, 5 to congenital debility, and 7 to premature birth.

Forty of the deaths recorded during the week for the City were those of children under five years of age, 34 being infants under one year, 17 of whom were under one month old, and 62 were those of persons aged 65 years and upwards, of whom 44 were aged 70 years or over.

**CASES OF INFECTIOUS DISEASES.**—Table III shows the numbers notified in the City of Dublin and in the Boroughs; and Table IV the number of cases of certain diseases treated in Dublin Hospitals.

\* Typhoid fever, typhus, smallpox, dysentery, scarlet fever, whooping cough, diphtheria, measles, and diarrhoea and enteritis (under 2 years of age).

TABLE I.—BIRTHS and DEATHS registered during the week ended Saturday, 11th December, 1943, for the Principal Towns of Éire, with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULA- TION (a)	Annual Rate (b) per 1,000 persons		BIRTHS	DEATHS		DEATHS per 1,000 persons	BIRTHS	DEATHS	CAUSED BY														In public institutions	Number uncertified					
		BIRTHS	DEATHS		Under 1 year of age	65 years and upwards				Principal epidemic diseases								Tuber- culosis		Influenza	Cancer	Diseases respiratory system				Violence	Other Causes	Inquest Cases		
			From all Causes							From Principal epidemic diseases	Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Pulmonary	Other forms	Pneumonia			Other								
COLS.	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)					
TOTAL 13 TOWNS	793,217	21.3	16.6	0.9	324	253	44	104	.	.	1	1	1	10	22	5	3	15	30	21	2	142	5	117	5					
CITY OF DUBLIN (c)	500,300	22.3	17.5	1.1	214	168	34	62	.	.	.	.	.	.	11	3	1	7	16	13	.	106	3	89	2					
BOROUGH OF DUN LAOGHAIRE	42,200	13.6	9.9	.	11	8	.	5	.	.	.	.	.	.	.	.	.	.	1	1	.	6	.	1	.					
CORK COUNTY BOROUGH	76,800	17.7	14.3	.	26	21	3	7	.	.	.	.	.	.	3	.	.	3	3	3	1	8	.	10	1					
LIMERICK COUNTY BOROUGH	42,500	13.5	22.1	.	11	18	2	12	.	.	.	.	.	.	1	1	.	1	5	2	.	8	1	6	2					
WATERFORD COUNTY BOROUGH	28,500	13.3	14.6	1.8	10	8	1	5	.	.	.	.	.	1	.	.	.	1	.	.	.	6	1	2	.					
GALWAY URBAN DISTRICT	18,294	—	—	—	11	7	.	2	.	.	.	.	.	.	4	.	.	2	.	.	.	1	.	3	.					
DUNDALK URBAN DISTRICT	14,684	—	—	—	6	9	1	5	.	.	.	.	.	.	.	1	2	.	3	1	.	2	.	2	.					
DROGHEDA URBAN DISTRICT	14,494	—	—	—	9	4	1	2	.	.	.	.	.	.	1	.	.	.	1	.	.	2	.	.	.					
SLIGO URBAN DISTRICT	12,565	—	—	—	13	3	1	.	.	.	.	.	.	.	1	.	.	.	1	.	.	1	.	2	.					
WEXFORD URBAN DISTRICT	12,247	—	—	—	2	1	.	.	.	.	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.					
TRALEE URBAN DISTRICT	10,285	—	—	—	2	2	.	2	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.	1	.					
KILKENNY URBAN DISTRICT	10,237	—	—	—	4	1	.	1	.	.	.	.	.	.	.	.	.	.	.	1	.	.	.	.	.					
BRAY URBAN DISTRICT	10,111	—	—	—	5	3	1	1	.	.	.	.	.	1	1	.	.	.	.	.	.	1	.	1	.					
BELFAST COUNTY BOROUGH	444,500	—	—	—	175	116	31	40	.	.	3	.	.	4	2	3	4	11	13	14	—	—	—	—	—					
DERRY COUNTY BOROUGH	47,813	—	—	—	20	10	2	3	.	.	.	.	.	.	3	.	.	.	.	.	—	—	—	—	—					

(a) According to the Census of 1936, but in the case of the Cities of Cork, Limerick, and Waterford, the populations given are those according to the Register of Population 1941. The population given for the City of Dublin and for the Borough of Dun Laoghaire is that estimated to the middle of 1943. The population for Belfast is that estimated to the 1st January 1940, and that for Derry is according to the Census of 1937. (b) The annual rates for the urban districts will be shown in the quarterly return. (c) The figures for the City of Dublin include those for the former urban district of Howth.





TABLE III.—Cases of infectious diseases notified in the undermentioned urban areas during the week ended Saturday, 11th December, 1943, and during each of the three preceding weeks.

AREAS	Week ended	Typhoid fever	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis	Smallpox	Measles	Typhus	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Other diseases*	TOTAL
Dublin City	Nov. 20	.	8	10	37	12	.	32	.	12	1B,23D,1G,5H,1J,1T,132U	275
	Nov. 27	1	6	12	20	12	.	26	.	4	61D, 2H, 124U	268
	Dec. 4	.	6	16	25	12	.	24	.	17	22D, 5H, 106U	233
	Dec. 11	.	9	10	44	6	.	21	.	9	1B, 10D, 5H, 131U	246
Dun Laoghaire Borough	Nov. 20	.	2	.	3	.	.	.	.	.	1D	6
	Nov. 27	.	3	.	1	.	.	.	.	.	1D	5
	Dec. 4	.	2	.	1	.	.	.	.	.		3
	Dec. 11	.	.	.	1	.	.	.	.	.		1
Cork C. B.	Nov. 20	.	.	2	5	.	.	.	.	2	3H, 96U	108
	Nov. 27	.	.	3	4	5	.	.	.	3	1B, 2H, 53U	71
	Dec. 4	.	.	.	3	4	.	.	.	3	1D, 33U	44
	Dec. 11	.	.	3	5	.	.	1	.	.	3D, 1H. 139U	152
Limerick C. B.	Nov. 20	1	.	.	2	.	.	.	.	.	25U	28
	Nov. 27	.	.	.	2	.	.	.	.	1	1D, 14U	18
	Dec. 4	.	.	.	1	.	.	.	.	.	1D, 20U	22
	Dec. 11	.	.	.	.	.	.	.	.	.	10U	10
Waterford C. B.	Nov. 20	.	.	.	1	1	.	.	.	.	1U	3
	Nov. 27	.	.	.	.	2	.	.	.	1	5D, 28U	36
	Dec. 4	.	1	.	.	1	.	.	.	.	2D, 5U	9
	Dec. 11	.	.	.	1	.	.	.	.	.	5D, 7U	13

\*The letters in this column denote the following diseases :— (A) Acute Anterior Poliomyelitis, (B) Cerebro-Spinal Fever, (C) Encephalitis Lethargica, (D) Diarrhoea and Enteritis, (E) Paratyphoid A., (F) Paratyphoid B., (G) Trachoma, (H) Erysipelas, (J) Ophthalmia Neonatorum, (K) Pemphigus Neonatorum, (L) Undulant Fever, (M) Continued Fever, (N) Dysentery (Bacillary), (O) Dysentery (Amoebic), (P) Malaria, (Q) Membranous Croup, (T) Puerperal Infection, (U) Scabies.

TABLE IV.—Cases of the undermentioned diseases treated in Dublin hospitals during the week ended Saturday, 11th December, 1943, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of cases in hospital at close of week ended			Week ended 11th December, 1943.			
	Nov. 20	Nov. 27	Dec. 4	No. admitted	Discharged	Died	No. under treatment at close of week
Typhoid fever	6	6	4	.	1	.	3
Typhus	.	.	.	.	.	.	.
Smallpox	.	.	.	.	.	.	.
Measles	2	3	3	2	2	1	2
Scarlet fever	78	71	64	1	8	.	57
Diphtheria	266	281	299	47	26	3	317
Pneumonia	23	22	21	3	3	1	20
Diarrhoea and Enteritis	97	86	77	12	5	6	78



# ÉIRE

LE hAGHAIDH NA SEIRBHISE PUIBLI

## CUNNTAS SEACHTMHAINÉAMHAIL na mBREITH agus na mBAS

### WEEKLY RETURNS OF BIRTHS AND DEATHS

#### FOR THE PRINCIPAL TOWNS

*By Authority of the Registrar-General.*



To be purchased through any Bookseller or directly from  
THE GOVERNMENT PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN.

No. 60. Vol. LXXX.]

WEEK ENDING SATURDAY, 18th December, 1943.

PRICE 1½d NET.

*Oifig an Árd-Chláradóra,*

*Baile Átha Cliath.*

### PRINCIPAL TOWNS

Particulars of the Births and Deaths recorded for the Principal Towns are given in Table I. Deaths have been assigned so far as possible to the area of residence and those of non-residents of Éire have been excluded.

The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were represented by the following annual rates per 1,000 of the population :—

Principal Towns 19.8 and 16.8; City of Dublin 18.6 and 16.6; Borough of Dun Laoghaire 29.7 and 17.6; Cork 25.8 and 17.3; Limerick 11.0 and 16.9; and Waterford 22.0 and 21.0.

The deaths from the principal epidemic diseases\* recorded for the thirteen principal towns last week were represented by an annual rate of 1.3 per 1,000. Among the 38 deaths from all causes for Cork were 2 from diarrhoea and enteritis (under 2 years), the 9 deaths for Limerick included 2 from diarrhoea and enteritis (under 2 years), and one of the 5 deaths for Sligo was from diphtheria.

**City of Dublin.**—The number of births registered during the week was 259—138 boys and 121 girls. Exclusive of those, numbering 38, occurring in institutions, of infants whose mothers were admitted from other localities, the number was 221, representing a rate of 23.0 per 1,000.

The number of deaths registered was 205—103 males and 102 females. Of the total, 27 related to persons belonging to other localities, so that the actual number of deaths for the City was 178, representing a rate of 18.6 per 1,000.

There was one death from scarlet fever, 4 from diphtheria, and 9 from diarrhoea and enteritis (under 2 years). In the three preceding weeks the deaths from scarlet fever were one, 0 and 0, from diphtheria one, one and one, and from diarrhoea and enteritis (under 2 years) 6, 8 and 8.

Tuberculosis caused 12 deaths (11 of which were from pulmonary tuberculosis, and one from tuberculosis of the spine), as against 11, 16 and 14 from all forms of tuberculosis in the three preceding weeks.

There were two deaths from influenza.

Eighteen deaths were caused by cancer, and 41 by diseases of the heart.

There were 11 deaths from pneumonia comprising 8 from broncho-pneumonia, one from lobar pneumonia, and 2 from pneumonia, (unspecified) and there were 14 deaths from bronchitis.

Two accidental deaths were registered.

Among the deaths of infants under one year of age, one was due to scarlet fever, one to diphtheria, 5 to pneumonia, 9 to diarrhoea and enteritis, 2 to congenital malformations, 2 to congenital debility, 13 to premature birth, and one to injury at birth.

Forty-six of the deaths recorded during the week for the City were those of children under five years of age, 40 being infants under one year, 20 of whom were under one month old, and 74 were those of persons aged 65 years and upwards, of whom 50 were aged 70 years or over.

**CASES OF INFECTIOUS DISEASES.**—Table III shows the numbers notified in the City of Dublin and in the Boroughs; and Table IV the number of cases of certain diseases treated in Dublin Hospitals.

\* Typhoid fever, typhus, smallpox, dysentery, scarlet fever, whooping cough, diphtheria, measles, and diarrhoea and enteritis (under 2 years of age).







TABLE II.—Deaths registered during the week ended Saturday, 18th December, 1943, for the City of Dublin and the County Borough of Cork by Registrars' Districts

REGISTRARS' DISTRICTS, &c.		AGES AT DEATH										DEATHS FROM										Inquest cases	In public institutions	Number uncertified						
												Principal epidemic diseases								Tuber- culosis					Influenza	Cancer	Diseases of respi- ratory system		Violence	Other causes
												Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Pulmonary	Other forms	Pneumonia	Other									
		Under 1 year	1-2	2-5	5-15	15-25	25-45	45-65	65 years and upwards	(10)	(11)														(12)	(13)	(14)	(15)	(16)	(17)
TOTAL DEATHS		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)			
DUBLIN.		COLS.																												
NORTH CITY	No. 1 EAST	11	2	3	1	1	1	1	3	6	1	1	1	1	1	1	1	1	1	1	4	12	4	5	15	1				
"	No. 1 WEST	22	9	1	1	1	1	1	3	3	1	1	1	1	1	1	2	1	1	1	1	3	2	4	11	2				
"	No. 2	10	2	1	1	1	1	1	5	3	1	1	1	1	1	1	1	1	1	1	1	4	6	1	7	1				
"	No. 3	12	3	1	1	1	1	1	2	5	1	1	1	1	1	1	1	1	1	1	2	6	2	1	2	1				
"	No. 4	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1				
BLANCHARDSTOWN AND CASTLEKNOCK, PT. OF		5	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
CLONTARF AND HOWTH, NOS. 1 & 2, PT. OF		7	1	1	1	1	1	1	2	4	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1				
COOLOCK & DRUMCONDRA, NOS. 1 & 2, PT. OF		9	4	1	1	1	1	1	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
FINGLAS AND GLASNEVIN, NOS. 1 & 2, PT. OF		3	2	1	1	1	1	1	1	4	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1				
SOUTH CITY		8	1	1	1	1	1	1	2	9	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1				
"	No. 2	13	2	1	1	1	1	1	2	6	1	1	1	1	1	1	1	1	1	1	2	2	5	1	1	1				
"	No. 3	14	2	1	1	1	1	1	3	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
"	No. 4	14	3	1	1	1	1	1	3	7	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
"	No. 5	10	1	1	1	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
"	No. 6	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
CLONDALKIN, PART OF		16	1	1	1	1	1	1	1	9	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1				
CRUMLIN, PART OF		15	4	1	1	1	1	1	1	5	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1				
DONNYBROOK, NOS. 1 AND 2		2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1				
RATHFARNHAM, PART OF		15	4	1	1	1	1	1	1	5	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1				
RATHMINES, NOS. 1 AND 2		2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1	1	1				
TERENURE, PART OF		178	40	2	4	3	7	44	74	1	1	4	4	4	4	9	11	1	2	18	11	18	2	101	4	117	2			
TOTAL		38	10	1	3	5	5	5	15	1	1	4	4	4	4	9	5	1	2	3	3	3	24	1	21	1				
CORK.		COLS.																												
CORK URBAN, No. 1	7	3	1	1	1	1	2	1	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
"	8	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
"	2	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
"	3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
"	4	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
"	5	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
"	6	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
"	7	11	4	1	1	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
TOTAL		38	10	1	3	5	5	5	15	1	1	4	4	4	4	9	5	1	2	3	3	3	24	1	21	1				

TABLE III.—Cases of infectious diseases notified in the undermentioned urban areas during the week ended Saturday, 18th December, 1943, and during each of the three preceding weeks.

AREAS	Week ended	Typhoid fever	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis	Smallpox	Measles	Typhus	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Other diseases*	TOTAL
Dublin City	Nov. 27	1	6	12	20	12	.	26	.	4	61D, 2H, 124U	268
	Dec. 4	.	6	16	25	12	.	24	.	17	22D, 5H, 106U	233
	Dec. 11	.	9	10	44	5	.	21	.	9	1B, 10D, 5H, 131U	246
	Dec. 18	.	8	10	35	6	.	19	.	10	9D, 1G, 3H, 83U	184
Dun Laoghaire Borough	Nov. 27	.	3	.	1	.	.	.	.	.	1D	5
	Dec. 4	.	2	.	1	.	.	.	.	.		3
	Dec. 11	.	.	.	1	.	.	.	.	.		1
	Dec. 18	.	2	.	2	.	.	1	.	.		5
Cork C. B.	Nov. 27	.	.	3	4	5	.	.	.	3	1B, 2H, 53U	71
	Dec. 4	.	.	.	3	4	.	.	.	3	1D, 33U	44
	Dec. 11	.	.	3	5	.	.	1	.	.	3D, 1H, 139U	152
	Dec. 18	.	1	6	2	1	.	.	.	2	1D, 1H, 1T, 51U	66
Limerick C. B.	Nov. 27	.	.	.	2	.	.	.	.	1	1D, 14U	18
	Dec. 4	.	.	.	1	.	.	.	.	.	1D, 20U	22
	Dec. 11	.	.	.	.	.	.	.	.	.	10U	10
	Dec. 18	.	2	.	.	.	.	.	.	.	11U	13
Waterford C. B.	Nov. 27	.	.	.	.	2	.	.	.	1	5D, 28U	36
	Dec. 4	.	1	.	.	1	.	.	.	.	2D, 5U	9
	Dec. 11	.	.	.	1	.	.	.	.	.	5D, 7U	13
	Dec. 18	.	.	.	1	.	.	.	.	.	1H, 4U	6

\*The letters in this column denote the following diseases :— (A) Acute Anterior Poliomyelitis, (B) Cerebro-Spinal Fever, (C) Encephalitis Lethargica, (D) Diarrhoea and Enteritis, (E) Paratyphoid A., (F) Paratyphoid B., (G) Trachoma, (H) Erysipelas, (J) Ophthalmia Neonatorum, (K) Pemphigus Neonatorum, (L) Undulant Fever, (M) Continued Fever, (N) Dysentery (Bacillary), (O) Dysentery (Amoebic), (P) Malaria, (Q) Membranous Croup, (T) Puerperal Infection, (U) Scabies.

TABLE IV.—Cases of the undermentioned diseases treated in Dublin hospitals during the week ended Saturday, 18th December, 1943, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of cases in hospital at close of week ended			Week ended 18th December, 1943.			
	Nov. 27	Dec. 4	Dec. 11	No. admitted	Discharged	Died	No. under treatment at close of week
Typhoid fever	6	4	3	.	1	.	2
Typhus	.	.	.	.	.	.	.
Smallpox	.	.	.	.	.	.	.
Measles	3	3	2	2	.	.	4
Scarlet fever	71	64	57	5	1	.	61
Diphtheria	281	299	317	35	33	3	316
Pneumonia	22	21	20	7	8	1	18
Diarrhoea and Enteritis	86	77	78	13	8	6	77



# ÉIRE

LE HAGHAIDH NA SEIRBHISE PUBLI

## CUNNTAS SEACHTMHAINÉAMHAIL na mBREITH agus na mBAS

### WEEKLY RETURNS OF BIRTHS AND DEATHS FOR THE PRINCIPAL TOWNS

*By Authority of the Registrar-General.*



To be purchased through any Bookseller or directly from  
THE GOVERNMENT PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN.

No. 51. Vol. LXXX.]

WEEK ENDING SATURDAY, 25th December, 1943.

PRICE 1½d NET.

*Oifig an Árd-Chláradóra,*

*Baile Átha Cliath.*

### PRINCIPAL TOWNS

Particulars of the Births and Deaths recorded for the **Principal Towns** are given in Table I. Deaths have been assigned so far as possible to the area of residence and those of non-residents of Éire have been excluded.

The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were represented by the following annual rates per 1,000 of the population :—

Principal Towns 15.6 and 17.1; City of Dublin 15.9 and 17.1; Borough of Dun Laoghaire 8.6 and 16.1; Cork 23.8 and 19.7; Limerick 9.8 and 13.8; and Waterford 18.3 and 20.6.

The deaths from the principal epidemic diseases\* recorded for the thirteen principal towns last week were represented by an annual rate of 0.5 per 1,000. Among the 35 deaths from all causes for Cork was one from whooping cough and one from diphtheria, and one of the 5 deaths for Dundalk was from whooping cough.

**City of Dublin.**—The number of births registered during the week was 218—104 boys and 114 girls. Exclusive of those, numbering 49, occurring in institutions, of infants whose mothers were admitted from other localities, the number was 169, representing a rate of 17.6 per 1,000.

The number of deaths registered was 170—74 males and 96 females. Of the total, 17 related to persons belonging to other localities, so that the actual number of deaths for the City was 153, representing a rate of 15.9 per 1,000.

There was one death from whooping cough, one from diphtheria, and one from measles. In the three preceding weeks the deaths from whooping cough were one, one and 0, from diphtheria one, one and 4, and from measles 0, one and 0.

Tuberculosis caused 15 deaths (11 of which were from pulmonary tuberculosis, 2 from tuberculous meningitis, and 2 from other forms of tuberculosis), as against 16, 14 and 12 from all forms of tuberculosis in the three preceding weeks.

There were three deaths from influenza.

Fifteen deaths were caused by cancer, and 41 by diseases of the heart.

There were 7 deaths from pneumonia, comprising 4 from broncho-pneumonia, and 3 from pneumonia, (unspecified) and there were 8 deaths from bronchitis.

Seven accidental deaths were registered including 4 by gas poisoning.

Among the deaths of infants under one year of age, one was due to whooping cough, one to influenza, one to bronchitis, 2 to pneumonia, 2 to congenital malformations, 4 to congenital debility, and 2 to premature birth.

Twenty of the deaths recorded during the week for the City were those of children under five years of age, 14 being infants under one year, 6 of whom were under one month old, and 71 were those of persons aged 65 years and upwards, of whom 58 were aged 70 years or over.

**CASES OF INFECTIOUS DISEASES.**—Table III shows the numbers notified in the City of Dublin and in the Boroughs; and Table IV the number of cases of certain diseases treated in Dublin Hospitals.

\* Typhoid fever, typhus, smallpox, dysentery, scarlet fever, whooping cough, diphtheria, measles, and diarrhoea and enteritis (under 2 years of age).

TABLE I.—BIRTHS and DEATHS registered during the week ended Saturday, 25th December, 1943, for the Principal Towns of Éire, with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION (a)	Annual Rate (b) per 1,000 persons		BIRTHS	DEATHS		Under 1 year of age	65 years and upwards	Principal epidemic diseases										Tuber- culosis		Influenza	Cancer	Diseases respiratory system			Violence	Other Causes	Inquest Cases	In public institutions	Number uncertified																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
		BIRTHS	DEATHS		Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever			Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Pulmonary		Other forms	Diseases respiratory system	Other	Pneumonia																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
													From all Causes	From Principal epidemic diseases																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
																			(1)	(2)			(3)	(4)	(5)						(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
TOTAL 13 TOWNS	793,217	15.1	15.6	0.5	230	237	19	111			3	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1

(a) According to the Census of 1936, but in the case of the Cities of Cork, Limerick, and Waterford, the populations given are those according to the Register of Population 1941. The population given for the City of Dublin and for the Borough of Dun Laoghaire is that estimated to the middle of 1943. The population for Belfast is that estimated to the middle of 1943, and that for Derry is according to the Census of 1937. (b) The annual rates for the urban districts will be shown in the quarterly return. (c) The figures for the City of Dublin include those for the former urban district of Howth.



TABLE II.—Deaths registered during the week ended Saturday, 25th December, 1943, for the City of Dublin and the County Borough of Cork by Registrars' Districts

REGISTRARS' DISTRICTS, &c.		AGES AT DEATH										DEATHS FROM										Inquest cases	In public institutions	Number uncertified			
		Principal epidemic diseases						Tuber- culosis		Indu- enza	Cancer	Diseases of respi- ratory system		Violence	Other causes												
		Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Pulmonary	Other forms			Pneumonia	Other														
TOTAL DEATHS		(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)	(26)
DUBLIN.																											
NORTH CITY	No. 1 EAST	12	3	1	1	2	2	5	1	4	•	•	•	•	•	•	•	2	•	1	1	1	3	7	•	9	•
"	No. 1 WEST	17	5	•	•	2	2	3	1	4	•	•	•	•	•	•	•	1	•	•	1	1	8	8	3	10	•
"	No. 2	6	1	•	•	•	•	1	1	3	•	•	•	•	•	•	•	•	•	•	•	2	3	5	•	2	•
"	No. 3	7	2	•	2	•	1	1	1	4	•	•	•	•	•	•	•	•	•	•	•	1	5	1	3	3	•
"	No. 4	3	•	•	•	•	•	1	1	3	•	•	•	•	•	•	•	•	•	•	•	•	1	1	1	1	•
BLANCHARDSTOWN AND CASTLEKNOCK, PT. OF																											
CLONTARF AND HOWTH,	Nos. 1 & 2, PT. OF	3	•	•	•	•	•	1	1	2	•	•	•	1	•	•	•	•	•	1	1	1	•	2	•	7	•
COOLOCK & DRUMCONDRA,	Nos. 1 & 2, PT. OF	8	•	•	1	•	•	3	3	6	•	•	•	•	•	•	2	•	1	2	•	1	4	1	1	5	•
FINGLAS AND GLASNEVIN, Nos. 1 & 2, PT. OF																											
SOUTH CITY	No. 1	7	1	•	•	1	1	1	1	2	•	1	1	•	•	•	1	•	•	•	•	1	4	1	1	4	•
"	No. 2	4	•	•	•	•	•	1	1	2	•	•	•	•	•	•	1	•	•	•	•	•	2	5	•	3	•
"	No. 3	11	•	•	•	•	•	1	1	3	•	•	•	•	•	•	1	•	•	3	1	1	5	9	•	7	•
"	No. 4	14	1	•	•	•	•	3	3	9	•	•	•	•	1	•	•	1	•	3	1	1	9	8	•	6	•
"	No. 5	12	•	1	•	•	•	1	1	7	•	•	•	•	•	•	•	•	•	1	1	1	8	8	•	3	•
"	No. 6	6	•	•	•	•	•	2	2	3	•	•	•	•	•	•	1	•	•	1	•	1	3	3	•	2	•
CLONDALKIN, PART OF																											
CRUMLIN, PART OF	Nos. 1 AND 2	5	•	•	•	•	•	3	3	6	•	•	•	•	•	•	•	•	•	2	•	•	2	6	•	2	•
DONNYBROOK,	Nos. 1 AND 2	8	•	•	•	1	1	•	•	6	•	•	•	•	•	•	•	•	•	•	1	1	6	•	•	5	•
RATHFARNHAM, PART OF																											
RATHMINES,	Nos. 1 AND 2	19	1	•	•	•	•	5	5	11	•	•	•	•	•	•	2	•	•	1	•	•	16	•	•	•	•
TERENURE, PART OF																											
TOTAL		153	14	2	4	7	17	36	71	71	•	•	1	1	1	•	11	4	3	15	7	12	7	91	7	71	4
CORK.																											
CORK URBAN, No.	1	3	•	•	•	•	•	1	3	2	•	•	•	•	•	•	•	•	•	1	•	1	•	1	•	•	•
"	2	4	•	1	•	•	•	•	7	3	•	•	1	1	•	•	•	•	•	1	•	1	1	•	•	4	•
"	3	11	•	1	•	•	1	3	3	•	•	•	•	•	•	•	1	•	•	2	•	•	8	•	•	5	•
"	4	6	•	•	•	1	1	1	1	•	•	•	•	•	•	•	•	•	•	•	•	•	3	•	1	•	•
"	5	2	1	•	•	•	•	1	1	•	•	•	•	•	•	•	•	•	•	•	•	•	1	•	•	•	•
"	6	1	•	•	•	•	•	1	1	4	•	•	•	•	•	•	1	•	•	•	•	2	5	•	•	1	•
"	7	8	•	•	•	•	•	3	3	•	•	•	•	•	•	•	•	•	•	•	•	•	1	•	•	•	•
TOTAL		35	2	•	2	1	1	13	16	16	•	•	1	1	•	•	2	•	1	4	2	4	1	19	1	21	1

TABLE III.—Cases of infectious diseases notified in the undermentioned urban areas during the week ended Saturday, 25th December, 1943, and during each of the three preceding weeks.

AREAS	Week ended	Typhoid fever	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis	Smallpox	Measles	Typhus	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Other diseases*	TOTAL
Dublin City	Dec. 4	.	6	16	25	12	.	24	.	17	22D, 5H, 106U	233
	Dec. 11	.	9	10	44	6	.	21	.	9	1B, 10D, 5H, 131U	246
	Dec. 18	.	8	10	35	6	.	19	.	10	9D, 1G, 3H, 83U	184
	Dec. 25	.	7	19	33	5	.	18	.	13	6D, 3H, 61U	165
Dun Laoghaire Borough	Dec. 4	.	2	.	1	.	.	.	.	.		3
	Dec. 11	.	.	.	1	.	.	.	.	.		1
	Dec. 18	.	2	.	2	.	.	1	.	.		5
	Dec. 25	.	.	1	4	.	.	.	.	.		5
Cork C. B.	Dec. 4	.	.	.	3	4	.	.	.	3	1D, 33U	44
	Dec. 11	.	.	3	5	.	.	1	.	.	3D, 1H, 139U	152
	Dec. 18	.	1	6	2	1	.	.	.	2	1D, 1H, 1T, 51U	66
	Dec. 25	.	1	.	1	.	.	1	.	1	20U	24
Limerick C. B.	Dec. 4	.	.	.	1	.	.	.	.	.	1D, 20U	22
	Dec. 11	.	.	.	.	.	.	.	.	.	10U	10
	Dec. 18	.	2	.	.	.	.	.	.	.	11U	13
	Dec. 25	.	.	.	.	.	.	.	.	.	15U	15
Waterford C. B.	Dec. 4	.	1	.	.	1	.	.	.	.	2D, 5U	9
	Dec. 11	.	.	.	1	.	.	.	.	.	5D, 7U	13
	Dec. 18	.	.	.	1	.	.	.	.	.	1H, 4U	6
	Dec. 25	.	.	.	.	1	.	.	.	2		3

\*The letters in this column denote the following diseases :— (A) Acute Anterior Poliomyelitis, (B) Cerebro-Spinal Fever, (C) Encephalitis Lethargica, (D) Diarrhoea and Enteritis, (E) Paratyphoid A., (F) Paratyphoid B., (G) Trachoma, (H) Erysipelas, (J) Ophthalmia Neonatorum, (K) Pemphigus Neonatorum, (L) Undulant Fever, (M) Continued Fever, (N) Dysentery (Bacillary), (O) Dysentery (Amoebic), (P) Malaria, (Q) Membranous Croup, (T) Puerperal Infection, (U) Scabies.

TABLE IV.—Cases of the undermentioned diseases treated in Dublin hospitals during the week ended Saturday, 25th December, 1943, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of cases in hospital at close of week ended			Week ended 25th December, 1943.			
	Dec. 4	Dec. 11	Dec. 18	No. admitted	Discharged	Died	No. under treatment at close of week
Typhoid fever	4	3	2	.	2	.	.
Typhus	.	.	.	.	.	.	.
Smallpox	.	.	.	.	.	.	.
Measles	3	2	4	3	1	.	6
Scarlet fever	64	57	61	10	23	1	47
Diphtheria	299	317	316	45	49	2	310
Pneumonia	21	20	18	15	7	3	23
Diarrhoea and Enteritis	77	78	77	24	20	12	69



# ÉIRE

LE hAGHAIDH NA SEIRBHISE PUIBLI

## CUNNTAS SEACHTMHAINÉAMHAIL na mBREITH agus na mBAS

WEEKLY RETURNS OF BIRTHS AND DEATHS

FOR THE  
PRINCIPAL TOWNS

*By Authority of the Registrar-General.*

To be purchased through any Bookseller or directly from  
THE GOVERNMENT PUBLICATIONS SALE OFFICE, 3-4 COLLEGE STREET, DUBLIN.

No. 52. Vol. LXXX.]

WEEK ENDING SATURDAY, 1st January, 1944.

PRICE 1½d NET.

*Oifig an Árd-Chláradóra,*

*Baile Átha Cliath.*

### PRINCIPAL TOWNS

Particulars of the Births and Deaths recorded for the Principal Towns are given in Table I. Deaths have been assigned so far as possible to the area of residence and those of non-residents of Éire have been excluded.

The deaths from all causes appertaining to the undermentioned areas for last week and for the past four weeks, respectively, were represented by the following annual rates per 1,000 of the population :—

Principal Towns 19.4 and 17.9; City of Dublin 19.2 and 17.8; Borough of Dun Laoghaire 12.4 and 15.2; Cork 31.2 and 23.8; Limerick 13.5 and 14.1; and Waterford 32.9 and 22.0.

The deaths from the principal epidemic diseases\* recorded for the thirteen principal towns last week were represented by an annual rate of 1.4 per 1,000. Among the 46 deaths from all causes for Cork was one from diphtheria, and one of the 3 deaths for Dundalk was from whooping cough.

**City of Dublin.**—The number of births registered during the week was 283—144 boys and 139 girls. Exclusive of those, numbering 47, occurring in institutions, of infants whose mothers were admitted from other localities, the number was 236, representing a rate of 24.6 per 1,000.

The number of deaths registered was 207—104 males and 103 females. Of the total, 23 related to persons belonging to other localities, so that the actual number of deaths for the City was 184, representing a rate of 19.2 per 1,000.

There was one death from whooping cough, 2 from diphtheria, and 9 from diarrhoea and enteritis (under 2 years). In the three preceding weeks the deaths from whooping cough were one, 0 and one, from diphtheria one, 4 and one, and from diarrhoea and enteritis (under 2 years), 8, 9 and 0.

Tuberculosis caused 15 deaths (12 of which were from pulmonary tuberculosis, one from tuberculous meningitis, and 2 from other forms of tuberculosis), as against 14, 12 and 15 from all forms of tuberculosis in the three preceding weeks.

There were five deaths from influenza.

Thirteen deaths were caused by cancer, and 42 by diseases of the heart.

There were 17 deaths from pneumonia, comprising 6 from broncho-pneumonia, 6 from lobar pneumonia, and 5 from pneumonia (unspecified), and there were 15 deaths from bronchitis.

Among the deaths of infants under one year of age, one was due to whooping cough, one to meningitis, 4 to bronchitis, 5 to pneumonia, 9 to diarrhoea and enteritis, 4 to congenital malformations, one to congenital debility, and 2 to premature birth.

Thirty-eight of the deaths recorded during the week for the City were those of children under five years of age, 32 being infants under one year, 8 of whom were under one month old, and 76 were those of persons aged 65 years and upwards, of whom 66 were aged 70 years or over.

**CASES OF INFECTIOUS DISEASES.**—Table III shows the numbers notified in the City of Dublin and in the Boroughs; and Table IV the number of cases of certain diseases treated in Dublin Hospitals.

\* Typhoid fever, typhus, smallpox, dysentery, scarlet fever, whooping cough, diphtheria, measles, and diarrhoea and enteritis (under 2 years of age).



TABLE I.—BIRTHS and DEATHS registered during the week ended Saturday, 1st January, 1944, for the Principal Towns of Éire, with similar particulars for BELFAST and DERRY.

PRINCIPAL TOWNS	POPULATION (a)	Annual Rate (b) per 1,000 persons		DEATHS		BIRTHS	DEATHS	BIRTHS	DEATHS	CAUSED BY																	In public institutions	Number uncertified																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
		(1)	(2)	DEATHS						Principal epidemic diseases										Tuber- culosis		Influenza	Cancer	Diseases respiratory system		Violence			Other Causes	Inquest Cases																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
				From all Causes	From Principal epidemic diseases					Typhoid fever, Typhus, Smallpox, Dysentery	Scarlet fever	Whooping cough	Diphtheria	Measles	Diarrhoea and enteritis (under 2 years of age)	Pulmonary	Other forms																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
																		(3)	(4)	(5)	(6)			(7)	(8)						(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)	(19)	(20)	(21)	(22)	(23)	(24)	(25)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
COLS.										Under 1 year of age	65 years and upwards																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				</

(a) According to the Census of 1936, but in the case of the Cities of Cork, Limerick, and Waterford, the populations given are those according to the Register of Population 1941. The population given for the City of Dublin and for the Borough of Dun Laoghaire is that estimated to the middle of 1943. The population for Belfast is that estimated to the middle of 1943. (b) The annual rates for the urban districts will be shown in the quarterly return. (c) The figures for the City of Dublin include those for the former urban district of Howth.







TABLE III.—Cases of infectious diseases notified in the undermentioned urban areas during the week ended Saturday, 1st January, 1944, and during each of the three preceding weeks.

AREAS	Week ended		Typhoid fever	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis	Smallpox	Measles	Typhus	Acute Primary Pneumonia and Acute Influenzal Pneumonia	Other diseases*	TOTAL
Dublin City	Dec. 11	11	.	9	10	43	6	.	21	.	9	1B, 10D, 5H, 131U	245
	Dec. 18	18	.	8	10	35	6	.	19	.	10	9D, 1G, 3H, 83U	184
	Dec. 25	25	.	7	19	33	5	.	18	.	13	6D, 3H, 61U	165
	Jan. 1	1	.	6	15	19	12	.	27	.	12	2B, 2D, 2H, 62U	159
Dun Laoghaire Borough	Dec. 11	11	.	.	.	1	.	.	.	.	.		1
	Dec. 18	18	.	2	.	2	.	.	1	.	.		5
	Dec. 25	25	.	.	1	4	.	.	.	.	.	1D	5
	Jan. 1	1	.	1	.	4	.	.	.	.	.		6
Cork C. B.	Dec. 11	11	.	.	3	5	.	.	1	.	.	3D, 1H, 139U	152
	Dec. 18	18	.	1	6	2	1	.	.	.	2	1D, 1H, 1T, 51U	66
	Dec. 25	25	.	1	.	1	.	.	1	.	1	20U	24
	Jan. 1	1	.	1	4	5	.	.	1	.	3	1B, 2H, 60U	77
Limerick C. B.	Dec. 11	11	.	.	.	.	.	.	.	.	.	10U	10
	Dec. 18	18	.	2	.	.	.	.	.	.	.	11U	13
	Dec. 25	25	.	.	.	.	.	.	.	.	.	15U	15
	Jan. 1	1	.	.	.	2	.	.	.	.	.	1H, 6U	9
Waterford C. B.	Dec. 11	11	.	.	.	1	.	.	.	.	.	5D, 7U	13
	Dec. 18	18	.	.	.	1	.	.	.	.	.	1H, 4U	6
	Dec. 25	25	.	.	.	.	1	.	.	.	2		3
	Jan. 1	1	.	1	.	.	1	.	.	.	.		2

\*The letters in this column denote the following diseases :— (A) Acute Anterior Poliomyelitis, (B) Cerebro-Spinal Fever, (C) Encephalitis Lethargica, (D) Diarrhoea and Enteritis, (E) Paratyphoid A., (F) Paratyphoid B., (G) Trachoma, (H) Erysipelas, (J) Ophthalmia Neonatorum, (K) Pemphigus Neonatorum, (L) Undulant Fever, (M) Continued Fever, (N) Dysentery (Bacillary), (O) Dysentery (Amoebic), (P) Malaria, (Q) Membranous Croup, (T) Puerperal Infection, (U) Scabies.

TABLE IV.—Cases of the undermentioned diseases treated in Dublin hospitals during the week ended Saturday, 1st January, 1944, with the number under treatment at the close of each of the last four weeks.

DISEASES	No. of cases in hospital at close of week ended			Week ended 1st January, 1944.			
	Dec. 11	Dec. 18	Dec. 25	No. admitted	Discharged	Died	No. under treatment at close of week
Typhoid fever	3	2	.	.	.	.	.
Typhus	.	.	.	.	.	.	.
Smallpox	.	.	.	.	.	.	.
Measles	2	4	6	1	.	.	7
Scarlet fever	57	61	47	5	8	.	44
Diphtheria	317	316	310	40	10	3	337
Pneumonia	20	18	23	15	3	3	32
Diarrhoea and Enteritis	78	77	69	19	7	9	72